

Blady Property Parser Copyright from 2003 Walter S. Blady

Mozilla/5.0 (Macintosh; U; PPC Mac OS X 10.4; en-US; rv:1.9.2) Gecko/20100115 Firefox/3.6
Properties for **[object HTMLDocument]... document**

Page 1 - Tue Mar 23 2010 16:51:59 GMT-0400 (EST)

```
0000001 1 open = function
0000002 1 location = object
0000003   • 2 hash
0000004   • 2 host
0000005   • 2 hostname
0000006   • 2 href = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines
/PropertyParser_DW_3.0/PropertyParser_demo.html
0000007   • 2 pathname = /Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines
/PropertyParser_DW_3.0/PropertyParser_demo.html
0000008   • 2 port
0000009   • 2 protocol = file:
0000010   • 2 search
0000011   • 2 reload = function
0000012   • 2 replace = function
0000013   • 2 assign = function
0000014 1 addEventListener = function
0000015 1 querySelector = function
0000016 1 querySelectorAll = function
0000017 1 evaluate = function
0000018 1 createExpression = function
0000019 1 createNSResolver = function
0000020 1 baseURI = file:///Volumes/Projects%
0000021 1 textContent
0000022 1 compareDocumentPosition = function
0000023 1 getUserData = function
0000024 1 isSameNode = function
0000025 1 lookupNamespaceURI = function lookupNamespaceU
0000026 1 setUserData = function
0000027 1 lookupPrefix = function
0000028 1 isDefaultNamespace = function
0000029 1 isEqualNode = function
0000030 1 documentURI = file:///Volumes/Projects%
0000031 1 adoptNode = function
0000032 1 renameNode = function
0000033 1 dispatchEvent = function
0000034 1 removeEventListener = function
0000035 1 createNodeIterator = function
0000036 1 defaultView%5Bobject%20Window%5D
0000037   • 2 addEventListener = function
0000038   • 2 location = object
0000039   • 2 WBPropertyParser_API = function
0000040   • 2 navigator = object
0000041   • 2 window = object
0000042   • 2 PPGetValues = function
0000043   • 2 PPFindImageObject = function
0000044   • 2 PPFindLayerObject = function
0000045   • 2 PPGetObject = function
0000046   • 2 PPPrepareNumber = function
```

0000047 • 2 **PPCloseWindow** = function
0000048 • 2 **PPDisplay** = function
0000049 • 2 **WBPropertyParser** = function
0000050 • 2 **PPpropertyList**
0000051 • 2 **PPwindow**
0000052 • 2 **PPaction** = object
0000053 • 2 **PPpropertyErrors** = List of all properties errors found:

0000054 • 2 **PPisOpera**
0000055 • 2 **PPisNav** = true
0000056 • 2 **PPisMSIE**
0000057 • 2 **PPisIE**
0000058 • 2 **document** = object
0000059 • 2 **netscape** = object
0000060 • 2 **XPCSafeJSObjectWrapper** = function
0000061 • 2 **XPCNativeWrapper** = function
0000062 • 2 **Components** = object
0000063 • 2 **sessionStorage**
0000064 • 2 **globalStorage** = object
0000065 • 2 **getComputedStyle** = function
0000066 • 2 **dispatchEvent** = function
0000067 • 2 **removeEventListener** = function
0000068 • 2 **name**
0000069 • 2 **parent** = object
0000070 • 2 **top** = object
0000071 • 2 **getSelection** = function
0000072 • 2 **scrollByLines** = function
0000073 • 2 **dump** = function
0000074 • 2 **scrollbars** = object
0000075 • 2 **scrollX**
0000076 • 2 **scrollY**
0000077 • 2 **scrollTo** = function
0000078 • 2 **scrollBy** = function
0000079 • 2 **scrollByPages** = function
0000080 • 2 **sizeToContent** = function
0000081 • 2 **setTimeout** = function
0000082 • 2 **setInterval** = function
0000083 • 2 **clearTimeout** = function
0000084 • 2 **clearInterval** = function
0000085 • 2 **setResizable** = function
0000086 • 2 **captureEvents** = function
0000087 • 2 **releaseEvents** = function
0000088 • 2 **routeEvent** = function
0000089 • 2 **enableExternalCapture** = function
0000090 • 2 **disableExternalCapture** = function
0000091 • 2 **open** = function
0000092 • 2 **openDialog** = function
0000093 • 2 **frames** = object
0000094 • 2 **applicationCache** = object
0000095 • 2 **self** = object
0000096 • 2 **screen** = object
0000097 • 2 **history** = object
0000098 • 2 **content** = object
0000099 • 2 **menubar** = object

0000100 • 2 **toolbar** = object
0000101 • 2 **locationbar** = object
0000102 • 2 **personalbar** = object
0000103 • 2 **statusbar** = object
0000104 • 2 **directories** = object
0000105 • 2 **closed**
0000106 • 2 **crypto** = object
0000107 • 2 **controllers** = object
0000108 • 2 **opener**
0000109 • 2 **status**
0000110 • 2 **defaultStatus**
0000111 • 2 **innerWidth** = 983
0000112 • 2 **innerHeight** = 601
0000113 • 2 **outerWidth** = 983
0000114 • 2 **outerHeight** = 728
0000115 • 2 **screenX** = 5
0000116 • 2 **screenY** = 31
0000117 • 2 **mozInnerScreenX** = 5
0000118 • 2 **mozInnerScreenY** = 140
0000119 • 2 **pageXOffset**
0000120 • 2 **pageYOffset**
0000121 • 2 **scrollMaxX**
0000122 • 2 **scrollMaxY**
0000123 • 2 **length**
0000124 • 2 **fullScreen**
0000125 • 2 **alert** = function
0000126 • 2 **confirm** = function
0000127 • 2 **prompt** = function
0000128 • 2 **focus** = function
0000129 • 2 **blur** = function
0000130 • 2 **back** = function
0000131 • 2 **forward** = function
0000132 • 2 **home** = function
0000133 • 2 **stop** = function
0000134 • 2 **print** = function
0000135 • 2 **moveTo** = function
0000136 • 2 **moveBy** = function
0000137 • 2 **resizeTo** = function
0000138 • 2 **resizeBy** = function
0000139 • 2 **scroll** = function
0000140 • 2 **close** = function
0000141 • 2 **updateCommands** = function
0000142 • 2 **find** = function
0000143 • 2 **atob** = function
0000144 • 2 **btoa** = function
0000145 • 2 **frameElement**
0000146 • 2 **showModalDialog** = function
0000147 • 2 **postMessage** = function
0000148 • 2 **localStorage** = object
0000149 1 **createEvent** = function
0000150 1 **activeElement** = object
0000151 • 2 **onclick** = function
0000152 • 2 **addEventListener** = function
0000153 • 2 **querySelector** = function
0000154 • 2 **querySelectorAll** = function

0000155 • 2 **scrollWidth** = 50
0000156 • 2 **clientLeft**
0000157 • 2 **clientHeight**
0000158 • 2 **clientWidth**
0000159 • 2 **clientTop**
0000160 • 2 **getClientRects** = function
0000161 • 2 **getBoundingClientRect** = function
0000162 • 2 **getElementsByClassName** = function
0000163 • 2 **mozMatchesSelector** = function
0000164 • 2 **baseURI** = file:///Volumes/Projects%
0000165 • 2 **textContent** = Document
0000166 • 2 **compareDocumentPosition** = function
0000167 • 2 **getUserData** = function
0000168 • 2 **isSameNode** = function
0000169 • 2 **lookupNamespaceURI** = function lookupNamespaceU
0000170 • 2 **setUserData** = function
0000171 • 2 **lookupPrefix** = function
0000172 • 2 **isDefaultNamespace** = function
0000173 • 2 **isEqualNode** = function
0000174 • 2 **dispatchEvent** = function
0000175 • 2 **removeEventListener** = function
0000176 • 2 **style** = object
0000177 • 2 **contentEditable** = inherit
0000178 • 2 **offsetParent** = object
0000179 • 2 **innerHTML** = Document
0000180 • 2 **offsetLeft** = 8
0000181 • 2 **offsetTop** = 8
0000182 • 2 **offsetHeight** = 13
0000183 • 2 **offsetWidth** = 50
0000184 • 2 **text** = Document
0000185 • 2 **search**
0000186 • 2 **hash**
0000187 • 2 **href** = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines
/PropertyParser_DW_3.0/PropertyParser_demo.html#
0000188 • 2 **rel**
0000189 • 2 **target**
0000190 • 2 **name**
0000191 • 2 **className**
0000192 • 2 **id**
0000193 • 2 **title**
0000194 • 2 **tagName** = A
0000195 • 2 **removeAttributeNS** = function
0000196 • 2 **removeAttribute** = function
0000197 • 2 **getAttribute** = function
0000198 • 2 **getElementsByTagName** = function
0000199 • 2 **setAttribute** = function
0000200 • 2 **getElementsByTagNameNS** = function
0000201 • 2 **hasAttributeNS** = function
0000202 • 2 **setAttributeNS** = function
0000203 • 2 **hasAttribute** = function
0000204 • 2 **getAttributeNS** = function
0000205 • 2 **nextSibling** = object
0000206 • 2 **firstChild** = object
0000207 • 2 **prefix**
0000208 • 2 **nodeValue**

0000209 • 2 **childNodes** = object
0000210 • 2 **nodeName** = A
0000211 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000212 • 2 **previousSibling**
0000213 • 2 **nodeType** = 1
0000214 • 2 **localName** = a
0000215 • 2 **lastChild** = object
0000216 • 2 **ownerDocument** = object
0000217 • 2 **parentNode** = object
0000218 • 2 **attributes** = object
0000219 • 2 **appendChild** = function
0000220 • 2 **cloneNode** = function
0000221 • 2 **normalize** = function
0000222 • 2 **hasChildNodes** = function
0000223 • 2 **insertBefore** = function
0000224 • 2 **replaceChild** = function
0000225 • 2 **removeChild** = function
0000226 • 2 **hasAttributes** = function
0000227 • 2 **protocol** = file:
0000228 • 2 **host**
0000229 • 2 **hostname**
0000230 • 2 **pathname** = /Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines
/PropertyParser_DW_3.0/PropertyParser_demo.html
0000231 • 2 **port**
0000232 • 2 **tabIndex**
0000233 • 2 **blur** = function
0000234 • 2 **focus** = function
0000235 • 2 **isSupported** = function
0000236 • 2 **getAttributeNode** = function
0000237 • 2 **setAttributeNode** = function
0000238 • 2 **removeAttributeNode** = function
0000239 • 2 **getAttributeNodeNS** = function
0000240 • 2 **setAttributeNodeNS** = function
0000241 • 2 **ELEMENT_NODE** = 1
0000242 • 2 **ATTRIBUTE_NODE** = 2
0000243 • 2 **TEXT_NODE** = 3
0000244 • 2 **CDATA_SECTION_NODE** = 4
0000245 • 2 **ENTITY_REFERENCE_NODE** = 5
0000246 • 2 **ENTITY_NODE** = 6
0000247 • 2 **PROCESSING_INSTRUCTION_NODE** = 7
0000248 • 2 **COMMENT_NODE** = 8
0000249 • 2 **DOCUMENT_NODE** = 9
0000250 • 2 **DOCUMENT_TYPE_NODE** = 10
0000251 • 2 **DOCUMENT_FRAGMENT_NODE** = 11
0000252 • 2 **NOTATION_NODE** = 12
0000253 • 2 **lang**
0000254 • 2 **dir**
0000255 • 2 **accessKey**
0000256 • 2 **charset**
0000257 • 2 **coords**
0000258 • 2 **hreflang**
0000259 • 2 **rev**
0000260 • 2 **shape**
0000261 • 2 **type**
0000262 • 2 **ping**

0000263 • 2 **draggable** = true
0000264 • 2 **spellcheck**
0000265 • 2 **getFeature** = function
0000266 • 2 **DOCUMENT_POSITION_DISCONNECTED** = 1
0000267 • 2 **DOCUMENT_POSITION_PRECEDING** = 2
0000268 • 2 **DOCUMENT_POSITION_FOLLOWING** = 4
0000269 • 2 **DOCUMENT_POSITION_CONTAINS** = 8
0000270 • 2 **DOCUMENT_POSITION_CONTAINED_BY** = 16
0000271 • 2 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0000272 • 2 **scrollTop**
0000273 • 2 **scrollLeft**
0000274 • 2 **scrollHeight** = 13
0000275 • 2 **firstElementChild**
0000276 • 2 **lastElementChild**
0000277 • 2 **previousElementSibling**
0000278 • 2 **nextElementSibling** = object
0000279 • 2 **childElementCount**
0000280 • 2 **children** = object
0000281 • 2 **classList** = object
0000282 1 **getElementsByClassName** = function
0000283 1 **hasFocus** = function
0000284 1 **elementFromPoint** = function
0000285 1 **width** = 967
0000286 1 **height** = 195
0000287 1 **domain**
0000288 1 **designMode** = off
0000289 1 **getSelection** = function
0000290 1 **body** = object
0000291 • 2 **addEventListener** = function
0000292 • 2 **querySelector** = function
0000293 • 2 **querySelectorAll** = function
0000294 • 2 **scrollWidth** = 983
0000295 • 2 **clientLeft**
0000296 • 2 **clientHeight** = 601
0000297 • 2 **clientWidth** = 983
0000298 • 2 **clientTop**
0000299 • 2 **getClientRects** = function
0000300 • 2 **getBoundingClientRect** = function
0000301 • 2 **getElementsByClassName** = function
0000302 • 2 **mozMatchesSelector** = function
0000303 • 2 **baseURI** = file:///Volumes/Projects%
0000304 • 2 **textContent** = Document Image
0000305 • 2 **compareDocumentPosition** = function
0000306 • 2 **getUserData** = function
0000307 • 2 **isSameNode** = function
0000308 • 2 **lookupNamespaceURI** = function lookupNamespaceU
0000309 • 2 **setUserData** = function
0000310 • 2 **lookupPrefix** = function
0000311 • 2 **isDefaultNamespace** = function
0000312 • 2 **isEqualNode** = function
0000313 • 2 **dispatchEvent** = function
0000314 • 2 **removeEventListener** = function
0000315 • 2 **style** = object
0000316 • 2 **contentEditable** = inherit
0000317 • 2 **offsetParent**

0000318 • 2 **innerHTML** = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0000319 • 2 **offsetLeft**
0000320 • 2 **offsetTop**
0000321 • 2 **offsetHeight** = 195
0000322 • 2 **offsetWidth** = 967
0000323 • 2 **className**
0000324 • 2 **id**
0000325 • 2 **title**
0000326 • 2 **tagName** = BODY
0000327 • 2 **removeAttributeNS** = function
0000328 • 2 **removeAttribute** = function
0000329 • 2 **getAttribute** = function
0000330 • 2 **getElementsByTagName** = function
0000331 • 2 **setAttribute** = function
0000332 • 2 **getElementsByTagNameNS** = function
0000333 • 2 **hasAttributeNS** = function
0000334 • 2 **setAttributeNS** = function
0000335 • 2 **hasAttribute** = function
0000336 • 2 **getAttributeNS** = function
0000337 • 2 **nextSibling**
0000338 • 2 **firstChild** = object
0000339 • 2 **prefix**
0000340 • 2 **nodeValue**
0000341 • 2 **childNodes** = object
0000342 • 2 **nodeName** = BODY
0000343 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000344 • 2 **previousSibling** = object
0000345 • 2 **nodeType** = 1
0000346 • 2 **localName** = body
0000347 • 2 **lastChild** = object
0000348 • 2 **ownerDocument**
0000349 • 2 **parentNode** = object
0000350 • 2 **attributes** = object
0000351 • 2 **appendChild** = function
0000352 • 2 **cloneNode** = function
0000353 • 2 **normalize** = function
0000354 • 2 **hasChildNodes** = function
0000355 • 2 **insertBefore** = function
0000356 • 2 **replaceChild** = function
0000357 • 2 **removeChild** = function
0000358 • 2 **hasAttributes** = function
0000359 • 2 **isSupported** = function
0000360 • 2 **getAttributeNode** = function
0000361 • 2 **setAttributeNode** = function
0000362 • 2 **removeAttributeNode** = function
0000363 • 2 **getAttributeNodeNS** = function
0000364 • 2 **setAttributeNodeNS** = function
0000365 • 2 **lang**
0000366 • 2 **dir**
0000367 • 2 **aLink**
0000368 • 2 **background**
0000369 • 2 **bgColor** = #ffffff
0000370 • 2 **link**
0000371 • 2 **text**
0000372 • 2 **vLink**

0000373 • 2 **ELEMENT_NODE** = 1
0000374 • 2 **ATTRIBUTE_NODE** = 2
0000375 • 2 **TEXT_NODE** = 3
0000376 • 2 **CDATA_SECTION_NODE** = 4
0000377 • 2 **ENTITY_REFERENCE_NODE** = 5
0000378 • 2 **ENTITY_NODE** = 6
0000379 • 2 **PROCESSING_INSTRUCTION_NODE** = 7
0000380 • 2 **COMMENT_NODE** = 8
0000381 • 2 **DOCUMENT_NODE** = 9
0000382 • 2 **DOCUMENT_TYPE_NODE** = 10
0000383 • 2 **DOCUMENT_FRAGMENT_NODE** = 11
0000384 • 2 **NOTATION_NODE** = 12
0000385 • 2 **tabIndex** = -1
0000386 • 2 **draggable**
0000387 • 2 **blur** = function
0000388 • 2 **focus** = function
0000389 • 2 **spellcheck**
0000390 • 2 **getFeature** = function
0000391 • 2 **DOCUMENT_POSITION_DISCONNECTED** = 1
0000392 • 2 **DOCUMENT_POSITION_PRECEDING** = 2
0000393 • 2 **DOCUMENT_POSITION_FOLLOWING** = 4
0000394 • 2 **DOCUMENT_POSITION_CONTAINS** = 8
0000395 • 2 **DOCUMENT_POSITION_CONTAINED_BY** = 16
0000396 • 2 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0000397 • 2 **scrollTop**
0000398 • 2 **scrollLeft**
0000399 • 2 **scrollHeight** = 601
0000400 • 2 **firstElementChild** = object
0000401 • 2 **lastElementChild** = object
0000402 • 2 **previousElementSibling** = object
0000403 • 2 **nextElementSibling**
0000404 • 2 **childElementCount** = 7
0000405 • 2 **children** = object
0000406 • 2 **classList** = object
0000407 1 **anchors** = object
0000408 • 2 **item** = function
0000409 • 2 **length**
0000410 • 2 **namedItem** = function
0000411 1 **links** = object
0000412 • 2 **item** = function
0000413 • 2 **length** = 4
0000414 • 2 **namedItem** = function
0000415 1 **title** = Blady Property Parser
0000416 1 **URL** = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines
/PropertyParser_DW_3.0/PropertyParser_demo.html
0000417 1 **referrer**
0000418 1 **forms** = object
0000419 • 2 **item** = function
0000420 • 2 **length**
0000421 • 2 **namedItem** = function
0000422 1 **cookie**
0000423 1 **images** = object
0000424 • 2 **item** = function
0000425 • 2 **length** = 1
0000426 • 2 **namedItem** = function

```
0000427 1 getElementsByName = function
0000428 1 documentElement = object
0000429 • 2 addEventListener = function
0000430 • 2 querySelector = function
0000431 • 2 querySelectorAll = function
0000432 • 2 scrollWidth = 983
0000433 • 2 clientLeft
0000434 • 2 clientHeight = 214
0000435 • 2 clientWidth = 983
0000436 • 2 clientTop
0000437 • 2 getClientRects = function
0000438 • 2 getBoundingClientRect = function
0000439 • 2 getElementsByClassName = function
0000440 • 2 mozMatchesSelector = function
0000441 • 2 baseURI = file:///Volumes/Projects%
0000442 • 2 textContent = Blady Property
0000443 • 2 compareDocumentPosition = function
0000444 • 2 getUserData = function
0000445 • 2 isSameNode = function
0000446 • 2 lookupNamespaceURI = function lookupNamespaceU
0000447 • 2 setUserData = function
0000448 • 2 lookupPrefix = function
0000449 • 2 isDefaultNamespace = function
0000450 • 2 isEqualNode = function
0000451 • 2 dispatchEvent = function
0000452 • 2 removeEventListener = function
0000453 • 2 style = object
0000454 • 2 contentEditable = inherit
0000455 • 2 offsetParent
0000456 • 2 innerHTML = %3Chead%3E%0A%0A%0A%0A%09%0A%09%09%3Cmeta%20http-
0000457 • 2 offsetLeft
0000458 • 2 offsetTop
0000459 • 2 offsetHeight = 214
0000460 • 2 offsetWidth = 983
0000461 • 2 className
0000462 • 2 id
0000463 • 2 title
0000464 • 2 tagName = HTML
0000465 • 2 removeAttributeNS = function
0000466 • 2 removeAttribute = function
0000467 • 2 getAttribute = function
0000468 • 2 getElementsByTagName = function
0000469 • 2 setAttribute = function
0000470 • 2 getElementsByTagNameNS = function
0000471 • 2 hasAttributeNS = function
0000472 • 2 setAttributeNS = function
0000473 • 2 hasAttribute = function
0000474 • 2 getAttributeNS = function
0000475 • 2 nextSibling
0000476 • 2 firstChild = object
0000477 • 2 prefix
0000478 • 2 nodeValue
0000479 • 2 childNodes = object
0000480 • 2 nodeName = HTML
0000481 • 2 namespaceURI = http://www.w3.org/1999/xh
```

0000482 • 2 **previousSibling** = object
0000483 • 2 **nodeType** = 1
0000484 • 2 **localName** = html
0000485 • 2 **lastChild** = object
0000486 • 2 **ownerDocument**
0000487 • 2 **parentNode** = object
0000488 • 2 **attributes** = object
0000489 • 2 **appendChild** = function
0000490 • 2 **cloneNode** = function
0000491 • 2 **normalize** = function
0000492 • 2 **hasChildNodes** = function
0000493 • 2 **insertBefore** = function
0000494 • 2 **replaceChild** = function
0000495 • 2 **removeChild** = function
0000496 • 2 **hasAttributes** = function
0000497 • 2 **isSupported** = function
0000498 • 2 **getAttributeNode** = function
0000499 • 2 **setAttributeNode** = function
0000500 • 2 **removeAttributeNode** = function
0000501 • 2 **getAttributeNodeNS** = function
0000502 • 2 **setAttributeNodeNS** = function
0000503 • 2 **lang**
0000504 • 2 **dir**
0000505 • 2 **version**
0000506 • 2 **ELEMENT_NODE** = 1
0000507 • 2 **ATTRIBUTE_NODE** = 2
0000508 • 2 **TEXT_NODE** = 3
0000509 • 2 **CDATA_SECTION_NODE** = 4
0000510 • 2 **ENTITY_REFERENCE_NODE** = 5
0000511 • 2 **ENTITY_NODE** = 6
0000512 • 2 **PROCESSING_INSTRUCTION_NODE** = 7
0000513 • 2 **COMMENT_NODE** = 8
0000514 • 2 **DOCUMENT_NODE** = 9
0000515 • 2 **DOCUMENT_TYPE_NODE** = 10
0000516 • 2 **DOCUMENT_FRAGMENT_NODE** = 11
0000517 • 2 **NOTATION_NODE** = 12
0000518 • 2 **tabIndex** = -1
0000519 • 2 **draggable**
0000520 • 2 **blur** = function
0000521 • 2 **focus** = function
0000522 • 2 **spellcheck**
0000523 • 2 **getFeature** = function
0000524 • 2 **DOCUMENT_POSITION_DISCONNECTED** = 1
0000525 • 2 **DOCUMENT_POSITION_PRECEDING** = 2
0000526 • 2 **DOCUMENT_POSITION_FOLLOWING** = 4
0000527 • 2 **DOCUMENT_POSITION_CONTAINS** = 8
0000528 • 2 **DOCUMENT_POSITION_CONTAINED_BY** = 16
0000529 • 2 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0000530 • 2 **scrollTop**
0000531 • 2 **scrollLeft**
0000532 • 2 **scrollHeight** = 214
0000533 • 2 **firstElementChild** = object
0000534 • 2 **lastElementChild** = object
0000535 • 2 **previousElementSibling**
0000536 • 2 **nextElementSibling**

0000537 • 2 **childElementCount** = 2
0000538 • 2 **children** = object
0000539 • 2 **classList** = object
0000540 1 **implementation** = object
0000541 • 2 **hasFeature** = function
0000542 • 2 **createDocumentType** = function
0000543 • 2 **createDocument** = function
0000544 1 **doctype** = object
0000545 • 2 **addEventListener** = function
0000546 • 2 **baseURI** = file:///Volumes/Projects%
0000547 • 2 **textContent**
0000548 • 2 **compareDocumentPosition** = function
0000549 • 2 **getUserData** = function
0000550 • 2 **isSameNode** = function
0000551 • 2 **lookupNamespaceURI** = function lookupNamespaceU
0000552 • 2 **setUserData** = function
0000553 • 2 **lookupPrefix** = function
0000554 • 2 **isDefaultNamespace** = function
0000555 • 2 **isEqualNode** = function
0000556 • 2 **dispatchEvent** = function
0000557 • 2 **removeEventListener** = function
0000558 • 2 **nextSibling** = object
0000559 • 2 **firstChild**
0000560 • 2 **prefix**
0000561 • 2 **nodeValue**
0000562 • 2 **childNodes** = object
0000563 • 2 **nodeName** = HTML
0000564 • 2 **namespaceURI**
0000565 • 2 **previousSibling**
0000566 • 2 **nodeType** = 10
0000567 • 2 **localName**
0000568 • 2 **lastChild**
0000569 • 2 **ownerDocument**
0000570 • 2 **parentNode** = object
0000571 • 2 **attributes**
0000572 • 2 **appendChild** = function
0000573 • 2 **cloneNode** = function
0000574 • 2 **normalize** = function
0000575 • 2 **hasChildNodes** = function
0000576 • 2 **insertBefore** = function
0000577 • 2 **replaceChild** = function
0000578 • 2 **removeChild** = function
0000579 • 2 **hasAttributes** = function
0000580 • 2 **isSupported** = function
0000581 • 2 **name** = HTML
0000582 • 2 **entities**
0000583 • 2 **notations**
0000584 • 2 **publicId** = -//W3C//DTD HTML 4.01 Transitional//EN
0000585 • 2 **systemId**
0000586 • 2 **internalSubset**
0000587 • 2 **ELEMENT_NODE** = 1
0000588 • 2 **ATTRIBUTE_NODE** = 2
0000589 • 2 **TEXT_NODE** = 3
0000590 • 2 **CDATA_SECTION_NODE** = 4
0000591 • 2 **ENTITY_REFERENCE_NODE** = 5

0000592 • 2 ENTITY_NODE = 6
0000593 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000594 • 2 COMMENT_NODE = 8
0000595 • 2 DOCUMENT_NODE = 9
0000596 • 2 DOCUMENT_TYPE_NODE = 10
0000597 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000598 • 2 NOTATION_NODE = 12
0000599 • 2 getFeature = function
0000600 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000601 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000602 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000603 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000604 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000605 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000606 1 getElementByTagName = function
0000607 1 getElementByTagNameNS = function
0000608 1 getElementById = function
0000609 1 createDocumentFragment = function
0000610 1 createElement = function
0000611 1 importNode = function
0000612 1 createTextNode = function
0000613 1 nextSibling
0000614 1 firstChild = object
0000615 • 2 addEventListener = function
0000616 • 2 baseURI = file:///Volumes/Projects%
0000617 • 2 textContent
0000618 • 2 compareDocumentPosition = function
0000619 • 2 getUserData = function
0000620 • 2 isSameNode = function
0000621 • 2 lookupNamespaceURI = function lookupNamespU
0000622 • 2 setUserData = function
0000623 • 2 lookupPrefix = function
0000624 • 2 isDefaultNamespace = function
0000625 • 2 isEqualNode = function
0000626 • 2 dispatchEvent = function
0000627 • 2 removeEventListener = function
0000628 • 2 nextSibling = object
0000629 • 2 firstChild
0000630 • 2 prefix
0000631 • 2 nodeValue
0000632 • 2 childNodes = object
0000633 • 2 nodeName = HTML
0000634 • 2 namespaceURI
0000635 • 2 previousSibling
0000636 • 2 nodeType = 10
0000637 • 2 localName
0000638 • 2 lastChild
0000639 • 2 ownerDocument
0000640 • 2 parentNode = object
0000641 • 2 attributes
0000642 • 2 appendChild = function
0000643 • 2 cloneNode = function
0000644 • 2 normalize = function
0000645 • 2 hasChildNodes = function
0000646 • 2 insertBefore = function

0000647 • 2 **replaceChild** = function
0000648 • 2 **removeChild** = function
0000649 • 2 **hasAttributes** = function
0000650 • 2 **isSupported** = function
0000651 • 2 **name** = HTML
0000652 • 2 **entities**
0000653 • 2 **notations**
0000654 • 2 **publicId** = -//W3C//DTD HTML 4.01 Transitional//EN
0000655 • 2 **systemId**
0000656 • 2 **internalSubset**
0000657 • 2 **ELEMENT_NODE** = 1
0000658 • 2 **ATTRIBUTE_NODE** = 2
0000659 • 2 **TEXT_NODE** = 3
0000660 • 2 **CDATA_SECTION_NODE** = 4
0000661 • 2 **ENTITY_REFERENCE_NODE** = 5
0000662 • 2 **ENTITY_NODE** = 6
0000663 • 2 **PROCESSING_INSTRUCTION_NODE** = 7
0000664 • 2 **COMMENT_NODE** = 8
0000665 • 2 **DOCUMENT_NODE** = 9
0000666 • 2 **DOCUMENT_TYPE_NODE** = 10
0000667 • 2 **DOCUMENT_FRAGMENT_NODE** = 11
0000668 • 2 **NOTATION_NODE** = 12
0000669 • 2 **getFeature** = function
0000670 • 2 **DOCUMENT_POSITION_DISCONNECTED** = 1
0000671 • 2 **DOCUMENT_POSITION_PRECEDING** = 2
0000672 • 2 **DOCUMENT_POSITION_FOLLOWING** = 4
0000673 • 2 **DOCUMENT_POSITION_CONTAINS** = 8
0000674 • 2 **DOCUMENT_POSITION_CONTAINED_BY** = 16
0000675 • 2 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0000676 1 **prefix**
0000677 1 **nodeValue**
0000678 1 **childNodes** = object
0000679 • 2 **length** = 2
0000680 • 2 **item** = function
0000681 1 **nodeName** = #document
0000682 1 **namespaceURI**
0000683 1 **previousSibling**
0000684 1 **nodeType** = 9
0000685 1 **localName**
0000686 1 **lastChild** = object
0000687 • 2 **addEventListener** = function
0000688 • 2 **querySelector** = function
0000689 • 2 **querySelectorAll** = function
0000690 • 2 **scrollWidth** = 983
0000691 • 2 **clientLeft**
0000692 • 2 **clientHeight** = 214
0000693 • 2 **clientWidth** = 983
0000694 • 2 **clientTop**
0000695 • 2 **getClientRects** = function
0000696 • 2 **getBoundingClientRect** = function
0000697 • 2 **getElementsByClassName** = function
0000698 • 2 **mozMatchesSelector** = function
0000699 • 2 **baseURI** = file:///Volumes/Projects%
0000700 • 2 **textContent** = Blady Property
0000701 • 2 **compareDocumentPosition** = function

0000702 • 2 **getUserData** = function
0000703 • 2 **isSameNode** = function
0000704 • 2 **lookupNamespaceURI** = function lookupNamespaceU
0000705 • 2 **setUserData** = function
0000706 • 2 **lookupPrefix** = function
0000707 • 2 **isDefaultNamespace** = function
0000708 • 2 **isEqualNode** = function
0000709 • 2 **dispatchEvent** = function
0000710 • 2 **removeEventListener** = function
0000711 • 2 **style** = object
0000712 • 2 **contentEditable** = inherit
0000713 • 2 **offsetParent**
0000714 • 2 **innerHTML** = %3Chead%3E%0A%0A%0A%0A%09%0A%09%09%3Cmeta%20http-
0000715 • 2 **offsetLeft**
0000716 • 2 **offsetTop**
0000717 • 2 **offsetHeight** = 214
0000718 • 2 **offsetWidth** = 983
0000719 • 2 **className**
0000720 • 2 **id**
0000721 • 2 **title**
0000722 • 2 **tagName** = HTML
0000723 • 2 **removeAttributeNS** = function
0000724 • 2 **removeAttribute** = function
0000725 • 2 **getAttribute** = function
0000726 • 2 **getElementsByTagName** = function
0000727 • 2 **setAttribute** = function
0000728 • 2 **getElementsByTagNameNS** = function
0000729 • 2 **hasAttributeNS** = function
0000730 • 2 **setAttributeNS** = function
0000731 • 2 **hasAttribute** = function
0000732 • 2 **getAttributeNS** = function
0000733 • 2 **nextSibling**
0000734 • 2 **firstChild** = object
0000735 • 2 **prefix**
0000736 • 2 **nodeValue**
0000737 • 2 **childNodes** = object
0000738 • 2 **nodeName** = HTML
0000739 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000740 • 2 **previousSibling** = object
0000741 • 2 **nodeType** = 1
0000742 • 2 **localName** = html
0000743 • 2 **lastChild** = object
0000744 • 2 **ownerDocument**
0000745 • 2 **parentNode** = object
0000746 • 2 **attributes** = object
0000747 • 2 **appendChild** = function
0000748 • 2 **cloneNode** = function
0000749 • 2 **normalize** = function
0000750 • 2 **hasChildNodes** = function
0000751 • 2 **insertBefore** = function
0000752 • 2 **replaceChild** = function
0000753 • 2 **removeChild** = function
0000754 • 2 **hasAttributes** = function
0000755 • 2 **isSupported** = function
0000756 • 2 **getAttributeNode** = function

0000757 • 2 **setAttributeNode** = function
0000758 • 2 **removeAttributeNode** = function
0000759 • 2 **getAttributeNodeNS** = function
0000760 • 2 **setAttributeNodeNS** = function
0000761 • 2 **lang**
0000762 • 2 **dir**
0000763 • 2 **version**
0000764 • 2 **ELEMENT_NODE** = 1
0000765 • 2 **ATTRIBUTE_NODE** = 2
0000766 • 2 **TEXT_NODE** = 3
0000767 • 2 **CDATA_SECTION_NODE** = 4
0000768 • 2 **ENTITY_REFERENCE_NODE** = 5
0000769 • 2 **ENTITY_NODE** = 6
0000770 • 2 **PROCESSING_INSTRUCTION_NODE** = 7
0000771 • 2 **COMMENT_NODE** = 8
0000772 • 2 **DOCUMENT_NODE** = 9
0000773 • 2 **DOCUMENT_TYPE_NODE** = 10
0000774 • 2 **DOCUMENT_FRAGMENT_NODE** = 11
0000775 • 2 **NOTATION_NODE** = 12
0000776 • 2 **tabIndex** = -1
0000777 • 2 **draggable**
0000778 • 2 **blur** = function
0000779 • 2 **focus** = function
0000780 • 2 **spellcheck**
0000781 • 2 **getFeature** = function
0000782 • 2 **DOCUMENT_POSITION_DISCONNECTED** = 1
0000783 • 2 **DOCUMENT_POSITION_PRECEDING** = 2
0000784 • 2 **DOCUMENT_POSITION_FOLLOWING** = 4
0000785 • 2 **DOCUMENT_POSITION_CONTAINS** = 8
0000786 • 2 **DOCUMENT_POSITION_CONTAINED_BY** = 16
0000787 • 2 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0000788 • 2 **scrollTop**
0000789 • 2 **scrollLeft**
0000790 • 2 **scrollHeight** = 214
0000791 • 2 **firstElementChild** = object
0000792 • 2 **lastElementChild** = object
0000793 • 2 **previousElementSibling**
0000794 • 2 **nextElementSibling**
0000795 • 2 **childElementCount** = 2
0000796 • 2 **children** = object
0000797 • 2 **classList** = object
0000798 1 **ownerDocument**
0000799 1 **parentNode**
0000800 1 **attributes**
0000801 1 **appendChild** = function
0000802 1 **cloneNode** = function
0000803 1 **normalize** = function
0000804 1 **hasChildNodes** = function
0000805 1 **insertBefore** = function
0000806 1 **replaceChild** = function
0000807 1 **removeChild** = function
0000808 1 **hasAttributes** = function
0000809 1 **styleSheets**%5Bobject%20StyleSheetList%5D
0000810 • 2 **length** = 1
0000811 • 2 **item** = function

```
0000812 1 getFeature = function
0000813 1 DOCUMENT_POSITION_DISCONNECTED = 1
0000814 1 DOCUMENT_POSITION_PRECEDING = 2
0000815 1 DOCUMENT_POSITION_FOLLOWING = 4
0000816 1 DOCUMENT_POSITION_CONTAINS = 8
0000817 1 DOCUMENT_POSITION_CONTAINED_BY = 16
0000818 1 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000819 1 isSupported = function
0000820 1 createComment = function
0000821 1 createCDATASection = function
0000822 1 createProcessingInstruction = function
0000823 1 createAttribute = function
0000824 1 createEntityReference = function
0000825 1 createElementNS = function
0000826 1 createAttributeNS = function
0000827 1 ELEMENT_NODE = 1
0000828 1 ATTRIBUTE_NODE = 2
0000829 1 TEXT_NODE = 3
0000830 1 CDATA_SECTION_NODE = 4
0000831 1 ENTITY_REFERENCE_NODE = 5
0000832 1 ENTITY_NODE = 6
0000833 1 PROCESSING_INSTRUCTION_NODE = 7
0000834 1 COMMENT_NODE = 8
0000835 1 DOCUMENT_NODE = 9
0000836 1 DOCUMENT_TYPE_NODE = 10
0000837 1 DOCUMENT_FRAGMENT_NODE = 11
0000838 1 NOTATION_NODE = 12
0000839 1 applets = object
0000840   • 2 item = function
0000841   • 2 length
0000842   • 2 namedItem = function
0000843 1 close = function
0000844 1 alinkColor
0000845 1 linkColor
0000846 1 vlinkColor
0000847 1 bgColor = #ffffff
0000848 1 fgColor
0000849 1 embeds = object
0000850   • 2 item = function
0000851   • 2 length
0000852   • 2 namedItem = function
0000853 1 write = function
0000854 1 writeln = function
0000855 1 clear = function
0000856 1 captureEvents = function
0000857 1 releaseEvents = function
0000858 1 routeEvent = function
0000859 1 compatMode = BackCompat
0000860 1 plugins = object
0000861   • 2 item = function
0000862   • 2 length
0000863   • 2 namedItem = function
0000864 1 execCommand = function
0000865 1 execCommandShowHelp = function
0000866 1 queryCommandEnabled = function
```

0000867 1 **queryCommandIndeterm** = function
0000868 1 **queryCommandState** = function
0000869 1 **queryCommandSupported** = function
0000870 1 **queryCommandText** = function
0000871 1 **queryCommandValue** = function
0000872 1 **characterSet** = ISO-8859-1
0000873 1 **dir** = ltr
0000874 1 **contentType** = text/html
0000875 1 **readyState** = complete
0000876 1 **lastModified** = 03/23/2010 14:12:31
0000877 1 **preferredStyleSheetSet**
0000878 1 **selectedStyleSheetSet**
0000879 1 **lastStyleSheetSet**
0000880 1 **stylesheetSets** = object
0000881 • 2 **length**
0000882 • 2 **item** = function
0000883 • 2 **contains** = function
0000884 1 **enableStyleSheetsForSet** = function
0000885 1 **createRange** = function
0000886 1 **createTreeWalker** = function
0000887 1 **getAnonymousNodes** = function
0000888 1 **getAnonymousElementByAttribute** = function
0000889 1 **addBinding** = function
0000890 1 **removeBinding** = function
0000891 1 **getBindingParent** = function
0000892 1 **loadBindingDocument** = function
0000893 1 **inputEncoding** = ISO-8859-1
0000894 1 **xmlEncoding**
0000895 1 **xmlStandalone**
0000896 1 **xmlVersion**
0000897 1 **strictErrorChecking** = true
0000898 1 **domConfig**
0000899 1 **normalizeDocument** = function