

```
0000001 1 align
0000002 1 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000003 1 className
0000004 1 innerText
0000005 1 id = layer
0000006 1 title
0000007 1 lang
0000008 1 dir
0000009 1 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000010 1 contentEditable = false
0000011 1 tabIndex = -1
0000012 1 outerText
0000013 1 children = function
0000014   2 length = 1
0000015   2 namedItem = function
0000016   2 tags = function
0000017   2 item = function
0000018 1 isContentEditable
0000019 1 style = object
0000020   2 length
0000021   2 cssText
0000022   2 parentRule
0000023   2 removeProperty = function
0000024   2 getPropertyPriority = function
0000025   2 getPropertyValue = function
0000026   2 getPropertyShorthand = function
0000027   2 getPropertyCSSValue = function
0000028   2 isPropertyImplicit = function
0000029   2 item = function
0000030   2 setProperty = function
0000031 1 scrollLeft
0000032 1 clientWidth = 274
0000033 1 firstElementChild = object
0000034   2 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/
CyberGallery_cataloge_demo/pages/steelartT.jpg
0000035   2 vspace
0000036   2 hspace
0000037   2 y = 315
0000038   2 useMap
0000039   2 x = 15
0000040   2 complete = true
0000041   2 name = pix
0000042   2 isMap
0000043   2 longDesc
0000044   2 height = 101
0000045   2 lowsrc
0000046   2 naturalHeight = 101
0000047   2 border
0000048   2 alt
0000049   2 align
0000050   2 width = 102
0000051   2 naturalWidth = 102
0000052   2 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000053   2 className
0000054   2 innerText
0000055   2 id
0000056   2 title
0000057   2 lang
0000058   2 dir
0000059   2 innerHTML
0000060   2 contentEditable = false
0000061   2 tabIndex = -1
```

0000061 • 2 tabIndex = -1
0000062 • 2 outerText
0000063 • 2 children = function
0000064 • 2 isContentEditable
0000065 • 2 style = object
0000066 • 2 scrollLeft
0000067 • 2 clientWidth = 102
0000068 • 2 firstElementChild
0000069 • 2 scrollWidth = 102
0000070 • 2 clientLeft
0000071 • 2 offsetWidth = 102
0000072 • 2 offsetLeft
0000073 • 2 clientTop
0000074 • 2 lastElementChild
0000075 • 2 offsetParent = object
0000076 • 2 nextElementSibling
0000077 • 2 tagName = IMG
0000078 • 2 previousElementSibling
0000079 • 2 clientHeight = 101
0000080 • 2 childElementCount
0000081 • 2 offsetTop
0000082 • 2 offsetHeight = 101
0000083 • 2 scrollTop
0000084 • 2 scrollHeight = 101
0000085 • 2 previousSibling
0000086 • 2 parentNode = object
0000087 • 2 lastChild
0000088 • 2 baseURI = file:///Volumes/Projects%
0000089 • 2 firstChild
0000090 • 2 nodeValue
0000091 • 2 textContent
0000092 • 2 nodeType = 1
0000093 • 2 nodeName = IMG
0000094 • 2 prefix
0000095 • 2 childNodes= function
0000096 • 2 nextSibling
0000097 • 2 attributes = object
0000098 • 2 ownerDocument= object
0000099 • 2 namespaceURI = http://www.w3.org/1999/xh
0000100 • 2 localName = img
0000101 • 2 parentElement = object
0000102 • 2 insertAdjacentElement= function
0000103 • 2 insertAdjacentHTML = function
0000104 • 2 insertAdjacentText= function
0000105 • 2 querySelector = function
0000106 • 2 hasAttribute = function
0000107 • 2 getAttributeNode = function
0000108 • 2 getAttributeNS = function
0000109 • 2 getElementsByTagNameNS = function
0000110 • 2 getElementsByClassName= function
0000111 • 2 removeAttributeNS = function
0000112 • 2 querySelectorAll= function
0000113 • 2 contains = function
0000114 • 2 getClientRects = function
0000115 • 2 scrollByPages = function
0000116 • 2 setAttributeNode = function
0000117 • 2 setAttributeNS = function
0000118 • 2 hasAttributeNS = function
0000119 • 2 blur = function
0000120 • 2 scrollIntoViewIfNeeded= function
0000121 • 2 setAttribute = function
0000122 • 2 scrollByLines = function
0000123 • 2 getElementsByTagName = function
0000124 • 2 removeAttribute = function
0000125 • 2 setAttributeNodeNS = function
0000126 • 2 getAttribute = function
0000127 • 2 removeAttributeNode= function
0000128 • 2 getAttributeNodeNS = function
0000129 • 2 focus = function

0000130 • 2 scrollIntoView = function
0000131 • 2 getBoundingClientRect = function
0000132 • 2 hasAttributes = function
0000133 • 2 isSupported = function
0000134 • 2 isEqualNode= function
0000135 • 2 cloneNode= function
0000136 • 2 dispatchEvent = function
0000137 • 2 isDefaultNamespace= function
0000138 • 2 insertBefore = function
0000139 • 2 removeChild= function
0000140 • 2 hasChildNodes = function
0000141 • 2 addEventListener= function
0000142 • 2 normalize = function
0000143 • 2 compareDocumentPosition = function
0000144 • 2 replaceChild= function
0000145 • 2 removeEventListener= function
0000146 • 2 appendChild = function
0000147 • 2 isSameNode = function
0000148 • 2 lookupPrefix = function
0000149 • 2 lookupNamespaceURI = function lookupNamespaceU
0000150 • 2 NOTATION_NODE = 12
0000151 • 2 CDATA_SECTION_NODE = 4
0000152 • 2 ELEMENT_NODE = 1
0000153 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000154 • 2 ENTITY_NODE = 6
0000155 • 2 TEXT_NODE = 3
0000156 • 2 ENTITY_REFERENCE_NODE = 5
0000157 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000158 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000159 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000160 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000161 • 2 DOCUMENT_TYPE_NODE = 10
0000162 • 2 COMMENT_NODE = 8
0000163 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000164 • 2 ATTRIBUTE_NODE = 2
0000165 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000166 • 2 DOCUMENT_NODE = 9
0000167 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000168 1 scrollWidth = 274
0000169 1 clientLeft
0000170 1 offsetWidth = 274
0000171 1 offsetLeft = 15
0000172 1 clientTop
0000173 1 lastElementChild= object
0000174 • 2 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/
CyberGallery_cataloge_demo/pages/steelartT.jpg
0000175 • 2 vspace
0000176 • 2 hspace
0000177 • 2 y
0000178 • 2 useMap
0000179 • 2 x = 15
0000180 • 2 complete = true
0000181 • 2 name = pix
0000182 • 2 isMap
0000183 • 2 longDesc
0000184 • 2 height = 101
0000185 • 2 lowsrc
0000186 • 2 naturalHeight= 101
0000187 • 2 border
0000188 • 2 alt
0000189 • 2 align
0000190 • 2 width = 102
0000191 • 2 naturalWidth = 102
0000192 • 2 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000193 • 2 className
0000194 • 2 innerText
0000195 • 2 id
0000196 • 2 title
0000197 • 2 lang

0000198 • 2 dir
0000199 • 2 innerHTML
0000200 • 2 contentEditable = false
0000201 • 2 tabIndex = -1
0000202 • 2 outerText
0000203 • 2 children = function
0000204 • 2 isContentEditable
0000205 • 2 style = object
0000206 • 2 scrollLeft
0000207 • 2 clientWidth = 102
0000208 • 2 firstElementChild
0000209 • 2 scrollWidth = 102
0000210 • 2 clientLeft
0000211 • 2 offsetWidth = 102
0000212 • 2 offsetLeft
0000213 • 2 clientTop
0000214 • 2 lastElementChild
0000215 • 2 offsetParent = object
0000216 • 2 nextElementSibling
0000217 • 2 tagName = IMG
0000218 • 2 previousElementSibling
0000219 • 2 clientHeight = 101
0000220 • 2 childElementCount
0000221 • 2 offsetTop
0000222 • 2 offsetHeight = 101
0000223 • 2 scrollTop
0000224 • 2 scrollHeight = 101
0000225 • 2 previousSibling
0000226 • 2 parentNode = object
0000227 • 2 lastChild
0000228 • 2 baseURI = file:///Volumes/Projects%
0000229 • 2 firstChild
0000230 • 2 nodeValue
0000231 • 2 textContent
0000232 • 2 nodeType = 1
0000233 • 2 nodeName = IMG
0000234 • 2 prefix
0000235 • 2 childNodes= function
0000236 • 2 nextSibling
0000237 • 2 attributes = object
0000238 • 2 ownerDocument
0000239 • 2 namespaceURI = http://www.w3.org/1999/xh
0000240 • 2 localName = img
0000241 • 2 parentElement = object
0000242 • 2 insertAdjacentElement= function
0000243 • 2 insertAdjacentHTML = function
0000244 • 2 insertAdjacentText= function
0000245 • 2 querySelector = function
0000246 • 2 hasAttribute = function
0000247 • 2 getAttributeNode = function
0000248 • 2 getAttributeNS = function
0000249 • 2 getElementsByTagNameNS = function
0000250 • 2 getElementsByClassName= function
0000251 • 2 removeAttributeNS = function
0000252 • 2 querySelectorAll= function
0000253 • 2 contains = function
0000254 • 2 getClientRects = function
0000255 • 2 scrollByPages = function
0000256 • 2 setAttributeNode = function
0000257 • 2 setAttributeNS = function
0000258 • 2 hasAttributeNS = function
0000259 • 2 blur = function
0000260 • 2 scrollIntoViewIfNeeded= function
0000261 • 2 setAttribute = function
0000262 • 2 scrollByLines = function
0000263 • 2 getElementsByTagName = function
0000264 • 2 removeAttribute = function
0000265 • 2 setAttributeNodeNS = function
0000266 • 2 getAttribute = function

0000267 • 2 removeAttributeNode= function
0000268 • 2 getAttributeNodeNS = function
0000269 • 2 focus = function
0000270 • 2 scrollIntoView = function
0000271 • 2 getBoundingClientRect = function
0000272 • 2 hasAttributes = function
0000273 • 2 isSupported = function
0000274 • 2 isEqualNode= function
0000275 • 2 cloneNode= function
0000276 • 2 dispatchEvent = function
0000277 • 2 isDefaultNamespace= function
0000278 • 2 insertBefore = function
0000279 • 2 removeChild= function
0000280 • 2 hasChildNodes = function
0000281 • 2 addEventListener= function
0000282 • 2 normalize = function
0000283 • 2 compareDocumentPosition = function
0000284 • 2 replaceChild= function
0000285 • 2 removeEventListener= function
0000286 • 2 appendChild = function
0000287 • 2 isSameNode = function
0000288 • 2 lookupPrefix = function
0000289 • 2 lookupNamespaceURI = function lookupNamespaceU
0000290 • 2 NOTATION_NODE = 12
0000291 • 2 CDATA_SECTION_NODE = 4
0000292 • 2 ELEMENT_NODE = 1
0000293 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000294 • 2 ENTITY_NODE = 6
0000295 • 2 TEXT_NODE = 3
0000296 • 2 ENTITY_REFERENCE_NODE = 5
0000297 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000298 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000299 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000300 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000301 • 2 DOCUMENT_TYPE_NODE = 10
0000302 • 2 COMMENT_NODE = 8
0000303 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000304 • 2 ATTRIBUTE_NODE = 2
0000305 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000306 • 2 DOCUMENT_NODE = 9
0000307 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000308 1 offsetParent = object
0000309 • 2 bgColor = #ffffff
0000310 • 2 aLink
0000311 • 2 text
0000312 • 2 vLink
0000313 • 2 background
0000314 • 2 link
0000315 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
0000316 • 2 className
0000317 • 2 innerText = Document Image Div table
0000318 • 2 id
0000319 • 2 title
0000320 • 2 lang
0000321 • 2 dir
0000322 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0000323 • 2 contentEditable = false
0000324 • 2 tabIndex = -1
0000325 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000326 • 2 children = function
0000327 • 2 isContentEditable
0000328 • 2 style = object
0000329 • 2 scrollLeft
0000330 • 2 clientWidth = 1018
0000331 • 2 firstElementChild = object
0000332 • 2 scrollWidth = 1018
0000333 • 2 clientLeft
0000334 • 2 offsetWidth = 1002
0000335 • 2 offsetLeft

0000336 • 2 clientTop
0000337 • 2 lastElementChild= object
0000338 • 2 offsetParent
0000339 • 2 nextElementSibling
0000340 • 2 tagName = BODY
0000341 • 2 previousElementSibling = object
0000342 • 2 clientHeight = 627
0000343 • 2 childElementCount= 7
0000344 • 2 offsetTop
0000345 • 2 offsetHeight = 606
0000346 • 2 scrollTop
0000347 • 2 scrollHeight = 627
0000348 • 2 previousSibling = object
0000349 • 2 parentNode = object
0000350 • 2 lastChild = object
0000351 • 2 baseURI = file:///Volumes/Projects%
0000352 • 2 firstChild = object
0000353 • 2 nodeValue
0000354 • 2 textContent = Document Image
0000355 • 2 nodeType = 1
0000356 • 2 nodeName = BODY
0000357 • 2 prefix
0000358 • 2 childNodes= function
0000359 • 2 nextSibling
0000360 • 2 attributes = object
0000361 • 2 ownerDocument
0000362 • 2 namespaceURI = http://www.w3.org/1999/xh
0000363 • 2 localName = body
0000364 • 2 parentElement = object
0000365 • 2 insertAdjacentElement= function
0000366 • 2 insertAdjacentHTML = function
0000367 • 2 insertAdjacentText= function
0000368 • 2 querySelector = function
0000369 • 2 hasAttribute = function
0000370 • 2 getAttributeNode = function
0000371 • 2 getAttributeNS = function
0000372 • 2 getElementsByTagNameNS = function
0000373 • 2 getElementsByClassName= function
0000374 • 2 removeAttributeNS = function
0000375 • 2 querySelectorAll= function
0000376 • 2 contains = function
0000377 • 2 getClientRects = function
0000378 • 2 scrollByPages = function
0000379 • 2 setAttributeNode = function
0000380 • 2 setAttributeNS = function
0000381 • 2 hasAttributeNS = function
0000382 • 2 blur = function
0000383 • 2 scrollIntoViewIfNeeded= function
0000384 • 2 setAttribute = function
0000385 • 2 scrollByLines = function
0000386 • 2 getElementsByTagName = function
0000387 • 2 removeAttribute = function
0000388 • 2 setAttributeNodeNS = function
0000389 • 2 getAttribute = function
0000390 • 2 removeAttributeNode= function
0000391 • 2 getAttributeNodeNS = function
0000392 • 2 focus = function
0000393 • 2 scrollIntoView = function
0000394 • 2 getBoundingClientRect = function
0000395 • 2 hasAttributes = function
0000396 • 2 isSupported = function
0000397 • 2 isEqualNode= function
0000398 • 2 cloneNode= function
0000399 • 2 dispatchEvent = function
0000400 • 2 isDefaultNamespace= function
0000401 • 2 insertBefore = function
0000402 • 2 removeChild= function
0000403 • 2 hasChildNodes = function
0000404 • 2 addEventListener= function

0000405 • 2 normalize = function
0000406 • 2 compareDocumentPosition = function
0000407 • 2 replaceChild= function
0000408 • 2 removeEventListener= function
0000409 • 2 appendChild = function
0000410 • 2 isSameNode = function
0000411 • 2 lookupPrefix = function
0000412 • 2 lookupNamespaceURI = function lookupNamespaceU
0000413 • 2 NOTATION_NODE = 12
0000414 • 2 CDATA_SECTION_NODE = 4
0000415 • 2 ELEMENT_NODE = 1
0000416 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000417 • 2 ENTITY_NODE = 6
0000418 • 2 TEXT_NODE = 3
0000419 • 2 ENTITY_REFERENCE_NODE = 5
0000420 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000421 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000422 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000423 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000424 • 2 DOCUMENT_TYPE_NODE = 10
0000425 • 2 COMMENT_NODE = 8
0000426 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000427 • 2 ATTRIBUTE_NODE = 2
0000428 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000429 • 2 DOCUMENT_NODE = 9
0000430 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000431 1 nextElementSibling= object
0000432 • 2 align
0000433 • 2 outerHTML = %3Cp%3E%26nbsp%3B%3C/p%3E
0000434 • 2 className
0000435 • 2 innerText =
0000436 • 2 id
0000437 • 2 title
0000438 • 2 lang
0000439 • 2 dir
0000440 • 2 innerHTML = %26nbsp%3B
0000441 • 2 contentEditable = false
0000442 • 2 tabIndex = -1
0000443 • 2 outerText = %A0
0000444 • 2 children = function
0000445 • 2 isContentEditable
0000446 • 2 style = object
0000447 • 2 scrollLeft
0000448 • 2 clientWidth = 1002
0000449 • 2 firstElementChild
0000450 • 2 scrollWidth = 1002
0000451 • 2 clientLeft
0000452 • 2 offsetWidth = 1002
0000453 • 2 offsetLeft = 8
0000454 • 2 clientTop
0000455 • 2 lastElementChild
0000456 • 2 offsetParent = object
0000457 • 2 nextElementSibling= object
0000458 • 2 tagName = P
0000459 • 2 previousElementSibling = object
0000460 • 2 clientHeight = 15
0000461 • 2 childElementCount
0000462 • 2 offsetTop = 93
0000463 • 2 offsetHeight = 15
0000464 • 2 scrollTop
0000465 • 2 scrollHeight = 15
0000466 • 2 previousSibling = object
0000467 • 2 parentNode = object
0000468 • 2 lastChild = object
0000469 • 2 baseURI = file:///Volumes/Projects%
0000470 • 2 firstChild = object
0000471 • 2 nodeValue
0000472 • 2 textContent =
0000473 • 2 nodeType = 1

0000474 • 2 nodeName = P
0000475 • 2 prefix
0000476 • 2 childNodes= function
0000477 • 2 nextSibling = object
0000478 • 2 attributes = object
0000479 • 2 ownerDocument
0000480 • 2 namespaceURI = http://www.w3.org/1999/xh
0000481 • 2 localName = p
0000482 • 2 parentElement = object
0000483 • 2 insertAdjacentElement= function
0000484 • 2 insertAdjacentHTML = function
0000485 • 2 insertAdjacentText= function
0000486 • 2 querySelector = function
0000487 • 2 hasAttribute = function
0000488 • 2 getAttributeNode = function
0000489 • 2 getAttributeNS = function
0000490 • 2 getElementsByTagNameNS = function
0000491 • 2 getElementsByTagName= function
0000492 • 2 removeAttributeNS = function
0000493 • 2 querySelectorAll= function
0000494 • 2 contains = function
0000495 • 2 getClientRects = function
0000496 • 2 scrollByPages = function
0000497 • 2 setAttributeNode = function
0000498 • 2 setAttributeNS = function
0000499 • 2 hasAttributeNS = function
000500 • 2 blur = function
000501 • 2 scrollIntoViewIfNeeded= function
000502 • 2 setAttribute = function
000503 • 2 scrollByLines = function
000504 • 2 getElementsByTagName = function
000505 • 2 removeAttribute = function
000506 • 2 setAttributeNodeNS = function
000507 • 2 getAttribute = function
000508 • 2 removeAttributeNode= function
000509 • 2 getAttributeNodeNS = function
000510 • 2 focus = function
000511 • 2 scrollIntoView = function
000512 • 2 getBoundingClientRect = function
000513 • 2 hasAttributes = function
000514 • 2 isSupported = function
000515 • 2 isEqualNode= function
000516 • 2 cloneNode= function
000517 • 2 dispatchEvent = function
000518 • 2 isDefaultNamespace= function
000519 • 2 insertBefore = function
000520 • 2 removeChild= function
000521 • 2 hasChildNodes = function
000522 • 2 addEventListener= function
000523 • 2 normalize = function
000524 • 2 compareDocumentPosition = function
000525 • 2 replaceChild= function
000526 • 2 removeEventListener= function
000527 • 2 appendChild = function
000528 • 2 isSameNode = function
000529 • 2 lookupPrefix = function
000530 • 2 lookupNamespaceURI = function lookupNamespaceU
000531 • 2 NOTATION_NODE = 12
000532 • 2 CDATA_SECTION_NODE = 4
000533 • 2 ELEMENT_NODE = 1
000534 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
000535 • 2 ENTITY_NODE = 6
000536 • 2 TEXT_NODE = 3
000537 • 2 ENTITY_REFERENCE_NODE = 5
000538 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 2
000539 • 2 DOCUMENT_FRAGMENT_NODE = 11
000540 • 2 PROCESSING_INSTRUCTION_NODE = 7
000541 • 2 DOCUMENT_POSITION_PRECEDING = 2
000542 • 2 DOCUMENT_TYPE_NODE = 10

0000543 • 2 COMMENT_NODE = 8
0000544 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000545 • 2 ATTRIBUTE_NODE = 2
0000546 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000547 • 2 DOCUMENT_NODE = 9
0000548 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000549 1 tagName = DIV
0000550 1 previousElementSibling = object
0000551 • 2 clear
0000552 • 2 outerHTML = %3Cbr%3E
0000553 • 2 className
0000554 • 2 innerText
0000555 • 2 id
0000556 • 2 title
0000557 • 2 lang
0000558 • 2 dir
0000559 • 2 innerHTML
0000560 • 2 contentEditable = false
0000561 • 2 tabIndex = -1
0000562 • 2 outerText
0000563 • 2 children = function
0000564 • 2 isContentEditable
0000565 • 2 style = object
0000566 • 2 scrollLeft
0000567 • 2 clientWidth
0000568 • 2 firstElementChild
0000569 • 2 scrollWidth
0000570 • 2 clientLeft
0000571 • 2 offsetWidth
0000572 • 2 offsetLeft
0000573 • 2 clientTop
0000574 • 2 lastElementChild
0000575 • 2 offsetParent = object
0000576 • 2 nextElementSibling = object
0000577 • 2 tagName = BR
0000578 • 2 previousElementSibling = object
0000579 • 2 clientHeight
0000580 • 2 childElementCount
0000581 • 2 offsetTop
0000582 • 2 offsetHeight
0000583 • 2 scrollTop
0000584 • 2 scrollHeight
0000585 • 2 previousSibling = object
0000586 • 2 parentNode = object
0000587 • 2 lastChild
0000588 • 2 baseURI = file:///Volumes/Projects%
0000589 • 2 firstChild
0000590 • 2 nodeValue
0000591 • 2 textContent
0000592 • 2 nodeType = 1
0000593 • 2 nodeName = BR
0000594 • 2 prefix
0000595 • 2 childNodes = function
0000596 • 2 nextSibling = object
0000597 • 2 attributes = object
0000598 • 2 ownerDocument
0000599 • 2 namespaceURI = http://www.w3.org/1999/xh
0000600 • 2 localName = br
0000601 • 2 parentElement = object
0000602 • 2 insertAdjacentElement = function
0000603 • 2 insertAdjacentHTML = function
0000604 • 2 insertAdjacentText = function
0000605 • 2 querySelector = function
0000606 • 2 hasAttribute = function
0000607 • 2 getAttributeNode = function
0000608 • 2 getAttributeNS = function
0000609 • 2 getElementsByTagNameNS = function
0000610 • 2 getElementsByClassName = function
0000611 • 2 removeAttributeNS = function

0000612 • 2 querySelectorAll= function
0000613 • 2 contains = function
0000614 • 2 getClientRects = function
0000615 • 2 scrollByPages = function
0000616 • 2 setAttributeNode = function
0000617 • 2 setAttributeNS = function
0000618 • 2 hasAttributeNS = function
0000619 • 2 blur = function
0000620 • 2 scrollIntoViewIfNeeded= function
0000621 • 2 setAttribute = function
0000622 • 2 scrollByLines = function
0000623 • 2 getElementsByTagName = function
0000624 • 2 removeAttribute = function
0000625 • 2 setAttributeNodeNS = function
0000626 • 2 getAttribute = function
0000627 • 2 removeAttributeNode= function
0000628 • 2 getAttributeNodeNS = function
0000629 • 2 focus = function
0000630 • 2 scrollIntoView = function
0000631 • 2 getBoundingClientRect = function
0000632 • 2 hasAttributes = function
0000633 • 2 isSupported = function
0000634 • 2 isEqualNode= function
0000635 • 2 cloneNode= function
0000636 • 2 dispatchEvent = function
0000637 • 2 isDefaultNamespace= function
0000638 • 2 insertBefore = function
0000639 • 2 removeChild= function
0000640 • 2 hasChildNodes = function
0000641 • 2 addEventListener= function
0000642 • 2 normalize = function
0000643 • 2 compareDocumentPosition = function
0000644 • 2 replaceChild= function
0000645 • 2 removeEventListener= function
0000646 • 2 appendChild = function
0000647 • 2 isSameNode = function
0000648 • 2 lookupPrefix = function
0000649 • 2 lookupNamespaceURI = function lookupNamespaceU
0000650 • 2 NOTATION_NODE = 12
0000651 • 2 CDATA_SECTION_NODE = 4
0000652 • 2 ELEMENT_NODE = 1
0000653 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000654 • 2 ENTITY_NODE = 6
0000655 • 2 TEXT_NODE = 3
0000656 • 2 ENTITY_REFERENCE_NODE = 5
0000657 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000658 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000659 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000660 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000661 • 2 DOCUMENT_TYPE_NODE = 10
0000662 • 2 COMMENT_NODE = 8
0000663 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000664 • 2 ATTRIBUTE_NODE = 2
0000665 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000666 • 2 DOCUMENT_NODE = 9
0000667 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000668 1 clientHeight = 174
0000669 1 childElementCount= 1
0000670 1 offsetTop = 315
0000671 1 offsetHeight = 174
0000672 1 scrollTop
0000673 1 scrollHeight = 174
0000674 1 previousSibling = object
0000675 • 2 wholeText=
0000676 • 2 length = 1
0000677 • 2 data =
0000678 • 2 previousSibling = object
0000679 • 2 parentNode = object
0000680 • 2 lastChild

0000681 • 2 baseURI = file:///Volumes/Projects%
0000682 • 2 firstChild
0000683 • 2 nodeValue =
0000684 • 2 textContent =
0000685 • 2 nodeType = 3
0000686 • 2 nodeName = #text
0000687 • 2 prefix
0000688 • 2 childNodes= function
0000689 • 2 nextSibling = object
0000690 • 2 attributes
0000691 • 2 ownerDocument
0000692 • 2 namespaceURI
0000693 • 2 localName
0000694 • 2 parentElement = object
0000695 • 2 splitText = function
0000696 • 2 replaceWholeText = function
0000697 • 2 replaceData = function
0000698 • 2 substringData = function
0000699 • 2 appendData= function
0000700 • 2 deleteData = function
0000701 • 2 insertData = function
0000702 • 2 hasAttributes = function
0000703 • 2 isSupported = function
0000704 • 2 isEqualNode= function
0000705 • 2 cloneNode= function
0000706 • 2 dispatchEvent = function
0000707 • 2 isDefaultNamespace= function
0000708 • 2 insertBefore = function
0000709 • 2 removeChild= function
0000710 • 2 hasChildNodes = function
0000711 • 2 addEventListener= function
0000712 • 2 normalize = function
0000713 • 2 compareDocumentPosition = function
0000714 • 2 replaceChild= function
0000715 • 2 removeEventListener= function
0000716 • 2 appendChild = function
0000717 • 2 isSameNode = function
0000718 • 2 lookupPrefix = function
0000719 • 2 lookupNamespaceURI = function lookupNamespaceU
0000720 • 2 NOTATION_NODE = 12
0000721 • 2 CDATA_SECTION_NODE = 4
0000722 • 2 ELEMENT_NODE = 1
0000723 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000724 • 2 ENTITY_NODE = 6
0000725 • 2 TEXT_NODE = 3
0000726 • 2 ENTITY_REFERENCE_NODE = 5
0000727 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000728 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000729 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000730 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000731 • 2 DOCUMENT_TYPE_NODE = 10
0000732 • 2 COMMENT_NODE = 8
0000733 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000734 • 2 ATTRIBUTE_NODE = 2
0000735 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000736 • 2 DOCUMENT_NODE = 9
0000737 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000738 1 parentNode = object
0000739 • 2 bgColor = #ffff
0000740 • 2 aLink
0000741 • 2 text
0000742 • 2 vLink
0000743 • 2 background
0000744 • 2 link
0000745 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffff%22%3E%0A
0000746 • 2 className
0000747 • 2 innerText = Document Image Div table
0000748 • 2 id
0000749 • 2 title

0000750 • 2 lang
0000751 • 2 dir
0000752 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0000753 • 2 contentEditable = false
0000754 • 2 tabIndex = -1
0000755 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000756 • 2 children = function
0000757 • 2 isContentEditable
0000758 • 2 style = object
0000759 • 2 scrollLeft
0000760 • 2 clientWidth = 1018
0000761 • 2 firstElementChild = object
0000762 • 2 scrollWidth = 1018
0000763 • 2 clientLeft
0000764 • 2 offsetWidth = 1002
0000765 • 2 offsetLeft
0000766 • 2 clientTop
0000767 • 2 lastElementChild= object
0000768 • 2 offsetParent
0000769 • 2 nextElementSibling
0000770 • 2 tagName = BODY
0000771 • 2 previousElementSibling = object
0000772 • 2 clientHeight = 627
0000773 • 2 childElementCount= 7
0000774 • 2 offsetTop
0000775 • 2 offsetHeight = 606
0000776 • 2 scrollTop
0000777 • 2 scrollHeight = 627
0000778 • 2 previousSibling = object
0000779 • 2 parentNode = object
0000780 • 2 lastChild = object
0000781 • 2 baseURI = file:///Volumes/Projects%
0000782 • 2 firstChild = object
0000783 • 2 nodeValue
0000784 • 2 textContent = Document Image
0000785 • 2 nodeType = 1
0000786 • 2 nodeName = BODY
0000787 • 2 prefix
0000788 • 2 childNodes= function
0000789 • 2 nextSibling
0000790 • 2 attributes = object
0000791 • 2 ownerDocument
0000792 • 2 namespaceURI = http://www.w3.org/1999/xh
0000793 • 2 localName = body
0000794 • 2 parentElement = object
0000795 • 2 insertAdjacentElement= function
0000796 • 2 insertAdjacentHTML = function
0000797 • 2 insertAdjacentText= function
0000798 • 2 querySelector = function
0000799 • 2 hasAttribute = function
0000800 • 2 getAttributeNode = function
0000801 • 2 getAttributeNS = function
0000802 • 2 getElementsByTagNameNS = function
0000803 • 2 getElementsByClassName= function
0000804 • 2 removeAttributeNS = function
0000805 • 2 querySelectorAll= function
0000806 • 2 contains = function
0000807 • 2 getClientRects = function
0000808 • 2 scrollByPages = function
0000809 • 2 setAttributeNode = function
0000810 • 2 setAttributeNS = function
0000811 • 2 hasAttributeNS = function
0000812 • 2 blur = function
0000813 • 2 scrollIntoViewIfNeeded= function
0000814 • 2 setAttribute = function
0000815 • 2 scrollByLines = function
0000816 • 2 getElementsByTagName = function
0000817 • 2 removeAttribute = function
0000818 • 2 setAttributeNodeNS = function

0000819 • 2 getAttribute = function
0000820 • 2 removeAttributeNode = function
0000821 • 2 getAttributeNodeNS = function
0000822 • 2 focus = function
0000823 • 2 scrollIntoView = function
0000824 • 2 getBoundingClientRect = function
0000825 • 2 hasAttributes = function
0000826 • 2 isSupported = function
0000827 • 2 isEqualNode = function
0000828 • 2 cloneNode = function
0000829 • 2 dispatchEvent = function
0000830 • 2 isDefaultNamespace = function
0000831 • 2 insertBefore = function
0000832 • 2 removeChild = function
0000833 • 2 hasChildNodes = function
0000834 • 2 addEventListener = function
0000835 • 2 normalize = function
0000836 • 2 compareDocumentPosition = function
0000837 • 2 replaceChild = function
0000838 • 2 removeEventListener = function
0000839 • 2 appendChild = function
0000840 • 2 isSameNode = function
0000841 • 2 lookupPrefix = function
0000842 • 2 lookupNamespaceURI = function lookupNamespaceU
0000843 • 2 NOTATION_NODE = 12
0000844 • 2 CDATA_SECTION_NODE = 4
0000845 • 2 ELEMENT_NODE = 1
0000846 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000847 • 2 ENTITY_NODE = 6
0000848 • 2 TEXT_NODE = 3
0000849 • 2 ENTITY_REFERENCE_NODE = 5
0000850 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000851 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000852 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000853 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000854 • 2 DOCUMENT_TYPE_NODE = 10
0000855 • 2 COMMENT_NODE = 8
0000856 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000857 • 2 ATTRIBUTE_NODE = 2
0000858 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000859 • 2 DOCUMENT_NODE = 9
0000860 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000861 1 lastChild = object
0000862 • 2 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/
CyberGallery_cataloge_demo/pages/steelart.jpg
0000863 • 2 vspace
0000864 • 2 hspace
0000865 • 2 y
0000866 • 2 useMap
0000867 • 2 x = 15
0000868 • 2 complete = true
0000869 • 2 name = pix
0000870 • 2 isMap
0000871 • 2 longDesc
0000872 • 2 height = 101
0000873 • 2 lowsrc
0000874 • 2 naturalHeight = 101
0000875 • 2 border
0000876 • 2 alt
0000877 • 2 align
0000878 • 2 width = 102
0000879 • 2 naturalWidth = 102
0000880 • 2 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000881 • 2 className
0000882 • 2 innerText
0000883 • 2 id
0000884 • 2 title
0000885 • 2 lang
0000886 • 2 dir

0000887 • 2 innerHTML
0000888 • 2 contentEditable = false
0000889 • 2 tabIndex = -1
0000890 • 2 outerText
0000891 • 2 children = function
0000892 • 2 isContentEditable
0000893 • 2 style = object
0000894 • 2 scrollLeft
0000895 • 2 clientWidth = 102
0000896 • 2 firstElementChild
0000897 • 2 scrollWidth = 102
0000898 • 2 clientLeft
0000899 • 2 offsetWidth = 102
0000900 • 2 offsetLeft
0000901 • 2 clientTop
0000902 • 2 lastElementChild
0000903 • 2 offsetParent = object
0000904 • 2 nextElementSibling
0000905 • 2 tagName = IMG
0000906 • 2 previousElementSibling
0000907 • 2 clientHeight = 101
0000908 • 2 childElementCount
0000909 • 2 offsetTop
0000910 • 2 offsetHeight = 101
0000911 • 2 scrollTop
0000912 • 2 scrollHeight = 101
0000913 • 2 previousSibling
0000914 • 2 parentNode = object
0000915 • 2 lastChild
0000916 • 2 baseURI = file:///Volumes/Projects%
0000917 • 2 firstChild
0000918 • 2 nodeValue
0000919 • 2 textContent
0000920 • 2.nodeType = 1
0000921 • 2 nodeName = IMG
0000922 • 2 prefix
0000923 • 2 childNodes= function
0000924 • 2 nextSibling
0000925 • 2 attributes = object
0000926 • 2 ownerDocument
0000927 • 2 namespaceURI = http://www.w3.org/1999/xh
0000928 • 2 localName = img
0000929 • 2 parentElement = object
0000930 • 2 insertAdjacentElement= function
0000931 • 2 insertAdjacentHTML = function
0000932 • 2 insertAdjacentText= function
0000933 • 2 querySelector = function
0000934 • 2 hasAttribute = function
0000935 • 2 getAttributeNode = function
0000936 • 2 getAttributeNS = function
0000937 • 2 getElementsByTagNameNS = function
0000938 • 2 getElementsByClassName= function
0000939 • 2 removeAttributeNS = function
0000940 • 2 querySelectorAll= function
0000941 • 2 contains = function
0000942 • 2 getClientRects = function
0000943 • 2 scrollByPages = function
0000944 • 2 setAttributeNode = function
0000945 • 2 setAttributeNS = function
0000946 • 2 hasAttributeNS = function
0000947 • 2 blur = function
0000948 • 2 scrollIntoViewIfNeeded= function
0000949 • 2 setAttribute = function
0000950 • 2 scrollByLines = function
0000951 • 2 getElementsByTagName = function
0000952 • 2 removeAttribute = function
0000953 • 2 setAttributeNodeNS = function
0000954 • 2 getAttribute = function
0000955 • 2 removeAttributeNode= function

0000956 • 2 getAttributeNodeNS = function
0000957 • 2 focus = function
0000958 • 2 scrollIntoView = function
0000959 • 2 getBoundingClientRect = function
0000960 • 2 hasAttributes = function
0000961 • 2 isSupported = function
0000962 • 2 isEqualNode = function
0000963 • 2 cloneNode = function
0000964 • 2 dispatchEvent = function
0000965 • 2 isDefaultNamespace = function
0000966 • 2 insertBefore = function
0000967 • 2 removeChild = function
0000968 • 2 hasChildNodes = function
0000969 • 2 addEventListener = function
0000970 • 2 normalize = function
0000971 • 2 compareDocumentPosition = function
0000972 • 2 replaceChild = function
0000973 • 2 removeEventListener = function
0000974 • 2 appendChild = function
0000975 • 2 isSameNode = function
0000976 • 2 lookupPrefix = function
0000977 • 2 lookupNamespaceURI = function lookupNamespaceU
0000978 • 2 NOTATION_NODE = 12
0000979 • 2 CDATA_SECTION_NODE = 4
0000980 • 2 ELEMENT_NODE = 1
0000981 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000982 • 2 ENTITY_NODE = 6
0000983 • 2 TEXT_NODE = 3
0000984 • 2 ENTITY_REFERENCE_NODE = 5
0000985 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000986 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000987 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000988 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000989 • 2 DOCUMENT_TYPE_NODE = 10
0000990 • 2 COMMENT_NODE = 8
0000991 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000992 • 2 ATTRIBUTE_NODE = 2
0000993 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000994 • 2 DOCUMENT_NODE = 9
0000995 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000996 1 baseURI = file:///Volumes/Projects%
0000997 1 firstChild = object
0000998 • 2 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/
CyberGallery_cataloge_demo/pages/steelart.jpg
0000999 • 2 vspace
0001000 • 2 hspace
0001001 • 2 y
0001002 • 2 useMap
0001003 • 2 x = 15
0001004 • 2 complete = true
0001005 • 2 name = pix
0001006 • 2 isMap
0001007 • 2 longDesc
0001008 • 2 height = 101
0001009 • 2 lowsrc
0001010 • 2 naturalHeight = 101
0001011 • 2 border
0001012 • 2 alt
0001013 • 2 align
0001014 • 2 width = 102
0001015 • 2 naturalWidth = 102
0001016 • 2 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0001017 • 2 className
0001018 • 2 innerText
0001019 • 2 id
0001020 • 2 title
0001021 • 2 lang
0001022 • 2 dir
0001023 • 2 innerHTML

0001024 • 2 contentEditable = false
0001025 • 2 tabIndex = -1
0001026 • 2 outerText
0001027 • 2 children = function
0001028 • 2 isContentEditable
0001029 • 2 style = object
0001030 • 2 scrollLeft
0001031 • 2 clientWidth = 102
0001032 • 2 firstElementChild
0001033 • 2 scrollWidth = 102
0001034 • 2 clientLeft
0001035 • 2 offsetWidth = 102
0001036 • 2 offsetLeft
0001037 • 2 clientTop
0001038 • 2 lastElementChild
0001039 • 2 offsetParent = object
0001040 • 2 nextElementSibling
0001041 • 2 tagName = IMG
0001042 • 2 previousElementSibling
0001043 • 2 clientHeight = 101
0001044 • 2 childElementCount
0001045 • 2 offsetTop
0001046 • 2 offsetHeight = 101
0001047 • 2 scrollTop
0001048 • 2 scrollHeight = 101
0001049 • 2 previousSibling
0001050 • 2 parentNode = object
0001051 • 2 lastChild
0001052 • 2 baseURI = file:///Volumes/Projects%
0001053 • 2 firstChild
0001054 • 2 nodeValue
0001055 • 2 textContent
0001056 • 2 nodeType = 1
0001057 • 2 nodeName = IMG
0001058 • 2 prefix
0001059 • 2 childNodes= function
0001060 • 2 nextSibling
0001061 • 2 attributes = object
0001062 • 2 ownerDocument
0001063 • 2 namespaceURI = http://www.w3.org/1999/xh
0001064 • 2 localName = img
0001065 • 2 parentElement = object
0001066 • 2 insertAdjacentElement= function
0001067 • 2 insertAdjacentHTML = function
0001068 • 2 insertAdjacentText= function
0001069 • 2 querySelector = function
0001070 • 2 hasAttribute = function
0001071 • 2 getAttributeNode = function
0001072 • 2 getAttributeNS = function
0001073 • 2 getElementsByTagNameNS = function
0001074 • 2 getElementsByClassName= function
0001075 • 2 removeAttributeNS = function
0001076 • 2 querySelectorAll= function
0001077 • 2 contains = function
0001078 • 2 getClientRects = function
0001079 • 2 scrollByPages = function
0001080 • 2 setAttributeNode = function
0001081 • 2 setAttributeNS = function
0001082 • 2 hasAttributeNS = function
0001083 • 2 blur = function
0001084 • 2 scrollIntoViewIfNeeded= function
0001085 • 2 setAttribute = function
0001086 • 2 scrollByLines = function
0001087 • 2 getElementsByTagName = function
0001088 • 2 removeAttribute = function
0001089 • 2 setAttributeNodeNS = function
0001090 • 2 getAttribute = function
0001091 • 2 removeAttributeNode= function
0001092 • 2 getAttributeNodeNS = function

0001093 • 2 focus = function
0001094 • 2 scrollIntoView = function
0001095 • 2 getBoundingClientRect = function
0001096 • 2 hasAttributes = function
0001097 • 2 isSupported = function
0001098 • 2 isEqualNode = function
0001099 • 2 cloneNode = function
0001100 • 2 dispatchEvent = function
0001101 • 2 isDefaultNamespace = function
0001102 • 2 insertBefore = function
0001103 • 2 removeChild = function
0001104 • 2 hasChildNodes = function
0001105 • 2 addEventListener = function
0001106 • 2 normalize = function
0001107 • 2 compareDocumentPosition = function
0001108 • 2 replaceChild = function
0001109 • 2 removeEventListener = function
0001110 • 2 appendChild = function
0001111 • 2 isSameNode = function
0001112 • 2 lookupPrefix = function
0001113 • 2 lookupNamespaceURI = function lookupNamespaceU
0001114 • 2 NOTATION_NODE = 12
0001115 • 2 CDATA_SECTION_NODE = 4
0001116 • 2 ELEMENT_NODE = 1
0001117 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001118 • 2 ENTITY_NODE = 6
0001119 • 2 TEXT_NODE = 3
0001120 • 2 ENTITY_REFERENCE_NODE = 5
0001121 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001122 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001123 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001124 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001125 • 2 DOCUMENT_TYPE_NODE = 10
0001126 • 2 COMMENT_NODE = 8
0001127 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001128 • 2 ATTRIBUTE_NODE = 2
0001129 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001130 • 2 DOCUMENT_NODE = 9
0001131 • 2 DOCUMENT_POSITION_CONTAINS = 8
00011321 nodeValue
00011331 textContent
00011341 nodeType = 1
00011351 nodeName = DIV
00011361 prefix
00011371 childNodes = function
0001138 • 2 length = 1
0001139 • 2 item = function
00011401 nextSibling = object
0001141 • 2 wholeText =
0001142 • 2 length = 1
0001143 • 2 data =
0001144 • 2 previousSibling = object
0001145 • 2 parentNode = object
0001146 • 2 lastChild
0001147 • 2 baseURI = file:///Volumes/Projects%
0001148 • 2 firstChild
0001149 • 2 nodeValue =
0001150 • 2 textContent =
0001151 • 2 nodeType = 3
0001152 • 2 nodeName = #text
0001153 • 2 prefix
0001154 • 2 childNodes = function
0001155 • 2 nextSibling = object
0001156 • 2 attributes
0001157 • 2 ownerDocument
0001158 • 2 namespaceURI
0001159 • 2 localName
0001160 • 2 parentElement = object
0001161 • 2 splitText = function

0001162 • 2 replaceWholeText = function
0001163 • 2 replaceData = function
0001164 • 2 substringData = function
0001165 • 2 appendData = function
0001166 • 2 deleteData = function
0001167 • 2 insertData = function
0001168 • 2 hasAttributes = function
0001169 • 2 isSupported = function
0001170 • 2 isEqualNode = function
0001171 • 2 cloneNode = function
0001172 • 2 dispatchEvent = function
0001173 • 2 isDefaultNamespace = function
0001174 • 2 insertBefore = function
0001175 • 2 removeChild = function
0001176 • 2 hasChildNodes = function
0001177 • 2 addEventListener = function
0001178 • 2 normalize = function
0001179 • 2 compareDocumentPosition = function
0001180 • 2 replaceChild = function
0001181 • 2 removeEventListener = function
0001182 • 2 appendChild = function
0001183 • 2 isSameNode = function
0001184 • 2 lookupPrefix = function
0001185 • 2 lookupNamespaceURI = function lookupNamespaceU
0001186 • 2 NOTATION_NODE = 12
0001187 • 2 CDATA_SECTION_NODE = 4
0001188 • 2 ELEMENT_NODE = 1
0001189 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001190 • 2 ENTITY_NODE = 6
0001191 • 2 TEXT_NODE = 3
0001192 • 2 ENTITY_REFERENCE_NODE = 5
0001193 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001194 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001195 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001196 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001197 • 2 DOCUMENT_TYPE_NODE = 10
0001198 • 2 COMMENT_NODE = 8
0001199 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001200 • 2 ATTRIBUTE_NODE = 2
0001201 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001202 • 2 DOCUMENT_NODE = 9
0001203 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001204 1 attributes = object
0001205 • 2 length = 1
0001206 • 2 removeNamedItemNS = function
0001207 • 2 getNamedItem = function
0001208 • 2 removeNamedItem = function
0001209 • 2 getNamedItemNS = function
0001210 • 2 setNamedItemNS = function
0001211 • 2 setNamedItem = function
0001212 • 2 item = function
0001213 1 ownerDocument = object
0001214 • 2 bgColor = #ffffff
0001215 • 2 alinkColor
0001216 • 2 width = 1018
0001217 • 2 plugins = function
0001218 • 2 height = 627
0001219 • 2 fgColor
0001220 • 2 vlinkColor
0001221 • 2 all
0001222 • 2 embeds = function
0001223 • 2 scripts = [*scriptArray*]
0001224 • 2 compatMode = BackCompat
0001225 • 2 activeElement = object
0001226 • 2 dir
0001227 • 2 designMode = off
0001228 • 2 linkColor
0001229 • 2 documentElement = object
0001230 • 2 preferredStylesheetSet

0001231 • 2 xmlVersion
0001232 • 2 location = object
0001233 • 2 xmlEncoding
0001234 • 2 implementation= object
0001235 • 2 referrer
0001236 • 2 defaultView%5Bobject%20DOMWindow%5D
0001237 • 2 domain
0001238 • 2 lastModified
0001239 • 2 anchors = function
0001240 • 2 applets = function
0001241 • 2 doctype = object
0001242 • 2 images = function
0001243 • 2 forms = function
0001244 • 2 charset = ISO-8859-1
0001245 • 2 styleSheets%5Bobject%20StyleSheetList%5D
0001246 • 2 URL = file:///Volumes/Projects%20HD/Actions%20Folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/
PropertyParser_demo.html
0001247 • 2 readyState = complete
0001248 • 2 selectedStylesheetSet
0001249 • 2 characterSet = ISO-8859-1
0001250 • 2 title = Blady Property Parser
0001251 • 2 cookie
0001252 • 2 body = object
0001253 • 2 inputEncoding= ISO -8859-1
0001254 • 2 xmlStandalone
0001255 • 2 documentURI = file:///Volumes/Projects%
0001256 • 2 defaultCharset = WINDOWS-1252
0001257 • 2 links = function
0001258 • 2 previousSibling
0001259 • 2 parentNode
0001260 • 2 lastChild = object
0001261 • 2 baseURI = file:///Volumes/Projects%
0001262 • 2 firstChild = object
0001263 • 2 nodeValue
0001264 • 2 textContent
0001265 • 2 nodeType = 9
0001266 • 2 nodeName = #document
0001267 • 2 prefix
0001268 • 2 childNodes= function
0001269 • 2 nextSibling
0001270 • 2 attributes
0001271 • 2 ownerDocument
0001272 • 2 namespaceURI
0001273 • 2 localName
0001274 • 2 parentElement
0001275 • 2 hasFocus = function
0001276 • 2 captureEvents = function
0001277 • 2 writeln = function
0001278 • 2 close = function
0001279 • 2 clear = function
0001280 • 2 releaseEvents = function
0001281 • 2 open = function
0001282 • 2 write = function
0001283 • 2 getElementById = function
0001284 • 2 getElementsByTagName = function
0001285 • 2 evaluate = function
0001286 • 2 createRange = function
0001287 • 2 createEvent = function
0001288 • 2 getCSSCanvasContext= function
0001289 • 2 createTextNode= function
0001290 • 2 createAttributeNS = function
0001291 • 2 createElement = function
0001292 • 2 importNode = function
0001293 • 2 createComment = function
0001294 • 2 createAttribute = function
0001295 • 2 queryCommandState= function
0001296 • 2 createNodeIterator = function
0001297 • 2 querySelector = function
0001298 • 2 createEntityReference = function

0001299 • 2 getOverrideStyle = function
0001300 • 2 createNSResolver= function
0001301 • 2 adoptNode = function
0001302 • 2 queryCommandEnabled = function
0001303 • 2 getElementsByTagNameNS = function
0001304 • 2 getElementsByTagName= function
0001305 • 2 createExpression = function
0001306 • 2 createProcessingInstruction= function
0001307 • 2 createElementNS = function
0001308 • 2 createDocumentFragment= function
0001309 • 2 createCDATASection = function
0001310 • 2 queryCommandIndeterm= function
0001311 • 2 queryCommandValue = function
0001312 • 2 getSelection = function
0001313 • 2 createTreeWalker= function
0001314 • 2 execCommand = function
0001315 • 2 queryCommandSupported = function
0001316 • 2 getElementsByName = function
0001317 • 2 elementFromPoint = function
0001318 • 2 querySelectorAll= function
0001319 • 2 hasAttributes = function
0001320 • 2 isSupported = function
0001321 • 2 isEqualNode= function
0001322 • 2 cloneNode= function
0001323 • 2 dispatchEvent = function
0001324 • 2 isDefaultNamespace= function
0001325 • 2 insertBefore = function
0001326 • 2 removeChild= function
0001327 • 2 hasChildNodes = function
0001328 • 2 addEventListener= function
0001329 • 2 normalize = function
0001330 • 2 compareDocumentPosition = function
0001331 • 2 replaceChild= function
0001332 • 2 removeEventListener= function
0001333 • 2 appendChild = function
0001334 • 2 isSameNode = function
0001335 • 2 lookupPrefix = function
0001336 • 2 lookupNamespaceURI = function lookupNamespaceU
0001337 • 2 NOTATION_NODE = 12
0001338 • 2 CDATA_SECTION_NODE = 4
0001339 • 2 ELEMENT_NODE = 1
0001340 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001341 • 2 ENTITY_NODE = 6
0001342 • 2 TEXT_NODE = 3
0001343 • 2 ENTITY_REFERENCE_NODE = 5
0001344 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001345 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001346 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001347 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001348 • 2 DOCUMENT_TYPE_NODE = 10
0001349 • 2 COMMENT_NODE = 8
0001350 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001351 • 2 ATTRIBUTE_NODE = 2
0001352 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001353 • 2 DOCUMENT_NODE = 9
0001354 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001355 1 namespaceURI = http://www.w3.org/1999/xh
0001356 1 localName = div
0001357 1 parentElement = object
0001358 • 2 bgColor = #ffffff
0001359 • 2 aLink
0001360 • 2 text
0001361 • 2 vLink
0001362 • 2 background
0001363 • 2 link
0001364 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
0001365 • 2 className
0001366 • 2 innerText = Document Image Div table
0001367 • 2 id

0001368 • 2 title
0001369 • 2 lang
0001370 • 2 dir
0001371 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0001372 • 2 contentEditable = false
0001373 • 2 tabIndex = -1
0001374 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0001375 • 2 children = function
0001376 • 2 isContentEditable
0001377 • 2 style = object
0001378 • 2 scrollLeft
0001379 • 2 clientWidth = 1018
0001380 • 2 firstElementChild = object
0001381 • 2 scrollWidth = 1018
0001382 • 2 clientLeft
0001383 • 2 offsetWidth = 1002
0001384 • 2 offsetLeft
0001385 • 2 clientTop
0001386 • 2 lastElementChild= object
0001387 • 2 offsetParent
0001388 • 2 nextElementSibling
0001389 • 2 tagName = BODY
0001390 • 2 previousElementSibling = object
0001391 • 2 clientHeight = 627
0001392 • 2 childElementCount= 7
0001393 • 2 offsetTop
0001394 • 2 offsetHeight = 606
0001395 • 2 scrollTop
0001396 • 2 scrollHeight = 627
0001397 • 2 previousSibling = object
0001398 • 2 parentNode = object
0001399 • 2 lastChild = object
0001400 • 2 baseURI = file:///Volumes/Projects%
0001401 • 2 firstChild = object
0001402 • 2 nodeValue
0001403 • 2 textContent = Document Image
0001404 • 2 nodeType = 1
0001405 • 2 nodeName = BODY
0001406 • 2 prefix
0001407 • 2 childNodes= function
0001408 • 2 nextSibling
0001409 • 2 attributes = object
0001410 • 2 ownerDocument
0001411 • 2 namespaceURI = http://www.w3.org/1999/xh
0001412 • 2 localName = body
0001413 • 2 parentElement = object
0001414 • 2 insertAdjacentElement= function
0001415 • 2 insertAdjacentHTML = function
0001416 • 2 insertAdjacentText= function
0001417 • 2 querySelector = function
0001418 • 2 hasAttribute = function
0001419 • 2 getAttributeNode = function
0001420 • 2 getAttributeNS = function
0001421 • 2 getElementsByTagNameNS = function
0001422 • 2 getElementsByClassName= function
0001423 • 2 removeAttributeNS = function
0001424 • 2 querySelectorAll= function
0001425 • 2 contains = function
0001426 • 2 getClientRects = function
0001427 • 2 scrollByPages = function
0001428 • 2 setAttributeNode = function
0001429 • 2 setAttributeNS = function
0001430 • 2 hasAttributeNS = function
0001431 • 2 blur = function
0001432 • 2 scrollIntoViewIfNeeded= function
0001433 • 2 setAttribute = function
0001434 • 2 scrollByLines = function
0001435 • 2 getElementsByTagName = function
0001436 • 2 removeAttribute = function

0001437 • 2 setAttributeNodeNS = function
0001438 • 2 getAttribute = function
0001439 • 2 removeAttributeNode= function
0001440 • 2 getAttributeNodeNS = function
0001441 • 2 focus = function
0001442 • 2 scrollIntoView = function
0001443 • 2 getBoundingClientRect = function
0001444 • 2 hasAttributes = function
0001445 • 2 isSupported = function
0001446 • 2 isEqualNode= function
0001447 • 2 cloneNode= function
0001448 • 2 dispatchEvent = function
0001449 • 2 isDefaultNamespace= function
0001450 • 2 insertBefore = function
0001451 • 2 removeChild= function
0001452 • 2 hasChildNodes = function
0001453 • 2 addEventListener= function
0001454 • 2 normalize = function
0001455 • 2 compareDocumentPosition = function
0001456 • 2 replaceChild= function
0001457 • 2 removeEventListener= function
0001458 • 2 appendChild = function
0001459 • 2 isSameNode = function
0001460 • 2 lookupPrefix = function
0001461 • 2 lookupNamespaceURI = function lookupNamespaceU
0001462 • 2 NOTATION_NODE = 12
0001463 • 2 CDATA_SECTION_NODE = 4
0001464 • 2 ELEMENT_NODE = 1
0001465 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001466 • 2 ENTITY_NODE = 6
0001467 • 2 TEXT_NODE = 3
0001468 • 2 ENTITY_REFERENCE_NODE = 5
0001469 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001470 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001471 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001472 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001473 • 2 DOCUMENT_TYPE_NODE = 10
0001474 • 2 COMMENT_NODE = 8
0001475 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001476 • 2 ATTRIBUTE_NODE = 2
0001477 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001478 • 2 DOCUMENT_NODE = 9
0001479 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001480 1 insertAdjacentElement= function
0001481 1 insertAdjacentHTML = function
0001482 1 insertAdjacentText= function
0001483 1 querySelector = function
0001484 1 hasAttribute = function
0001485 1 getAttributeNode = function
0001486 1 getAttributeNS = function
0001487 1 getElementsByTagNameNS = function
0001488 1 getElementsByClassName= function
0001489 1 removeAttributeNS = function
0001490 1 querySelectorAll= function
0001491 1 contains = function
0001492 1 getClientRects = function
0001493 1 scrollByPages = function
0001494 1 setAttributeNode = function
0001495 1 setAttributeNS = function
0001496 1 hasAttributeNS = function
0001497 1 blur = function
0001498 1 scrollIntoViewIfNeeded= function
0001499 1 setAttribute = function
0001500 1 scrollByLines = function
0001501 1 getElementsByTagName = function
0001502 1 removeAttribute = function
0001503 1 setAttributeNodeNS = function
0001504 1 getAttribute = function
0001505 1 removeAttributeNode= function

0001506 1 getAttributeNodeNS = function
0001507 1 focus = function
0001508 1 scrollIntoView = function
0001509 1 getBoundingClientRect = function
0001510 1 hasAttributes = function
00015111 isSupported = function
0001512 1 isEqualNode= function
0001513 1 cloneNode= function
0001514 1 dispatchEvent = function
0001515 1 isDefaultNamespace= function
0001516 1 insertBefore = function
0001517 1 removeChild= function
0001518 1 hasChildNodes = function
0001519 1 addEventListener= function
0001520 1 normalize = function
0001521 1 compareDocumentPosition = function
0001522 1 replaceChild= function
0001523 1 removeEventListener= function
0001524 1 appendChild = function
0001525 1 isSameNode = function
0001526 1 lookupPrefix = function
0001527 1 lookupNamespaceURI = function lookupNamespaceU
0001528 1 NOTATION_NODE = 12
0001529 1 CDATA_SECTION_NODE = 4
0001530 1 ELEMENT_NODE = 1
0001531 1 DOCUMENT_POSITION_DISCONNECTED = 1
0001532 1 ENTITY_NODE = 6
0001533 1 TEXT_NODE = 3
0001534 1 ENTITY_REFERENCE_NODE = 5
0001535 1 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001536 1 DOCUMENT_FRAGMENT_NODE = 11
0001537 1 PROCESSING_INSTRUCTION_NODE = 7
0001538 1 DOCUMENT_POSITION_PRECEDING = 2
0001539 1 DOCUMENT_TYPE_NODE = 10
0001540 1 COMMENT_NODE = 8
0001541 1 DOCUMENT_POSITION_FOLLOWING = 4
0001542 1 ATTRIBUTE_NODE = 2
0001543 1 DOCUMENT_POSITION_CONTAINED_BY = 16
0001544 1 DOCUMENT_NODE = 9
0001545 1 DOCUMENT_POSITION_CONTAINS = 8