

```
0000001 1 bgColor = #ffffff
0000002 1 alinkColor
0000003 1 width = 1018
0000004 1 plugins = function
0000005   • 2 length
0000006   • 2 namedItem = function
0000007   • 2 tags = function
0000008   • 2 item = function
0000009 1 height = 627
0000010 1 fgColor
0000011 1 vlinkColor
0000012 1 all
0000013   • 2 length = 36
0000014   • 2 namedItem = function
0000015   • 2 tags = function
0000016   • 2 item = function
0000017 1 embeds = function
0000018   • 2 length
0000019   • 2 namedItem = function
0000020   • 2 tags = function
0000021   • 2 item = function
0000022 1 scripts = [*scriptArray*]
0000023   • 2 length = 2
0000024   • 2 namedItem = function
0000025   • 2 tags = function
0000026   • 2 item = function
0000027 1 compatMode = BackCompat
0000028 1 activeElement = object
0000029   • 2 hash
0000030   • 2 href = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/PropertyParser_demo.html#
0000031   • 2 search
0000032   • 2 text = Document
0000033   • 2 hostname
0000034   • 2 rel
0000035   • 2 name
0000036   • 2 hreflang
0000037   • 2 shape
0000038   • 2 rev
0000039   • 2 host
0000040   • 2 pathname = /Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000041   • 2 charset
0000042   • 2 target
0000043   • 2 type
0000044   • 2 coords
0000045   • 2 accessKey
0000046   • 2 port = 0
0000047   • 2 protocol = file:
0000048   • 2 outerHTML = %3Ca%20href%3D%22%23%22%20onclick%3D%22WBPr
0000049   • 2 className
0000050   • 2 innerText = Document
0000051   • 2 id
0000052   • 2 title
0000053   • 2 lang
0000054   • 2 dir
0000055   • 2 innerHTML = Document
0000056   • 2 contentEditable = false
0000057   • 2 tabIndex
0000058   • 2 outerText = Document
0000059   • 2 children = function
0000060   • 2 isContentEditable
```

0000060 • 2 isContentEditable
0000061 • 2 style = object
0000062 • 2 scrollLeft
0000063 • 2 clientWidth
0000064 • 2 firstElementChild
0000065 • 2 scrollWidth
0000066 • 2 clientLeft
0000067 • 2 offsetWidth = 73
0000068 • 2 offsetLeft = 8
0000069 • 2 clientTop
0000070 • 2 lastElementChild
0000071 • 2 offsetParent = object
0000072 • 2 nextElementSibling= object
0000073 • 2 tagName = A
0000074 • 2 previousElementSibling
0000075 • 2 clientHeight
0000076 • 2 childElementCount
0000077 • 2 offsetTop = 8
0000078 • 2 offsetHeight = 17
0000079 • 2 scrollTop
0000080 • 2 scrollHeight
0000081 • 2 previousSibling
0000082 • 2 parentNode = object
0000083 • 2 lastChild = object
0000084 • 2 baseURI = file:///Volumes/Projects%
0000085 • 2 firstChild = object
0000086 • 2 nodeValue
0000087 • 2 textContent = Document
0000088 • 2 nodeType = 1
0000089 • 2 nodeName = A
0000090 • 2 prefix
0000091 • 2 childNodes= function
0000092 • 2 nextSibling = object
0000093 • 2 attributes = object
0000094 • 2 ownerDocument= object
0000095 • 2 namespaceURI = http://www.w3.org/1999/xh
0000096 • 2 localName = a
0000097 • 2 parentElement = object
0000098 • 2 insertAdjacentElement= function
0000099 • 2 insertAdjacentHTML = function
0000100 • 2 insertAdjacentText= function
0000101 • 2 querySelector = function
0000102 • 2 hasAttribute = function
0000103 • 2 getAttributeNode = function
0000104 • 2 getAttributeNS = function
0000105 • 2 getElementsByTagName = function
0000106 • 2 getElementsByTagName= function
0000107 • 2 removeAttributeNS = function
0000108 • 2 querySelectorAll= function
0000109 • 2 contains = function
0000110 • 2 getClientRects = function
0000111 • 2 scrollByPages = function
0000112 • 2 setAttributeNode = function
0000113 • 2 setAttributeNS = function
0000114 • 2 hasAttributeNS = function
0000115 • 2 blur = function
0000116 • 2 scrollIntoViewIfNeeded= function
0000117 • 2 setAttribute = function
0000118 • 2 scrollByLines = function
0000119 • 2 getElementsByTagName = function
0000120 • 2 removeAttribute = function
0000121 • 2 setAttributeNodeNS = function
0000122 • 2 getAttribute = function
0000123 • 2 removeAttributeNode= function
0000124 • 2 getAttributeNodeNS = function
0000125 • 2 focus = function
0000126 • 2 scrollIntoView = function
0000127 • 2 getBoundingClientRect = function
0000128 • 2 hasAttributes = function

0000129 • 2 NOTATION_NODE = 12
0000130 • 2 CDATA_SECTION_NODE = 4
0000131 • 2 isSupported = function
0000132 • 2 ELEMENT_NODE = 1
0000133 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000134 • 2 isEqualNode = function
0000135 • 2 ENTITY_NODE = 6
0000136 • 2 TEXT_NODE = 3
0000137 • 2 ENTITY_REFERENCE_NODE = 5
0000138 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000139 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000140 • 2 cloneNode = function
0000141 • 2 dispatchEvent = function
0000142 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000143 • 2 isDefaultNamespace = function
0000144 • 2 insertBefore = function
0000145 • 2 removeChild = function
0000146 • 2 hasChildNodes = function
0000147 • 2 addEventListener = function
0000148 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000149 • 2 normalize = function
0000150 • 2 compareDocumentPosition = function
0000151 • 2 DOCUMENT_TYPE_NODE = 10
0000152 • 2 COMMENT_NODE = 8
0000153 • 2 replaceChild = function
0000154 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000155 • 2 removeEventListener = function
0000156 • 2 ATTRIBUTE_NODE = 2
0000157 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000158 • 2 DOCUMENT_NODE = 9
0000159 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000160 • 2 appendChild = function
0000161 • 2 isSameNode = function
0000162 • 2 lookupPrefix = function
0000163 • 2 lookupNamespaceURI = function lookupNamespaceU
0000164 1 dir
0000165 1 designMode = off
0000166 1 linkColor
0000167 1 documentElement = object
0000168 • 2 version
0000169 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000170 • 2 className
0000171 • 2 innerText = Document Image Div table
0000172 • 2 id
0000173 • 2 title
0000174 • 2 lang
0000175 • 2 dir
0000176 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000177 • 2 contentEditable = false
0000178 • 2 tabIndex = -1
0000179 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000180 • 2 children = function
0000181 • 2 isContentEditable
0000182 • 2 style = object
0000183 • 2 scrollLeft
0000184 • 2 clientWidth = 1018
0000185 • 2 firstElementChild = object
0000186 • 2 scrollWidth = 1018
0000187 • 2 clientLeft
0000188 • 2 offsetWidth = 1018
0000189 • 2 offsetLeft
0000190 • 2 clientTop
0000191 • 2 lastElementChild = object
0000192 • 2 offsetParent
0000193 • 2 nextElementSibling
0000194 • 2 tagName = HTML
0000195 • 2 previousElementSibling
0000196 • 2 clientHeight = 627
0000197 • 2 childElementCount = 2

0000198 • 2 offsetTop
0000199 • 2 offsetHeight = 627
0000200 • 2 scrollTop
0000201 • 2 scrollHeight = 627
0000202 • 2 previousSibling = object
0000203 • 2 parentNode = object
0000204 • 2 lastChild = object
0000205 • 2 baseURI = file:///Volumes/Projects%
0000206 • 2 firstChild = object
0000207 • 2 nodeValue
0000208 • 2 textContent = Blady Property Pars
0000209 • 2.nodeType = 1
0000210 • 2 nodeName = HTML
0000211 • 2 prefix
0000212 • 2 childNodes= function
0000213 • 2 nextSibling
0000214 • 2 attributes = object
0000215 • 2 ownerDocument
0000216 • 2 namespaceURI = http://www.w3.org/1999/xh
0000217 • 2 localName = html
0000218 • 2 parentElement
0000219 • 2 insertAdjacentElement= function
0000220 • 2 insertAdjacentHTML = function
0000221 • 2 insertAdjacentText= function
0000222 • 2 querySelector = function
0000223 • 2 hasAttribute = function
0000224 • 2 getAttributeNode = function
0000225 • 2 getAttributeNS = function
0000226 • 2 getElementsByTagNameNS = function
0000227 • 2 getElementsByTagName= function
0000228 • 2 removeAttributeNS = function
0000229 • 2 querySelectorAll= function
0000230 • 2 contains = function
0000231 • 2 getClientRects = function
0000232 • 2 scrollByPages = function
0000233 • 2 setAttributeNode = function
0000234 • 2 setAttributeNS = function
0000235 • 2 hasAttributeNS = function
0000236 • 2 blur = function
0000237 • 2 scrollIntoViewIfNeeded= function
0000238 • 2 setAttribute = function
0000239 • 2 scrollByLines = function
0000240 • 2 getElementsByTagName = function
0000241 • 2 removeAttribute = function
0000242 • 2 setAttributeNodeNS = function
0000243 • 2 getAttribute = function
0000244 • 2 removeAttributeNode= function
0000245 • 2 getAttributeNodeNS = function
0000246 • 2 focus = function
0000247 • 2 scrollIntoView = function
0000248 • 2 getBoundingClientRect = function
0000249 • 2 hasAttributes = function
0000250 • 2 isSupported = function
0000251 • 2 isEqualNode= function
0000252 • 2 cloneNode= function
0000253 • 2 dispatchEvent = function
0000254 • 2 isDefaultNamespace= function
0000255 • 2 insertBefore = function
0000256 • 2 removeChild= function
0000257 • 2 hasChildNodes = function
0000258 • 2 addEventListener= function
0000259 • 2 normalize = function
0000260 • 2 compareDocumentPosition = function
0000261 • 2 replaceChild= function
0000262 • 2 removeEventListener= function
0000263 • 2 appendChild = function
0000264 • 2 isSameNode = function
0000265 • 2 lookupPrefix = function
0000266 • 2 lookupNamespaceURI = function lookupNamespaceU

0000267 • 2 NOTATION_NODE = 12
0000268 • 2 CDATA_SECTION_NODE = 4
0000269 • 2 ELEMENT_NODE = 1
0000270 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000271 • 2 ENTITY_NODE = 6
0000272 • 2 TEXT_NODE = 3
0000273 • 2 ENTITY_REFERENCE_NODE = 5
0000274 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000275 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000276 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000277 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000278 • 2 DOCUMENT_TYPE_NODE = 10
0000279 • 2 COMMENT_NODE = 8
0000280 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000281 • 2 ATTRIBUTE_NODE = 2
0000282 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000283 • 2 DOCUMENT_NODE = 9
0000284 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000285 1 preferredStylesheetSet
0000286 1 xmlVersion
0000287 1 location = object
0000288 • 2 hostname
0000289 • 2 hash
0000290 • 2 href = file:///Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000291 • 2 protocol = file:
0000292 • 2 port
0000293 • 2 host
0000294 • 2 pathname = /Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_
demo.html
0000295 • 2 search
0000296 • 2 assign = function
0000297 • 2 reload = function
0000298 • 2 replace = function
0000299 1 xmlEncoding
0000300 1 implementation= object
0000301 • 2 createDocument = function
0000302 • 2 createDocumentType= function
0000303 • 2 hasFeature = function
0000304 • 2 createHTMLDocument = function
0000305 • 2 createCSSStyleSheet = function
0000306 1 referrer
0000307 1 defaultView%5Bobject%20DOMWindow%5D
0000308 • 2 WBPropertyParser = function
0000309 • 2 PPGetValues = function
0000310 • 2 PPCloseWindow= function
0000311 • 2 PPIsE
0000312 • 2 PPIsNav = true
0000313 • 2 PPFindImageObject = function
0000314 • 2 document = object
0000315 • 2 PPFindLayerObject = function
0000316 • 2 PPpropertyErrors = List of all properties errors found:

0000317 • 2 PPPprepareNumber= function
0000318 • 2 PPpropertyList
0000319 • 2 PPGetObject = function
0000320 • 2 PPDdisplay = function
0000321 • 2 window = object
0000322 • 2 PPAction = object
0000323 • 2 PPwindow
0000324 • 2 WBPropertyParser_API = function
0000325 • 2 PPIsOpera
0000326 • 2 PPIsMSIE
0000327 • 2 EvalError = function
0000328 • 2 RangeError = function
0000329 • 2 ReferenceError = function
0000330 • 2 SyntaxError = function
0000331 • 2 TypeError = function
0000332 • 2 URIError = function URIError() {
0000333 • 2 frames = object

0000334 • 2 HTMLBodyElement = object
0000335 • 2 onseeking
0000336 • 2 menubar = object
0000337 • 2 onended
0000338 • 2 onsuspend
0000339 • 2 pageXOffset
0000340 • 2 length
0000341 • 2 CSSPrimitiveValue = object
0000342 • 2 frameElement
0000343 • 2 HTMLMenuElement = object
0000344 • 2 NodeFilter = object
0000345 • 2 MouseEvent = object
0000346 • 2 TextEvent = object
0000347 • 2 onreset
0000348 • 2 HTMLQuoteElement = object
0000349 • 2 onwebkitanimationiteration
0000350 • 2 WebKitPoint = object
0000351 • 2 HTMLIsIndexElement = object
0000352 • 2 XMLHttpRequestUpload = object
0000353 • 2 CSSCharsetRule = object
0000354 • 2 HTMLAppletElement = object
0000355 • 2 HTMLCollection = object
0000356 • 2 statusbar = object
0000357 • 2 XMLHttpRequestException = object
0000358 • 2 HTMLStyleElement = object
0000359 • 2 ondragleave
0000360 • 2 DOMException = object
0000361 • 2 HTMLFrameSetElement = object
0000362 • 2 clientInformation = object
0000363 • 2 localStorage = object
0000364 • 2 onloadedmetadata
0000365 • 2 HTMLUListElement = object
0000366 • 2 CharacterData = object
0000367 • 2 name
0000368 • 2 ondragstart
0000369 • 2 HTMLLegendElement = object
0000370 • 2 XPathResult = object
0000371 • 2 HTMLPreElement = object
0000372 • 2 onkeydown
0000373 • 2 onwebkitanimationstart
0000374 • 2 ondblclick
0000375 • 2 XSLTProcessor = object
0000376 • 2 CSSRuleList = object
0000377 • 2 onmousemove
0000378 • 2 WebKitTransitionEvent = object
0000379 • 2 outerHeight = 727
0000380 • 2 CSSVariablesDeclaration = object
0000381 • 2 ondragend
0000382 • 2 history = object
0000383 • 2 SVGUnitTypes = object
0000384 • 2 top = object
0000385 • 2 parent = object
0000386 • 2 TextMetrics = object
0000387 • 2 ClientRectList = object
0000388 • 2 HTMLButtonElement = object
0000389 • 2 onunload
0000390 • 2 HTMLMapElement = object
0000391 • 2 scrollY
0000392 • 2 Plugin = object
0000393 • 2 CSSStyleSheet = object
0000394 • 2 ondrag
0000395 • 2 Attr = object
0000396 • 2 EntityReference = object
0000397 • 2 HTMLTableCaptionElement = object
0000398 • 2 HTMLObjectElement = object
0000399 • 2 self = object
0000400 • 2 MutationEvent = object
0000401 • 2 pageYOffset
0000402 • 2 HTMLInputElement = object

0000403 • 2 screenLeft = 25
0000404 • 2 onkeyup
0000405 • 2 HTMLScriptElement = object
0000406 • 2 onmousewheel
0000407 • 2 onstorage
0000408 • 2 HTMLListElement = object
0000409 • 2 HTMLCanvasElement = object
0000410 • 2 CSSFontFaceRule = object
0000411 • 2 XMLDocument = object
0000412 • 2 HTMLBRElement = object
0000413 • 2 CSSStyleRule = object
0000414 • 2 HTMLFontElement = object
0000415 • 2 HTMLTitleElement = object
0000416 • 2 Node = object
0000417 • 2 HTMLTableSectionElement = object
0000418 • 2 Text = object
0000419 • 2 onclick
0000420 • 2 HTMLOptionElement = object
0000421 • 2 File = object
0000422 • 2 onvolumechange
0000423 • 2 StyleSheetList = object
0000424 • 2 Range = object
0000425 • 2 onmouseover
0000426 • 2 HTMLAnchorElement = object
0000427 • 2 innerHeight = 627
0000428 • 2 onplaying
0000429 • 2 CSSMediaRule = object
0000430 • 2 HTMLEmbedElement = object
0000431 • 2 NodeList = object
0000432 • 2 SVGMarkerElement = object
0000433 • 2 onmouseup
0000434 • 2 WebKitAnimationEvent = object
0000435 • 2 SVGColor = object
0000436 • 2 HTMLParamElement = object
0000437 • 2 offscreenBuffering = true
0000438 • 2 HTMLTextAreaElement = object
0000439 • 2 onratechange
0000440 • 2 locationbar = object
0000441 • 2 SVGLength = object
0000442 • 2 KeyboardEvent = object
0000443 • 2 MimeTypeArray = object
0000444 • 2 ondragover
0000445 • 2 HTMLDivElement = object
0000446 • 2 HTMLBaseElement = object
0000447 • 2 HTMLBaseFontElement = object
0000448 • 2 onsubmit
0000449 • 2 HTMLIFrameElement = object
0000450 • 2 HTMLBlockquoteElement = object
0000451 • 2 HTMLAudioElement = object
0000452 • 2 SVGPreserveAspectRatio = object
0000453 • 2 HTMLLIElement = object
0000454 • 2 SVGAngle = object
0000455 • 2 location = object
0000456 • 2 onstalled
0000457 • 2 scrollbars = object
0000458 • 2 HTMLMarqueeElement = object
0000459 • 2 SVGPaint = object
0000460 • 2 Entity = object
0000461 • 2 onprogress
0000462 • 2 onwaiting
0000463 • 2 HTMLModElement = object
0000464 • 2 HTMLFormElement = object
0000465 • 2 opener
0000466 • 2 ontimeupdate
0000467 • 2 onfocus
0000468 • 2 outerWidth = 1018
0000469 • 2 onplay
0000470 • 2 HTMLHeadElement = object
0000471 • 2 ondurationchange

0000472 • 2 oncanplay
0000473 • 2 onemptied
0000474 • 2 MimeType = object
0000475 • 2 HTMLImageElement = object
0000476 • 2 CDATASection = object
0000477 • 2 closed
0000478 • 2 event = object
0000479 • 2 DOMParser = object
0000480 • 2 CSSValueList = object
0000481 • 2 navigator = object
0000482 • 2 screen = object
0000483 • 2 FileList = object
0000484 • 2 sessionStorage = object
0000485 • 2 ProcessingInstruction = object
0000486 • 2 online
0000487 • 2 oncontextmenu
0000488 • 2 RangeException = object
0000489 • 2 offline
0000490 • 2 WheelEvent = object
0000491 • 2 onresize
0000492 • 2 Storage = object
0000493 • 2 innerWidth = 1018
0000494 • 2 Rect = object
0000495 • 2 MessageEvent = object
0000496 • 2 StorageEvent = object
0000497 • 2 HTMLElement = object
0000498 • 2 onsearch
0000499 • 2 onseeked
0000500 • 2 Counter = object
0000501 • 2 NamedNodeMap = object
0000502 • 2 HTMLOptGroupElement = object
0000503 • 2 HTMLHeadingElement = object
0000504 • 2 Worker = object
0000505 • 2 ondragenter
0000506 • 2 onmessage
0000507 • 2 onblur
0000508 • 2 HTMLParagraphElement = object
0000509 • 2 HTMLFieldSetElement = object
0000510 • 2 ondrop
0000511 • 2 personalbar = object
0000512 • 2 HTMLSelectElement = object
0000513 • 2 OverflowEvent = object
0000514 • 2 XPathException = object
0000515 • 2 oncanplaythrough
0000516 • 2 ProgressEvent = object
0000517 • 2 status
0000518 • 2 onselect
0000519 • 2 onpause
0000520 • 2 MediaError = object
0000521 • 2 HTMLFrameElement = object
0000522 • 2 CSSRule = object
0000523 • 2 devicePixelRatio = 1
0000524 • 2 CSSStyleDeclaration = object
0000525 • 2 WebKitCSSTransformValue = object
0000526 • 2 HTMLTableRowElement = object
0000527 • 2 HTMLDirectoryElement = object
0000528 • 2 Option = object
0000529 • 2 Image = object
0000530 • 2 onloadeddata
0000531 • 2 WebKitCSSKeyframesRule = object
0000532 • 2 scrollX
0000533 • 2 onwebkittransitionend
0000534 • 2 screenY = 28
0000535 • 2 onkeypress
0000536 • 2 toolbar = object
0000537 • 2 SVGTextContentElement = object
0000538 • 2 HTMLAreaElement = object
0000539 • 2 Event = object
0000540 • 2 screenTop = 28

0000541 • 2 Element = object
0000542 • 2 Audio = object
0000543 • 2 DocumentType = object
0000544 • 2 crypto
0000545 • 2 UIEvent = object
0000546 • 2 EventException = object
0000547 • 2 defaultStatus
0000548 • 2 onwebkitanimationend
0000549 • 2 screenX = 25
0000550 • 2 SVGTransform = object
0000551 • 2 HTMLHRElement = object
0000552 • 2 CSSImportRule = object
0000553 • 2 defaultstatus
0000554 • 2 DocumentFragment = object
0000555 • 2 applicationCache = object
0000556 • 2 CSSPageRule= object
0000557 • 2 onload
0000558 • 2 onerror
0000559 • 2 XPathEvaluator = object
0000560 • 2 onchange
0000561 • 2 MediaList = object
0000562 • 2 console = object
0000563 • 2 onabort
0000564 • 2 onbeforeunload
0000565 • 2 oninput
0000566 • 2 onloadstart
0000567 • 2 onmousedown
0000568 • 2 onmouseout
0000569 • 2 onscroll
0000570 • 2 StyleSheet = object
0000571 • 2 CSSValue= object
0000572 • 2 CSSVariablesRule = object
0000573 • 2 DOMImplementation = object
0000574 • 2 Document
0000575 • 2 Comment = object
0000576 • 2 Notation = object
0000577 • 2 HTMLDocument = object
0000578 • 2 HTMLDListElement = object
0000579 • 2 HTMLHtmlElement = object
0000580 • 2 HTMLLabelElement= object
0000581 • 2 HTMLLinkElement = object
0000582 • 2 HTMLMetaElement = object
0000583 • 2 HTMLTableCellElement = object
0000584 • 2 HTMLTableColElement = object
0000585 • 2 HTMLTableElement = object
0000586 • 2 WebKitCSSKeyframeRule= object
0000587 • 2 WebKitCSSMatrix = object
0000588 • 2 Clipboard= object
0000589 • 2 XMLSerializer = object
0000590 • 2 XMLHttpRequest = object
0000591 • 2 PluginArray = object
0000592 • 2 ClientRect = object
0000593 • 2 HTMLMediaElement= object
0000594 • 2 HTMLVideoElement = object
0000595 • 2 SVGException = object
0000596 • 2 SVGGradientElement = object
0000597 • 2 SVGPathSeg = object
0000598 • 2 SVGRenderingIntent = object
0000599 • 2 SVGTextPathElement = object
0000600 • 2 moveBy = function
0000601 • 2 find = function
0000602 • 2 resizeTo = function
0000603 • 2 clearTimeout = function
0000604 • 2 btoa = function
0000605 • 2 getComputedStyle = function
0000606 • 2 setTimeout = function
0000607 • 2 scrollBy = function
0000608 • 2 print = function
0000609 • 2 resizeBy = function

0000610 • 2 atob = function
0000611 • 2 openDatabase= function
0000612 • 2 moveTo = function
0000613 • 2 scroll = function
0000614 • 2 confirm = function
0000615 • 2 getMatchedCSSRules= function
0000616 • 2 close = function
0000617 • 2 clearInterval = function
0000618 • 2 webkitConvertPointFromNodeToPage = function
0000619 • 2 open = function
0000620 • 2 prompt = function
0000621 • 2 focus = function
0000622 • 2 blur = function
0000623 • 2 scrollTo = function
0000624 • 2 removeEventListener= function
0000625 • 2 postMessage = function
0000626 • 2 setInterval = function
0000627 • 2 getSelection = function
0000628 • 2 alert = function
0000629 • 2 stop = function
0000630 • 2 webkitConvertPointFromPageToNode = function
0000631 • 2 addEventListener= function
0000632 • 2 dispatchEvent = function
0000633 • 2 captureEvents = function
0000634 • 2 releaseEvents = function
0000635 • 2 showModalDialog
0000636 1 domain
0000637 1 lastModified
0000638 1 anchors = function
0000639 • 2 length
0000640 • 2 namedItem = function
0000641 • 2 tags = function
0000642 • 2 item = function
0000643 1 applets = function
0000644 • 2 length
0000645 • 2 namedItem = function
0000646 • 2 tags = function
0000647 • 2 item = function
0000648 1 doctype = object
0000649 • 2 publicId = -//W3C//DTD HTML 4.01 Transitional//EN
0000650 • 2 notations
0000651 • 2 name = html
0000652 • 2 entities
0000653 • 2 systemId
0000654 • 2 internalSubset
0000655 • 2 previousSibling
0000656 • 2 parentNode = object
0000657 • 2 lastChild
0000658 • 2 baseURI
0000659 • 2 firstChild
0000660 • 2 nodeValue
0000661 • 2 textContent
0000662 • 2 nodeType = 10
0000663 • 2 nodeName = html
0000664 • 2 prefix
0000665 • 2 childNodes= function
0000666 • 2 nextSibling = object
0000667 • 2 attributes
0000668 • 2 ownerDocument
0000669 • 2 namespaceURI
0000670 • 2 localName
0000671 • 2 parentElement
0000672 • 2 hasAttributes = function
0000673 • 2 isSupported = function
0000674 • 2 isEqualNode= function
0000675 • 2 cloneNode= function
0000676 • 2 dispatchEvent = function
0000677 • 2 isDefaultNamespace= function
0000678 • 2 insertBefore = function

0000679 • 2 removeChild= function
0000680 • 2 hasChildNodes = function
0000681 • 2 addEventListener= function
0000682 • 2 normalize = function
0000683 • 2 compareDocumentPosition = function
0000684 • 2 replaceChild= function
0000685 • 2 removeEventListener= function
0000686 • 2 appendChild = function
0000687 • 2 isSameNode = function
0000688 • 2 lookupPrefix = function
0000689 • 2 lookupNamespaceURI = function lookupNamespaceU
0000690 • 2 NOTATION_NODE = 12
0000691 • 2 CDATA_SECTION_NODE = 4
0000692 • 2 ELEMENT_NODE = 1
0000693 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000694 • 2 ENTITY_NODE = 6
0000695 • 2 TEXT_NODE = 3
0000696 • 2 ENTITY_REFERENCE_NODE = 5
0000697 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000698 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000699 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000700 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000701 • 2 DOCUMENT_TYPE_NODE = 10
0000702 • 2 COMMENT_NODE = 8
0000703 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000704 • 2 ATTRIBUTE_NODE = 2
0000705 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000706 • 2 DOCUMENT_NODE = 9
0000707 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000708 1 images = function
0000709 • 2 length = 1
0000710 • 2 namedItem = function
0000711 • 2 tags = function
0000712 • 2 item = function
0000713 1 forms = function
0000714 • 2 length
0000715 • 2 namedItem = function
0000716 • 2 tags = function
0000717 • 2 item = function
0000718 1 charset = ISO-8859-1
0000719 1 styleSheets%5Bobject%20StyleSheetList%5D
0000720 • 2 length = 1
0000721 • 2 item = function
0000722 1 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/
PropertyParser_demo.html
0000723 1 readyState = complete
0000724 1 selectedStylesheetSet
0000725 1 characterSet = ISO-8859-1
0000726 1 title = Blady Property Parser
0000727 1 cookie
0000728 1 body = object
0000729 • 2 bgColor = #ffffff
0000730 • 2 aLink
0000731 • 2 text
0000732 • 2 vLink
0000733 • 2 background
0000734 • 2 link
0000735 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
0000736 • 2 className
0000737 • 2 innerText = Document Image Div table
0000738 • 2 id
0000739 • 2 title
0000740 • 2 lang
0000741 • 2 dir
0000742 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0000743 • 2 contentEditable = false
0000744 • 2 tabIndex = -1
0000745 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000746 • 2 children = function

0000747 • 2 isContentEditable
0000748 • 2 style = object
0000749 • 2 scrollLeft
0000750 • 2 clientWidth = 1018
0000751 • 2 firstElementChild = object
0000752 • 2 scrollWidth = 1018
0000753 • 2 clientLeft
0000754 • 2 offsetWidth = 1002
0000755 • 2 offsetLeft
0000756 • 2 clientTop
0000757 • 2 lastElementChild= object
0000758 • 2 offsetParent
0000759 • 2 nextElementSibling
0000760 • 2 tagName = BODY
0000761 • 2 previousElementSibling = object
0000762 • 2 clientHeight = 627
0000763 • 2 childElementCount= 7
0000764 • 2 offsetTop
0000765 • 2 offsetHeight = 606
0000766 • 2 scrollTop
0000767 • 2 scrollHeight = 627
0000768 • 2 previousSibling = object
0000769 • 2 parentNode = object
0000770 • 2 lastChild = object
0000771 • 2 baseURI = file:///Volumes/Projects%
0000772 • 2 firstChild = object
0000773 • 2 nodeValue
0000774 • 2 textContent = Document Image
0000775 • 2 nodeType = 1
0000776 • 2 nodeName = BODY
0000777 • 2 prefix
0000778 • 2 childNodes= function
0000779 • 2 nextSibling
0000780 • 2 attributes = object
0000781 • 2 ownerDocument
0000782 • 2 namespaceURI = http://www.w3.org/1999/xh
0000783 • 2 localName = body
0000784 • 2 parentElement = object
0000785 • 2 insertAdjacentElement= function
0000786 • 2 insertAdjacentHTML = function
0000787 • 2 insertAdjacentText= function
0000788 • 2 querySelector = function
0000789 • 2 hasAttribute = function
0000790 • 2 getAttributeNode = function
0000791 • 2 getAttributeNS = function
0000792 • 2 getElementsByTagNameNS = function
0000793 • 2 getElementsByClassName= function
0000794 • 2 removeAttributeNS = function
0000795 • 2 querySelectorAll= function
0000796 • 2 contains = function
0000797 • 2 getClientRects = function
0000798 • 2 scrollByPages = function
0000799 • 2 setAttributeNode = function
0000800 • 2 setAttributeNS = function
0000801 • 2 hasAttributeNS = function
0000802 • 2 blur = function
0000803 • 2 scrollIntoViewIfNeeded= function
0000804 • 2 setAttribute = function
0000805 • 2 scrollByLines = function
0000806 • 2 getElementsByTagName = function
0000807 • 2 removeAttribute = function
0000808 • 2 setAttributeNodeNS = function
0000809 • 2 getAttribute = function
0000810 • 2 removeAttributeNode= function
0000811 • 2 getAttributeNodeNS = function
0000812 • 2 focus = function
0000813 • 2 scrollIntoView = function
0000814 • 2 getBoundingClientRect = function
0000815 • 2 hasAttributes = function

0000816 • 2 isSupported = function
0000817 • 2 isEqualNode= function
0000818 • 2 cloneNode= function
0000819 • 2 dispatchEvent = function
0000820 • 2 isDefaultNamespace= function
0000821 • 2 insertBefore = function
0000822 • 2 removeChild= function
0000823 • 2 hasChildNodes = function
0000824 • 2 addEventListener= function
0000825 • 2 normalize = function
0000826 • 2 compareDocumentPosition = function
0000827 • 2 replaceChild= function
0000828 • 2 removeEventListener= function
0000829 • 2 appendChild = function
0000830 • 2 isSameNode = function
0000831 • 2 lookupPrefix = function
0000832 • 2 lookupNamespaceURI = function lookupNamespaceU
0000833 • 2 NOTATION_NODE = 12
0000834 • 2 CDATA_SECTION_NODE = 4
0000835 • 2 ELEMENT_NODE = 1
0000836 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000837 • 2 ENTITY_NODE = 6
0000838 • 2 TEXT_NODE = 3
0000839 • 2 ENTITY_REFERENCE_NODE = 5
0000840 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000841 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000842 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000843 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000844 • 2 DOCUMENT_TYPE_NODE = 10
0000845 • 2 COMMENT_NODE = 8
0000846 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000847 • 2 ATTRIBUTE_NODE = 2
0000848 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000849 • 2 DOCUMENT_NODE = 9
0000850 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000851 1 inputEncoding= ISO -8859-1
0000852 1 xmlStandalone
0000853 1 documentURI = file:///Volumes/Projects%
0000854 1 defaultCharset = WINDOWS-1252
0000855 1 links = function
0000856 • 2 length = 4
0000857 • 2 namedItem = function
0000858 • 2 tags = function
0000859 • 2 item = function
0000860 1 previousSibling
0000861 1 parentNode
0000862 1 lastChild = object
0000863 • 2 version
0000864 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000865 • 2 className
0000866 • 2 innerText = Document Image Div table
0000867 • 2 id
0000868 • 2 title
0000869 • 2 lang
0000870 • 2 dir
0000871 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000872 • 2 contentEditable = false
0000873 • 2 tabIndex = -1
0000874 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000875 • 2 children = function
0000876 • 2 isContentEditable
0000877 • 2 style = object
0000878 • 2 scrollLeft
0000879 • 2 clientWidth = 1018
0000880 • 2 firstElementChild = object
0000881 • 2 scrollWidth = 1018
0000882 • 2 clientLeft
0000883 • 2 offsetWidth = 1018
0000884 • 2 offsetLeft

0000885 • 2 clientTop
0000886 • 2 lastElementChild= object
0000887 • 2 offsetParent
0000888 • 2 nextElementSibling
0000889 • 2 tagName = HTML
0000890 • 2 previousElementSibling
0000891 • 2 clientHeight = 627
0000892 • 2 childElementCount= 2
0000893 • 2 offsetTop
0000894 • 2 offsetHeight = 627
0000895 • 2 scrollTop
0000896 • 2 scrollHeight = 627
0000897 • 2 previousSibling = object
0000898 • 2 parentNode = object
0000899 • 2 lastChild = object
0000900 • 2 baseURI = file:///Volumes/Projects%
0000901 • 2 firstChild = object
0000902 • 2 nodeValue
0000903 • 2 textContent = Blady Property Pars
0000904 • 2 nodeType = 1
0000905 • 2 nodeName = HTML
0000906 • 2 prefix
0000907 • 2 childNodes= function
0000908 • 2 nextSibling
0000909 • 2 attributes = object
0000910 • 2 ownerDocument
0000911 • 2 namespaceURI = http://www.w3.org/1999/xh
0000912 • 2 localName = html
0000913 • 2 parentElement
0000914 • 2 insertAdjacentElement= function
0000915 • 2 insertAdjacentHTML = function
0000916 • 2 insertAdjacentText= function
0000917 • 2 querySelector = function
0000918 • 2 hasAttribute = function
0000919 • 2 getAttributeNode = function
0000920 • 2 getAttributeNS = function
0000921 • 2 getElementsByTagNameNS = function
0000922 • 2 getElementsByClassName= function
0000923 • 2 removeAttributeNS = function
0000924 • 2 querySelectorAll= function
0000925 • 2 contains = function
0000926 • 2 getClientRects = function
0000927 • 2 scrollByPages = function
0000928 • 2 setAttributeNode = function
0000929 • 2 setAttributeNS = function
0000930 • 2 hasAttributeNS = function
0000931 • 2 blur = function
0000932 • 2 scrollIntoViewIfNeeded= function
0000933 • 2 setAttribute = function
0000934 • 2 scrollByLines = function
0000935 • 2 getElementsByTagName = function
0000936 • 2 removeAttribute = function
0000937 • 2 setAttributeNodeNS = function
0000938 • 2 getAttribute = function
0000939 • 2 removeAttributeNode= function
0000940 • 2 getAttributeNodeNS = function
0000941 • 2 focus = function
0000942 • 2 scrollIntoView = function
0000943 • 2 getBoundingClientRect = function
0000944 • 2 hasAttributes = function
0000945 • 2 isSupported = function
0000946 • 2 isEqualNode= function
0000947 • 2 cloneNode= function
0000948 • 2 dispatchEvent = function
0000949 • 2 isDefaultNamespace= function
0000950 • 2 insertBefore = function
0000951 • 2 removeChild= function
0000952 • 2 hasChildNodes = function
0000953 • 2 addEventListener= function

0000954 • 2 normalize = function
0000955 • 2 compareDocumentPosition = function
0000956 • 2 replaceChild= function
0000957 • 2 removeEventListener= function
0000958 • 2 appendChild = function
0000959 • 2 isSameNode = function
0000960 • 2 lookupPrefix = function
0000961 • 2 lookupNamespaceURI = function lookupNamespaceU
0000962 • 2 NOTATION_NODE = 12
0000963 • 2 CDATA_SECTION_NODE = 4
0000964 • 2 ELEMENT_NODE = 1
0000965 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000966 • 2 ENTITY_NODE = 6
0000967 • 2 TEXT_NODE = 3
0000968 • 2 ENTITY_REFERENCE_NODE = 5
0000969 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000970 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000971 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000972 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000973 • 2 DOCUMENT_TYPE_NODE = 10
0000974 • 2 COMMENT_NODE = 8
0000975 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000976 • 2 ATTRIBUTE_NODE = 2
0000977 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000978 • 2 DOCUMENT_NODE = 9
0000979 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000980 1 baseURI = file:///Volumes/Projects%
0000981 1 firstChild = object
0000982 • 2 publicId = -//W3C//DTD HTML 4.01 Transitional//EN
0000983 • 2 notations
0000984 • 2 name = html
0000985 • 2 entities
0000986 • 2 systemId
0000987 • 2 internalSubset
0000988 • 2 previousSibling
0000989 • 2 parentNode = object
0000990 • 2 lastChild
0000991 • 2 baseURI
0000992 • 2 firstChild
0000993 • 2 nodeValue
0000994 • 2 textContent
0000995 • 2 nodeType = 10
0000996 • 2 nodeName = html
0000997 • 2 prefix
0000998 • 2 childNodes= function
0000999 • 2 nextSibling = object
0001000 • 2 attributes
0001001 • 2 ownerDocument
0001002 • 2 namespaceURI
0001003 • 2 localName
0001004 • 2 parentElement
0001005 • 2 hasAttributes = function
0001006 • 2 isSupported = function
0001007 • 2 isEqualNode= function
0001008 • 2 cloneNode= function
0001009 • 2 dispatchEvent = function
0001010 • 2 isDefaultNamespace= function
0001011 • 2 insertBefore = function
0001012 • 2 removeChild= function
0001013 • 2 hasChildNodes = function
0001014 • 2 addEventListener= function
0001015 • 2 normalize = function
0001016 • 2 compareDocumentPosition = function
0001017 • 2 replaceChild= function
0001018 • 2 removeEventListener= function
0001019 • 2 appendChild = function
0001020 • 2 isSameNode = function
0001021 • 2 lookupPrefix = function
0001022 • 2 lookupNamespaceURI = function lookupNamespaceU

0001023 • 2 NOTATION_NODE = 12
0001024 • 2 CDATA_SECTION_NODE = 4
0001025 • 2 ELEMENT_NODE = 1
0001026 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001027 • 2 ENTITY_NODE = 6
0001028 • 2 TEXT_NODE = 3
0001029 • 2 ENTITY_REFERENCE_NODE = 5
0001030 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001031 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001032 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001033 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001034 • 2 DOCUMENT_TYPE_NODE = 10
0001035 • 2 COMMENT_NODE = 8
0001036 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001037 • 2 ATTRIBUTE_NODE = 2
0001038 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001039 • 2 DOCUMENT_NODE = 9
0001040 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001041 1 nodeValue
0001042 1 textContent
0001043 1 nodeType = 9
0001044 1 nodeName = #document
0001045 1 prefix
0001046 1 childNodes= function
0001047 • 2 length = 2
0001048 • 2 item = function
0001049 1 nextSibling
0001050 1 attributes
0001051 1 ownerDocument
0001052 1 namespaceURI
0001053 1 localName
0001054 1 parentElement
0001055 1 hasFocus = function
0001056 1 captureEvents = function
0001057 1 writeln = function
0001058 1 close = function
0001059 1 clear = function
0001060 1 releaseEvents = function
0001061 1 open = function
0001062 1 write = function
0001063 1 getElementById = function
0001064 1 getElementsByTagName = function
0001065 1 evaluate = function
0001066 1 createRange = function
0001067 1 createEvent = function
0001068 1 getCSSCanvasContext= function
0001069 1 createTextNode= function
0001070 1 createAttributeNS = function
0001071 1 createElement = function
0001072 1 importNode = function
0001073 1 createComment = function
0001074 1 createAttribute = function
0001075 1 queryCommandState= function
0001076 1 createNodeIterator = function
0001077 1 querySelector = function
0001078 1 createEntityReference = function
0001079 1 getOverrideStyle = function
0001080 1 createNSResolver= function
0001081 1 adoptNode = function
0001082 1 queryCommandEnabled = function
0001083 1 getElementsByTagNameNS = function
0001084 1 getElementsByTagName= function
0001085 1 createExpression = function
0001086 1 createProcessingInstruction= function
0001087 1 createElementNS = function
0001088 1 createDocumentFragment= function
0001089 1 createCDATASection = function
0001090 1 queryCommandIndeterm= function
0001091 1 queryCommandValue = function

0001092 1 getSelection = function
0001093 1 createTreeWalker= function
0001094 1 execCommand = function
0001095 1 queryCommandSupported = function
0001096 1 getElementsByName = function
0001097 1 elementFromPoint = function
0001098 1 querySelectorAll= function
0001099 1 hasAttributes = function
00011001 NOTATION_NODE = 12
00011011 CDATA_SECTION_NODE = 4
00011021 isSupported = function
00011031 ELEMENT_NODE = 1
00011041 DOCUMENT_POSITION_DISCONNECTED = 1
00011051 isEqualNode= function
00011061 ENTITY_NODE = 6
00011071 TEXT_NODE = 3
00011081 ENTITY_REFERENCE_NODE = 5
00011091 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001110 1 DOCUMENT_FRAGMENT_NODE = 11
0001111 1 cloneNode= function
0001112 1 dispatchEvent = function
0001113 1 PROCESSING_INSTRUCTION_NODE = 7
0001114 1 isDefaultNamespace= function
0001115 1 insertBefore = function
0001116 1 removeChild= function
0001117 1 hasChildNodes = function
0001118 1 addEventListener= function
0001119 1 DOCUMENT_POSITION_PRECEDING = 2
00011201 normalize = function
00011211 compareDocumentPosition = function
00011221 DOCUMENT_TYPE_NODE = 10
00011231 COMMENT_NODE = 8
00011241 replaceChild= function
00011251 DOCUMENT_POSITION_FOLLOWING = 4
00011261 removeEventListener= function
00011271 ATTRIBUTE_NODE = 2
00011281 DOCUMENT_POSITION_CONTAINED_BY = 16
00011291 DOCUMENT_NODE = 9
00011301 DOCUMENT_POSITION_CONTAINS = 8
00011311 appendChild = function
00011321 isSameNode = function
00011331 lookupPrefix = function
00011341 lookupNamespaceURI = function lookupNamespaceU

Blady Property Parser Copyright from 2003 Walter S. Blady

Mozilla/5.0 (Macintosh; U; PowerPC Mac OS X 10_4_11; en-US) AppleWebKit/531.9+(KHTML, like Gecko, Safari/528.16) OmniWeb/v622.10.0
Properties for [object HTMLDocument]... document

Page 1 - Tue Mar 23 2010 14:19:16 GMT-0400 (EDT)

0000001 1 bgColor = #ffffff
0000002 1 alinkColor
0000003 1 width = 1018
0000004 1 plugins = function
0000005 • 2 length
0000006 • 2 namedItem = function
0000007 • 2 tags = function
0000008 • 2 item = function
0000009 1 height = 627
0000010 1 fgColor
0000011 vlinkColor
0000012 1 all
0000013 • 2 length = 36
0000014 • 2 namedItem = function
0000015 • 2 tags = function
0000016 • 2 item = function
0000017 1 embeds = function
0000018 • 2 length

0000019 • 2 namedItem = function
0000020 • 2 tags = function
0000021 • 2 item = function
0000022 1 scripts = [*scriptArray*]
0000023 • 2 length = 2
0000024 • 2 namedItem = function
0000025 • 2 tags = function
0000026 • 2 item = function
0000027 1 compatMode = BackCompat
0000028 1 activeElement = object
0000029 • 2 hash
0000030 • 2 href = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/
PropertyParser_demo.html#
0000031 • 2 search
0000032 • 2 text = Document
0000033 • 2 hostname
0000034 • 2 rel
0000035 • 2 name
0000036 • 2 hreflang
0000037 • 2 shape
0000038 • 2 rev
0000039 • 2 host
0000040 • 2 pathname = /Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_
demo.html
0000041 • 2 charset
0000042 • 2 target
0000043 • 2 type
0000044 • 2 coords
0000045 • 2 accessKey
0000046 • 2 port = 0
0000047 • 2 protocol = file:
0000048 • 2 outerHTML = %3Ca%20href%3D%22%23%22%20onclick%3D%22WBPr
0000049 • 2 className
0000050 • 2 innerText = Document
0000051 • 2 id
0000052 • 2 title
0000053 • 2 lang
0000054 • 2 dir
0000055 • 2 innerHTML = Document
0000056 • 2 contentEditable = false
0000057 • 2 tabIndex
0000058 • 2 outerText = Document
0000059 • 2 children = function
0000060 • 2 isContentEditable
0000061 • 2 style = object
0000062 • 2 scrollLeft
0000063 • 2 clientWidth
0000064 • 2 firstElementChild
0000065 • 2 scrollWidth
0000066 • 2 clientLeft
0000067 • 2 offsetWidth = 73
0000068 • 2 offsetLeft = 8
0000069 • 2 clientTop
0000070 • 2 lastElementChild
0000071 • 2 offsetParent = object
0000072 • 2 nextElementSibling= object
0000073 • 2 tagName = A
0000074 • 2 previousElementSibling
0000075 • 2 clientHeight
0000076 • 2 childElementCount
0000077 • 2 offsetTop = 8
0000078 • 2 offsetHeight = 17
0000079 • 2 scrollTop
0000080 • 2 scrollHeight
0000081 • 2 previousSibling
0000082 • 2 parentNode = object
0000083 • 2 lastChild = object
0000084 • 2 baseURI = file:///Volumes/Projects%
0000085 • 2 firstChild = object

0000086 • 2 nodeValue
0000087 • 2 textContent = Document
0000088 • 2.nodeType = 1
0000089 • 2 nodeName = A
0000090 • 2 prefix
0000091 • 2 childNodes= function
0000092 • 2 nextSibling = object
0000093 • 2 attributes = object
0000094 • 2 ownerDocument= object
0000095 • 2 namespaceURI = http://www.w3.org/1999/xh
0000096 • 2 localName = a
0000097 • 2 parentElement = object
0000098 • 2 insertAdjacentElement= function
0000099 • 2 insertAdjacentHTML = function
0000100 • 2 insertAdjacentText= function
0000101 • 2 querySelector = function
0000102 • 2 hasAttribute = function
0000103 • 2 getAttributeNode = function
0000104 • 2 getAttributeNS = function
0000105 • 2 getElementsByTagNameNS = function
0000106 • 2 getElementsByClassName= function
0000107 • 2 removeAttributeNS = function
0000108 • 2 querySelectorAll= function
0000109 • 2 contains = function
0000110 • 2 getClientRects = function
0000111 • 2 scrollByPages = function
0000112 • 2 setAttributeNode = function
0000113 • 2 setAttributeNS = function
0000114 • 2 hasAttributeNS = function
0000115 • 2 blur = function
0000116 • 2 scrollIntoViewIfNeeded= function
0000117 • 2 setAttribute = function
0000118 • 2 scrollByLines = function
0000119 • 2 getElementsByTagName = function
0000120 • 2 removeAttribute = function
0000121 • 2 setAttributeNodeNS = function
0000122 • 2 getAttribute = function
0000123 • 2 removeAttributeNode= function
0000124 • 2 getAttributeNodeNS = function
0000125 • 2 focus = function
0000126 • 2 scrollIntoView = function
0000127 • 2 getBoundingClientRect = function
0000128 • 2 hasAttributes = function
0000129 • 2 NOTATION_NODE = 12
0000130 • 2 CDATA_SECTION_NODE = 4
0000131 • 2 isSupported = function
0000132 • 2 ELEMENT_NODE = 1
0000133 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000134 • 2 isEqualNode= function
0000135 • 2 ENTITY_NODE = 6
0000136 • 2 TEXT_NODE = 3
0000137 • 2 ENTITY_REFERENCE_NODE = 5
0000138 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000139 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000140 • 2 cloneNode= function
0000141 • 2 dispatchEvent = function
0000142 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000143 • 2 isDefaultNamespace= function
0000144 • 2 insertBefore = function
0000145 • 2 removeChild= function
0000146 • 2 hasChildNodes = function
0000147 • 2 addEventListener= function
0000148 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000149 • 2 normalize = function
0000150 • 2 compareDocumentPosition = function
0000151 • 2 DOCUMENT_TYPE_NODE = 10
0000152 • 2 COMMENT_NODE = 8
0000153 • 2 replaceChild= function
0000154 • 2 DOCUMENT_POSITION_FOLLOWING = 4

0000155 • 2 removeEventListener= function
0000156 • 2 ATTRIBUTE_NODE = 2
0000157 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000158 • 2 DOCUMENT_NODE = 9
0000159 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000160 • 2 appendChild = function
0000161 • 2 isSameNode = function
0000162 • 2 lookupPrefix = function
0000163 • 2 lookupNamespaceURI = function lookupNamespaceU
0000164 1 dir
0000165 1 designMode= off
0000166 1 linkColor
0000167 1 documentElement = object
0000168 • 2 version
0000169 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000170 • 2 className
0000171 • 2 innerText = Document Image Div table
0000172 • 2 id
0000173 • 2 title
0000174 • 2 lang
0000175 • 2 dir
0000176 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000177 • 2 contentEditable = false
0000178 • 2 tabIndex = -1
0000179 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000180 • 2 children = function
0000181 • 2 isContentEditable
0000182 • 2 style = object
0000183 • 2 scrollLeft
0000184 • 2 clientWidth = 1018
0000185 • 2 firstElementChild = object
0000186 • 2 scrollWidth = 1018
0000187 • 2 clientLeft
0000188 • 2 offsetWidth = 1018
0000189 • 2 offsetLeft
0000190 • 2 clientTop
0000191 • 2 lastElementChild= object
0000192 • 2 offsetParent
0000193 • 2 nextElementSibling
0000194 • 2 tagName = HTML
0000195 • 2 previousElementSibling
0000196 • 2 clientHeight = 627
0000197 • 2 childElementCount= 2
0000198 • 2 offsetTop
0000199 • 2 offsetHeight = 627
0000200 • 2 scrollTop
0000201 • 2 scrollHeight = 627
0000202 • 2 previousSibling = object
0000203 • 2 parentNode = object
0000204 • 2 lastChild = object
0000205 • 2 baseURI = file:///Volumes/Projects%
0000206 • 2 firstChild = object
0000207 • 2 nodeValue
0000208 • 2 textContent = Blady Property Pars
0000209 • 2 nodeType = 1
0000210 • 2 nodeName = HTML
0000211 • 2 prefix
0000212 • 2 childNodes= function
0000213 • 2 nextSibling
0000214 • 2 attributes = object
0000215 • 2 ownerDocument
0000216 • 2 namespaceURI = http://www.w3.org/1999/xh
0000217 • 2 localName = html
0000218 • 2 parentElement
0000219 • 2 insertAdjacentElement= function
0000220 • 2 insertAdjacentHTML = function
0000221 • 2 insertAdjacentText= function
0000222 • 2 querySelector = function
0000223 • 2 hasAttribute = function

0000224 • 2 getAttributeNode = function
0000225 • 2 getAttributeNS = function
0000226 • 2 getElementsByTagNameNS = function
0000227 • 2 getElementsByClassName = function
0000228 • 2 removeAttributeNS = function
0000229 • 2 querySelectorAll = function
0000230 • 2 contains = function
0000231 • 2 getClientRects = function
0000232 • 2 scrollByPages = function
0000233 • 2 setAttributeNode = function
0000234 • 2 setAttributeNS = function
0000235 • 2 hasAttributeNS = function
0000236 • 2 blur = function
0000237 • 2 scrollIntoViewIfNeeded = function
0000238 • 2 setAttribute = function
0000239 • 2 scrollByLines = function
0000240 • 2 getElementsByTagName = function
0000241 • 2 removeAttribute = function
0000242 • 2 setAttributeNodeNS = function
0000243 • 2 getAttribute = function
0000244 • 2 removeAttributeNode = function
0000245 • 2 getAttributeNodeNS = function
0000246 • 2 focus = function
0000247 • 2 scrollIntoView = function
0000248 • 2 getBoundingClientRect = function
0000249 • 2 hasAttributes = function
0000250 • 2 isSupported = function
0000251 • 2 isEqualNode = function
0000252 • 2 cloneNode = function
0000253 • 2 dispatchEvent = function
0000254 • 2 isDefaultNamespace = function
0000255 • 2 insertBefore = function
0000256 • 2 removeChild = function
0000257 • 2 hasChildNodes = function
0000258 • 2 addEventListener = function
0000259 • 2 normalize = function
0000260 • 2 compareDocumentPosition = function
0000261 • 2 replaceChild = function
0000262 • 2 removeEventListener = function
0000263 • 2 appendChild = function
0000264 • 2 isSameNode = function
0000265 • 2 lookupPrefix = function
0000266 • 2 lookupNamespaceURI = function lookupNamespaceU
0000267 • 2 NOTATION_NODE = 12
0000268 • 2 CDATA_SECTION_NODE = 4
0000269 • 2 ELEMENT_NODE = 1
0000270 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000271 • 2 ENTITY_NODE = 6
0000272 • 2 TEXT_NODE = 3
0000273 • 2 ENTITY_REFERENCE_NODE = 5
0000274 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000275 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000276 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000277 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000278 • 2 DOCUMENT_TYPE_NODE = 10
0000279 • 2 COMMENT_NODE = 8
0000280 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000281 • 2 ATTRIBUTE_NODE = 2
0000282 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000283 • 2 DOCUMENT_NODE = 9
0000284 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000285 1 preferredStylesheetSet
0000286 1 xmlVersion
0000287 1 location = object
0000288 • 2 hostname
0000289 • 2 hash
0000290 • 2 href = file:///Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000291 • 2 protocol = file:
0000292 • 2 port

0000293 • 2 host
0000294 • 2 pathname = /Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility routines/PropertyParser_DW_3.0/PropertyParser_
demo.html
0000295 • 2 search
0000296 • 2 assign = function
0000297 • 2 reload = function
0000298 • 2 replace = function
0000299 1 xmlEncoding
0000300 1 implementation= object
0000301 • 2 createDocument = function
0000302 • 2 createDocumentType= function
0000303 • 2 hasFeature = function
0000304 • 2 createHTMLDocument = function
0000305 • 2 createCSSStyleSheet = function
0000306 1 referrer
0000307 1 defaultView%5Bobject%20DOMWindow%5D
0000308 • 2 WBPropertyParser = function
0000309 • 2 PPGetValues = function
0000310 • 2 PPCloseWindow= function
0000311 • 2 PPisE
0000312 • 2 PPisNav = true
0000313 • 2 PPFindImageObject = function
0000314 • 2 document = object
0000315 • 2 PPFindLayerObject = function
0000316 • 2 PPpropertyErrors = List of all properties errors found:

0000317 • 2 PPPrepareNumber= function
0000318 • 2 PPpropertyList
0000319 • 2 PPGetObject = function
0000320 • 2 PPDisplay = function
0000321 • 2 window = object
0000322 • 2 PPaction = object
0000323 • 2 PPwindow
0000324 • 2 WBPropertyParser_API = function
0000325 • 2 PPisOpera
0000326 • 2 PPisMSIE
0000327 • 2 EvalError = function
0000328 • 2 RangeError = function
0000329 • 2 ReferenceError = function
0000330 • 2 SyntaxError = function
0000331 • 2 TypeError = function
0000332 • 2 URIError = function URIError() {
0000333 • 2 frames = object
0000334 • 2 HTMLBodyElement = object
0000335 • 2 onseeking
0000336 • 2 menubar = object
0000337 • 2 onended
0000338 • 2 onsuspend
0000339 • 2 pageXOffset
0000340 • 2 length
0000341 • 2 CSSPrimitiveValue = object
0000342 • 2 frameElement
0000343 • 2 HTMLMenuElement = object
0000344 • 2 NodeFilter = object
0000345 • 2 MouseEvent = object
0000346 • 2 TextEvent = object
0000347 • 2 onreset
0000348 • 2 HTMLQuoteElement = object
0000349 • 2 onwebkitanimationiteration
0000350 • 2 WebKitPoint = object
0000351 • 2 HTMLIsIndexElement = object
0000352 • 2 XMLHttpRequestUpload = object
0000353 • 2 CSSCharsetRule= object
0000354 • 2 HTMLAppletElement = object
0000355 • 2 HTMLCollection= object
0000356 • 2 statusbar = object
0000357 • 2 XMLHttpRequestException= object
0000358 • 2 HTMLStyleElement = object
0000359 • 2 ondragleave

0000360 • 2 DOMException = object
0000361 • 2 HTMLFrameSetElement = object
0000362 • 2 clientInformation = object
0000363 • 2 localStorage = object
0000364 • 2 onloadedmetadata
0000365 • 2 HTMLUListElement = object
0000366 • 2 CharacterData = object
0000367 • 2 name
0000368 • 2 ondragstart
0000369 • 2 HTMLLegendElement= object
0000370 • 2 XPathResult = object
0000371 • 2 HTMLPreElement = object
0000372 • 2 onkeydown
0000373 • 2 onwebkitanimationstart
0000374 • 2 ondblclick
0000375 • 2 XSLTProcessor = object
0000376 • 2 CSSRuleList = object
0000377 • 2 onmousemove
0000378 • 2 WebKitTransitionEvent= object
0000379 • 2 outerHeight = 727
0000380 • 2 CSSVariablesDeclaration = object
0000381 • 2 ondragend
0000382 • 2 history = object
0000383 • 2 SVGUnitTypes = object
0000384 • 2 top = object
0000385 • 2 parent = object
0000386 • 2 TextMetrics = object
0000387 • 2 ClientRectList = object
0000388 • 2 HTMLButtonElement = object
0000389 • 2 onunload
0000390 • 2 HTMLMapElement = object
0000391 • 2 scrollY
0000392 • 2 Plugin = object
0000393 • 2 CSSStyleSheet = object
0000394 • 2 ondrag
0000395 • 2 Attr = object
0000396 • 2 EntityReference = object
0000397 • 2 HTMLTableCaptionElement = object
0000398 • 2 HTMLObjectElement = object
0000399 • 2 self = object
0000400 • 2 MutationEvent = object
0000401 • 2 pageYOffset
0000402 • 2 HTMLInputElement = object
0000403 • 2 screenLeft = 25
0000404 • 2 onkeyup
0000405 • 2 HTMLScriptElement = object
0000406 • 2 onmousewheel
0000407 • 2 onstorage
0000408 • 2 HTMLListElement = object
0000409 • 2 HTMLCanvasElement= object
0000410 • 2 CSSFontFaceRule = object
0000411 • 2 XMLDocument = object
0000412 • 2 HTMLBRElement = object
0000413 • 2 CSSStyleRule = object
0000414 • 2 HTMLFontElement = object
0000415 • 2 HTMLTitleElement= object
0000416 • 2 Node = object
0000417 • 2 HTMLTableSectionElement = object
0000418 • 2 Text = object
0000419 • 2 onclick
0000420 • 2 HTMLOptionElement = object
0000421 • 2 File = object
0000422 • 2 onvolumechange
0000423 • 2 StyleSheetList = object
0000424 • 2 Range = object
0000425 • 2 onmouseover
0000426 • 2 HTMLAnchorElement = object
0000427 • 2 innerHeight= 627
0000428 • 2 onplaying

0000429 • 2 CSSMediaRule= object
0000430 • 2 HTMLEmbedElement = object
0000431 • 2 NodeList = object
0000432 • 2 SVGMarkerElement = object
0000433 • 2 onmouseup
0000434 • 2 WebKitAnimationEvent = object
0000435 • 2 SVGColor = object
0000436 • 2 HTMLParamElement = object
0000437 • 2 offscreenBuffering = true
0000438 • 2 HTMLTextAreaElement = object
0000439 • 2 onratechange
0000440 • 2 locationbar = object
0000441 • 2 SVGLength = object
0000442 • 2 KeyboardEvent = object
0000443 • 2 MimeTypeArray = object
0000444 • 2 ondragover
0000445 • 2 HTMLDivElement = object
0000446 • 2 HTMLBaseElement = object
0000447 • 2 HTMLBaseFontElement = object
0000448 • 2 onsubmit
0000449 • 2 HTMLIFrameElement = object
0000450 • 2 HTMLBlockquoteElement= object
0000451 • 2 HTMLAudioElement= object
0000452 • 2 SVGPreserveAspectRatio = object
0000453 • 2 HTMLLIElement = object
0000454 • 2 SVGAngle = object
0000455 • 2 location = object
0000456 • 2 onstalled
0000457 • 2 scrollbars = object
0000458 • 2 HTMLMarqueeElement= object
0000459 • 2 SVGPaint = object
0000460 • 2 Entity = object
0000461 • 2 onprogress
0000462 • 2 onwaiting
0000463 • 2 HTMLModElement = object
0000464 • 2 HTMLFormElement = object
0000465 • 2 opener
0000466 • 2 ontimeupdate
0000467 • 2 onfocus
0000468 • 2 outerWidth = 1018
0000469 • 2 onplay
0000470 • 2 HTMLHeadElement= object
0000471 • 2 ondurationchange
0000472 • 2 oncanplay
0000473 • 2 onemptied
0000474 • 2 MimeType = object
0000475 • 2 HTMLImageElement = object
0000476 • 2 CDATASection= object
0000477 • 2 closed
0000478 • 2 event = object
0000479 • 2 DOMParser = object
0000480 • 2 CSSValueList= object
0000481 • 2 navigator = object
0000482 • 2 screen = object
0000483 • 2 FileList = object
0000484 • 2 sessionStorage = object
0000485 • 2 ProcessingInstruction = object
0000486 • 2 ononline
0000487 • 2 oncontextmenu
0000488 • 2 RangeException= object
0000489 • 2 onoffline
0000490 • 2 WheelEvent = object
0000491 • 2 onresize
0000492 • 2 Storage = object
0000493 • 2 innerWidth = 1018
0000494 • 2 Rect = object
0000495 • 2 MessageEvent = object
0000496 • 2 StorageEvent = object
0000497 • 2 HTMLElement = object

0000498 • 2 onsearch
0000499 • 2 onseeked
0000500 • 2 Counter = object
0000501 • 2 NamedNodeMap= object
0000502 • 2 HTMLOptGroupElement = object
0000503 • 2 HTMLHeadingElement = object
0000504 • 2 Worker = object
0000505 • 2 ondragenter
0000506 • 2 onmessage
0000507 • 2 onblur
0000508 • 2 HTMLParagraphElement= object
0000509 • 2 HTMLFieldSetElement = object
0000510 • 2 ondrop
0000511 • 2 personalbar= object
0000512 • 2 HTMLSelectElement = object
0000513 • 2 OverflowEvent = object
0000514 • 2 XPathException = object
0000515 • 2 oncanplaythrough
0000516 • 2 ProgressEvent = object
0000517 • 2 status
0000518 • 2 onselect
0000519 • 2 onpause
0000520 • 2 MediaError = object
0000521 • 2 HTMLFrameElement = object
0000522 • 2 CSSRule = object
0000523 • 2 devicePixelRatio= 1
0000524 • 2 CSSStyleDeclaration= object
0000525 • 2 WebKitCSSTransformValue = object
0000526 • 2 HTMLTableRowElement = object
0000527 • 2 HTMLDirectoryElement = object
0000528 • 2 Option = object
0000529 • 2 Image = object
0000530 • 2 onloadeddata
0000531 • 2 WebKitCSSKeyframesRule= object
0000532 • 2 scrollX
0000533 • 2 onwebkittransitionend
0000534 • 2 screenY = 28
0000535 • 2 onkeypress
0000536 • 2 toolbar = object
0000537 • 2 SVGTextContentElement= object
0000538 • 2 HTMLAreaElement = object
0000539 • 2 Event = object
0000540 • 2 screenTop= 28
0000541 • 2 Element = object
0000542 • 2 Audio = object
0000543 • 2 DocumentType = object
0000544 • 2 crypto
0000545 • 2 UIEvent = object
0000546 • 2 EventException = object
0000547 • 2 defaultStatus
0000548 • 2 onwebkitanimationend
0000549 • 2 screenX = 25
0000550 • 2 SVGTransform = object
0000551 • 2 HTMLHRElement = object
0000552 • 2 CSSImportRule = object
0000553 • 2 defaultstatus
0000554 • 2 DocumentFragment = object
0000555 • 2 applicationCache = object
0000556 • 2 CSSPageRule= object
0000557 • 2 onload
0000558 • 2 onerror
0000559 • 2 XPathEvaluator = object
0000560 • 2 onchange
0000561 • 2 MediaList = object
0000562 • 2 console = object
0000563 • 2 onabort
0000564 • 2 onbeforeunload
0000565 • 2 oninput
0000566 • 2 onloadstart

0000567 • 2 onmousedown
0000568 • 2 onmouseout
0000569 • 2 onscroll
0000570 • 2 StyleSheet = object
0000571 • 2 CSSValue= object
0000572 • 2 CSSVariablesRule = object
0000573 • 2 DOMImplementation = object
0000574 • 2 Document
0000575 • 2 Comment = object
0000576 • 2 Notation = object
0000577 • 2 HTMLDocument = object
0000578 • 2 HTMLDListElement = object
0000579 • 2 HTMLHtmlElement = object
0000580 • 2 HTMLLabelElement= object
0000581 • 2 HTMLLinkElement = object
0000582 • 2 HTMLMetaElement = object
0000583 • 2 HTMLTableCellElement = object
0000584 • 2 HTMLTableColElement = object
0000585 • 2 HTMLTableElement = object
0000586 • 2 WebKitCSSKeyframeRule= object
0000587 • 2 WebKitCSSMatrix = object
0000588 • 2 Clipboard= object
0000589 • 2 XMLSerializer = object
0000590 • 2 XMLHttpRequest = object
0000591 • 2 PluginArray = object
0000592 • 2 ClientRect = object
0000593 • 2 HTMLMediaElement= object
0000594 • 2 HTMLVideoElement = object
0000595 • 2 SVGException = object
0000596 • 2 SVGGradientElement = object
0000597 • 2 SVGPathSeg = object
0000598 • 2 SVGRenderingIntent = object
0000599 • 2 SVGTextPathElement = object
0000600 • 2 moveBy = function
0000601 • 2 find = function
0000602 • 2 resizeTo = function
0000603 • 2 clearTimeout = function
0000604 • 2 btoa = function
0000605 • 2 getComputedStyle = function
0000606 • 2 setTimeout = function
0000607 • 2 scrollBy = function
0000608 • 2 print = function
0000609 • 2 resizeBy = function
0000610 • 2 atob = function
0000611 • 2 openDatabase= function
0000612 • 2 moveTo = function
0000613 • 2 scroll = function
0000614 • 2 confirm = function
0000615 • 2 getMatchedCSSRules= function
0000616 • 2 close = function
0000617 • 2 clearInterval = function
0000618 • 2 webkitConvertPointFromNodeToPage = function
0000619 • 2 open = function
0000620 • 2 prompt = function
0000621 • 2 focus = function
0000622 • 2 blur = function
0000623 • 2 scrollTo = function
0000624 • 2 removeEventListener= function
0000625 • 2 postMessage = function
0000626 • 2 setInterval = function
0000627 • 2 getSelection = function
0000628 • 2 alert = function
0000629 • 2 stop = function
0000630 • 2 webkitConvertPointFromPageToNode = function
0000631 • 2 addEventListener= function
0000632 • 2 dispatchEvent = function
0000633 • 2 captureEvents = function
0000634 • 2 releaseEvents = function
0000635 • 2 showModalDialog

0000636 1 domain
0000637 1 lastModified
0000638 1 anchors = function
0000639 • 2 length
0000640 • 2 namedItem = function
0000641 • 2 tags = function
0000642 • 2 item = function
0000643 1 applets = function
0000644 • 2 length
0000645 • 2 namedItem = function
0000646 • 2 tags = function
0000647 • 2 item = function
0000648 1 doctype = object
0000649 • 2 publicId = -//W3C//DTD HTML 4.01 Transitional//EN
0000650 • 2 notations
0000651 • 2 name = html
0000652 • 2 entities
0000653 • 2 systemId
0000654 • 2 internalSubset
0000655 • 2 previousSibling
0000656 • 2 parentNode = object
0000657 • 2 lastChild
0000658 • 2 baseURI
0000659 • 2 firstChild
0000660 • 2 nodeValue
0000661 • 2 textContent
0000662 • 2 nodeType = 10
0000663 • 2 nodeName = html
0000664 • 2 prefix
0000665 • 2 childNodes= function
0000666 • 2 nextSibling = object
0000667 • 2 attributes
0000668 • 2 ownerDocument
0000669 • 2 namespaceURI
0000670 • 2 localName
0000671 • 2 parentElement
0000672 • 2 hasAttributes = function
0000673 • 2 isSupported = function
0000674 • 2 isEqualNode= function
0000675 • 2 cloneNode= function
0000676 • 2 dispatchEvent = function
0000677 • 2 isDefaultNamespace= function
0000678 • 2 insertBefore = function
0000679 • 2 removeChild= function
0000680 • 2 hasChildNodes = function
0000681 • 2 addEventListener= function
0000682 • 2 normalize = function
0000683 • 2 compareDocumentPosition = function
0000684 • 2 replaceChild= function
0000685 • 2 removeEventListener= function
0000686 • 2 appendChild = function
0000687 • 2 isSameNode = function
0000688 • 2 lookupPrefix = function
0000689 • 2 lookupNamespaceURI = function lookupNamespaceU
0000690 • 2 NOTATION_NODE = 12
0000691 • 2 CDATA_SECTION_NODE = 4
0000692 • 2 ELEMENT_NODE = 1
0000693 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000694 • 2 ENTITY_NODE = 6
0000695 • 2 TEXT_NODE = 3
0000696 • 2 ENTITY_REFERENCE_NODE = 5
0000697 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000698 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000699 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000700 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000701 • 2 DOCUMENT_TYPE_NODE = 10
0000702 • 2 COMMENT_NODE = 8
0000703 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000704 • 2 ATTRIBUTE_NODE = 2

0000705 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000706 • 2 DOCUMENT_NODE = 9
0000707 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000708 1 images = function
0000709 • 2 length = 1
0000710 • 2 namedItem = function
0000711 • 2 tags = function
0000712 • 2 item = function
0000713 1 forms = function
0000714 • 2 length
0000715 • 2 namedItem = function
0000716 • 2 tags = function
0000717 • 2 item = function
0000718 1 charset = ISO-8859-1
0000719 1 styleSheets%5Bobject%20StyleSheetList%5D
0000720 • 2 length = 1
0000721 • 2 item = function
0000722 1 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/
PropertyParser_demo.html
0000723 1 readyState = complete
0000724 1 selectedStylesheetSet
0000725 1 characterSet = ISO-8859-1
0000726 1 title = Blady Property Parser
0000727 1 cookie
0000728 1 body = object
0000729 • 2 bgColor = #ffffff
0000730 • 2 aLink
0000731 • 2 text
0000732 • 2 vLink
0000733 • 2 background
0000734 • 2 link
0000735 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
0000736 • 2 className
0000737 • 2 innerText = Document Image Div table
0000738 • 2 id
0000739 • 2 title
0000740 • 2 lang
0000741 • 2 dir
0000742 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style%22
0000743 • 2 contentEditable = false
0000744 • 2 tabIndex = -1
0000745 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000746 • 2 children = function
0000747 • 2 isContentEditable
0000748 • 2 style = object
0000749 • 2 scrollLeft
0000750 • 2 clientWidth = 1018
0000751 • 2 firstElementChild = object
0000752 • 2 scrollWidth = 1018
0000753 • 2 clientLeft
0000754 • 2 offsetWidth = 1002
0000755 • 2 offsetLeft
0000756 • 2 clientTop
0000757 • 2 lastElementChild = object
0000758 • 2 offsetParent
0000759 • 2 nextElementSibling
0000760 • 2 tagName = BODY
0000761 • 2 previousElementSibling = object
0000762 • 2 clientHeight = 627
0000763 • 2 childElementCount = 7
0000764 • 2 offsetTop
0000765 • 2 offsetHeight = 606
0000766 • 2 scrollTop
0000767 • 2 scrollHeight = 627
0000768 • 2 previousSibling = object
0000769 • 2 parentNode = object
0000770 • 2 lastChild = object
0000771 • 2 baseURI = file:///Volumes/Projects%
0000772 • 2 firstChild = object

0000773 • 2 nodeValue
0000774 • 2 textContent = Document Image
0000775 • 2.nodeType = 1
0000776 • 2 nodeName = BODY
0000777 • 2 prefix
0000778 • 2 childNodes= function
0000779 • 2 nextSibling
0000780 • 2 attributes = object
0000781 • 2 ownerDocument
0000782 • 2 namespaceURI = http://www.w3.org/1999/xhtml
0000783 • 2 localName = body
0000784 • 2 parentElement = object
0000785 • 2 insertAdjacentElement= function
0000786 • 2 insertAdjacentHTML = function
0000787 • 2 insertAdjacentText= function
0000788 • 2 querySelector = function
0000789 • 2 hasAttribute = function
0000790 • 2 getAttributeNode = function
0000791 • 2 getAttributeNS = function
0000792 • 2 getElementsByTagNameNS = function
0000793 • 2 getElementsByClassName= function
0000794 • 2 removeAttributeNS = function
0000795 • 2 querySelectorAll= function
0000796 • 2 contains = function
0000797 • 2 getClientRects = function
0000798 • 2 scrollByPages = function
0000799 • 2 setAttributeNode = function
0000800 • 2 setAttributeNS = function
0000801 • 2 hasAttributeNS = function
0000802 • 2 blur = function
0000803 • 2 scrollIntoViewIfNeeded= function
0000804 • 2 setAttribute = function
0000805 • 2 scrollByLines = function
0000806 • 2 getElementsByTagName = function
0000807 • 2 removeAttribute = function
0000808 • 2 setAttributeNodeNS = function
0000809 • 2 getAttribute = function
0000810 • 2 removeAttributeNode= function
0000811 • 2 getAttributeNodeNS = function
0000812 • 2 focus = function
0000813 • 2 scrollIntoView = function
0000814 • 2 getBoundingClientRect = function
0000815 • 2 hasAttributes = function
0000816 • 2 isSupported = function
0000817 • 2 isEqualNode= function
0000818 • 2 cloneNode= function
0000819 • 2 dispatchEvent = function
0000820 • 2 isDefaultNamespace= function
0000821 • 2 insertBefore = function
0000822 • 2 removeChild= function
0000823 • 2 hasChildNodes = function
0000824 • 2 addEventListener= function
0000825 • 2 normalize = function
0000826 • 2 compareDocumentPosition = function
0000827 • 2 replaceChild= function
0000828 • 2 removeEventListener= function
0000829 • 2 appendChild = function
0000830 • 2 isSameNode = function
0000831 • 2 lookupPrefix = function
0000832 • 2 lookupNamespaceURI = function lookupNamespaceU
0000833 • 2 NOTATION_NODE = 12
0000834 • 2 CDATA_SECTION_NODE = 4
0000835 • 2 ELEMENT_NODE = 1
0000836 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000837 • 2 ENTITY_NODE = 6
0000838 • 2 TEXT_NODE = 3
0000839 • 2 ENTITY_REFERENCE_NODE = 5
0000840 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000841 • 2 DOCUMENT_FRAGMENT_NODE = 11

0000842 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000843 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000844 • 2 DOCUMENT_TYPE_NODE = 10
0000845 • 2 COMMENT_NODE = 8
0000846 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000847 • 2 ATTRIBUTE_NODE = 2
0000848 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000849 • 2 DOCUMENT_NODE = 9
0000850 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000851 1 inputEncoding= ISO -8859-1
0000852 1 xmlStandalone
0000853 1 documentURI = file:///Volumes/Projects%
0000854 1 defaultCharset = WINDOWS-1252
0000855 1 links = function
0000856 • 2 length = 4
0000857 • 2 namedItem = function
0000858 • 2 tags = function
0000859 • 2 item = function
0000860 1 previousSibling
0000861 1 parentNode
0000862 1 lastChild = object
0000863 • 2 version
0000864 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000865 • 2 className
0000866 • 2 innerText = Document Image Div table
0000867 • 2 id
0000868 • 2 title
0000869 • 2 lang
0000870 • 2 dir
0000871 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000872 • 2 contentEditable = false
0000873 • 2 tabIndex = -1
0000874 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000875 • 2 children = function
0000876 • 2 isContentEditable
0000877 • 2 style = object
0000878 • 2 scrollLeft
0000879 • 2 clientWidth = 1018
0000880 • 2 firstElementChild = object
0000881 • 2 scrollWidth = 1018
0000882 • 2 clientLeft
0000883 • 2 offsetWidth = 1018
0000884 • 2 offsetLeft
0000885 • 2 clientTop
0000886 • 2 lastElementChild= object
0000887 • 2 offsetParent
0000888 • 2 nextElementSibling
0000889 • 2 tagName = HTML
0000890 • 2 previousElementSibling
0000891 • 2 clientHeight = 627
0000892 • 2 childElementCount= 2
0000893 • 2 offsetTop
0000894 • 2 offsetHeight = 627
0000895 • 2 scrollTop
0000896 • 2 scrollHeight = 627
0000897 • 2 previousSibling = object
0000898 • 2 parentNode = object
0000899 • 2 lastChild = object
0000900 • 2 baseURI = file:///Volumes/Projects%
0000901 • 2 firstChild = object
0000902 • 2 nodeValue
0000903 • 2 textContent = Blady Property Pars
0000904 • 2 nodeType = 1
0000905 • 2 nodeName = HTML
0000906 • 2 prefix
0000907 • 2 childNodes= function
0000908 • 2 nextSibling
0000909 • 2 attributes = object
0000910 • 2 ownerDocument

0000911 • 2 namespaceURI = http://www.w3.org/1999/xh
0000912 • 2 localName = html
0000913 • 2 parentElement
0000914 • 2 insertAdjacentElement= function
0000915 • 2 insertAdjacentHTML = function
0000916 • 2 insertAdjacentText= function
0000917 • 2 querySelector = function
0000918 • 2 hasAttribute = function
0000919 • 2 getAttributeNode = function
0000920 • 2 getAttributeNS = function
0000921 • 2 getElementsByTagNameNS = function
0000922 • 2 getElementsByTagName= function
0000923 • 2 removeAttributeNS = function
0000924 • 2 querySelectorAll= function
0000925 • 2 contains = function
0000926 • 2 getClientRects = function
0000927 • 2 scrollByPages = function
0000928 • 2 setAttributeNode = function
0000929 • 2 setAttributeNS = function
0000930 • 2 hasAttributeNS = function
0000931 • 2 blur = function
0000932 • 2 scrollIntoViewIfNeeded= function
0000933 • 2 setAttribute = function
0000934 • 2 scrollByLines = function
0000935 • 2 getElementsByTagName = function
0000936 • 2 removeAttribute = function
0000937 • 2 setAttributeNodeNS = function
0000938 • 2 getAttribute = function
0000939 • 2 removeAttributeNode= function
0000940 • 2 getAttributeNodeNS = function
0000941 • 2 focus = function
0000942 • 2 scrollIntoView = function
0000943 • 2 getBoundingClientRect = function
0000944 • 2 hasAttributes = function
0000945 • 2 isSupported = function
0000946 • 2 isEqualNode= function
0000947 • 2 cloneNode= function
0000948 • 2 dispatchEvent = function
0000949 • 2 isDefaultNamespace= function
0000950 • 2 insertBefore = function
0000951 • 2 removeChild= function
0000952 • 2 hasChildNodes = function
0000953 • 2 addEventListener= function
0000954 • 2 normalize = function
0000955 • 2 compareDocumentPosition = function
0000956 • 2 replaceChild= function
0000957 • 2 removeEventListener= function
0000958 • 2 appendChild = function
0000959 • 2 isSameNode = function
0000960 • 2 lookupPrefix = function
0000961 • 2 lookupNamespaceURI = function lookupNamespaceU
0000962 • 2 NOTATION_NODE = 12
0000963 • 2 CDATA_SECTION_NODE = 4
0000964 • 2 ELEMENT_NODE = 1
0000965 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000966 • 2 ENTITY_NODE = 6
0000967 • 2 TEXT_NODE = 3
0000968 • 2 ENTITY_REFERENCE_NODE = 5
0000969 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 2
0000970 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000971 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000972 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000973 • 2 DOCUMENT_TYPE_NODE = 10
0000974 • 2 COMMENT_NODE = 8
0000975 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000976 • 2 ATTRIBUTE_NODE = 2
0000977 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000978 • 2 DOCUMENT_NODE = 9
0000979 • 2 DOCUMENT_POSITION_CONTAINS = 8

0000980 1 baseURI = file:///Volumes/Projects%
0000981 1 firstChild = object
0000982 • 2 publicId = -//W3C//DTD HTML 4.01 Transitional//EN
0000983 • 2 notations
0000984 • 2 name = html
0000985 • 2 entities
0000986 • 2 systemId
0000987 • 2 internalSubset
0000988 • 2 previousSibling
0000989 • 2 parentNode = object
0000990 • 2 lastChild
0000991 • 2 baseURI
0000992 • 2 firstChild
0000993 • 2 nodeValue
0000994 • 2 textContent
0000995 • 2 nodeType = 10
0000996 • 2 nodeName = html
0000997 • 2 prefix
0000998 • 2 childNodes= function
0000999 • 2 nextSibling = object
0001000 • 2 attributes
0001001 • 2 ownerDocument
0001002 • 2 namespaceURI
0001003 • 2 localName
0001004 • 2 parentElement
0001005 • 2 hasAttributes = function
0001006 • 2 isSupported = function
0001007 • 2 isEqualNode= function
0001008 • 2 cloneNode= function
0001009 • 2 dispatchEvent = function
0001010 • 2 isDefaultNamespace= function
0001011 • 2 insertBefore = function
0001012 • 2 removeChild= function
0001013 • 2 hasChildNodes = function
0001014 • 2 addEventListener= function
0001015 • 2 normalize = function
0001016 • 2 compareDocumentPosition = function
0001017 • 2 replaceChild= function
0001018 • 2 removeEventListener= function
0001019 • 2 appendChild = function
0001020 • 2 isSameNode = function
0001021 • 2 lookupPrefix = function
0001022 • 2 lookupNamespaceURI = function lookupNamespaceU
0001023 • 2 NOTATION_NODE = 12
0001024 • 2 CDATA_SECTION_NODE = 4
0001025 • 2 ELEMENT_NODE = 1
0001026 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001027 • 2 ENTITY_NODE = 6
0001028 • 2 TEXT_NODE = 3
0001029 • 2 ENTITY_REFERENCE_NODE = 5
0001030 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001031 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001032 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001033 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001034 • 2 DOCUMENT_TYPE_NODE = 10
0001035 • 2 COMMENT_NODE = 8
0001036 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001037 • 2 ATTRIBUTE_NODE = 2
0001038 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001039 • 2 DOCUMENT_NODE = 9
0001040 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001041 1 nodeValue
0001042 1 textContent
0001043 1 nodeType = 9
0001044 1 nodeName = #document
0001045 1 prefix
0001046 1 childNodes= function
0001047 • 2 length = 2
0001048 • 2 item = function

0001049 1 nextSibling
0001050 1 attributes
0001051 1 ownerDocument
0001052 1 namespaceURI
0001053 1 localName
0001054 1 parentElement
0001055 1 hasFocus = function
0001056 1 captureEvents = function
0001057 1 writeln = function
0001058 1 close = function
0001059 1 clear = function
0001060 1 releaseEvents = function
0001061 1 open = function
0001062 1 write = function
0001063 1 getElementById = function
0001064 1 getElementsByTagName = function
0001065 1 evaluate = function
0001066 1 createRange = function
0001067 1 createEvent = function
0001068 1 getCSSCanvasContext= function
0001069 1 createTextNode= function
0001070 1 createAttributeNS = function
0001071 1 createElement = function
0001072 1 importNode = function
0001073 1 createComment = function
0001074 1 createAttribute = function
0001075 1 queryCommandState= function
0001076 1 createNodeIterator = function
0001077 1 querySelector = function
0001078 1 createEntityReference = function
0001079 1 getOverrideStyle = function
0001080 1 createNSResolver= function
0001081 1 adoptNode = function
0001082 1 queryCommandEnabled = function
0001083 1 getElementsByTagNameNS = function
0001084 1 getElementsByTagName= function
0001085 1 createExpression = function
0001086 1 createProcessingInstruction= function
0001087 1 createElementNS = function
0001088 1 createDocumentFragment= function
0001089 1 createCDATASection = function
0001090 1 queryCommandIndeterm= function
0001091 1 queryCommandValue = function
0001092 1 getSelection = function
0001093 1 createTreeWalker= function
0001094 1 execCommand = function
0001095 1 queryCommandSupported = function
0001096 1 getElementsByTagName = function
0001097 1 elementFromPoint = function
0001098 1 querySelectorAll= function
0001099 1 hasAttributes = function
00011001 NOTATION_NODE = 12
00011011 CDATA_SECTION_NODE = 4
00011021 isSupported = function
00011031 ELEMENT_NODE = 1
00011041 DOCUMENT_POSITION_DISCONNECTED = 1
00011051 isEqualNode= function
00011061 ENTITY_NODE = 6
00011071 TEXT_NODE = 3
00011081 ENTITY_REFERENCE_NODE = 5
00011091 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001110 1 DOCUMENT_FRAGMENT_NODE = 11
0001111 1 cloneNode= function
0001112 1 dispatchEvent = function
0001113 1 PROCESSING_INSTRUCTION_NODE = 7
0001114 1 isDefaultNamespace= function
0001115 1 insertBefore = function
0001116 1 removeChild= function
0001117 1 hasChildNodes = function

0001118 1 addEventListener= function
0001119 1 DOCUMENT_POSITION_PRECEDING = 2
00011201 normalize = function
00011211 compareDocumentPosition = function
00011221 DOCUMENT_TYPE_NODE = 10
00011231 COMMENT_NODE = 8
00011241 replaceChild= function
00011251 DOCUMENT_POSITION_FOLLOWING = 4
00011261 removeEventListener= function
00011271 ATTRIBUTE_NODE = 2
00011281 DOCUMENT_POSITION_CONTAINED_BY = 16
00011291 DOCUMENT_NODE = 9
00011301 DOCUMENT_POSITION_CONTAINS = 8
00011311 appendChild = function
00011321 isSameNode = function
00011331 lookupPrefix = function
00011341 lookupNamespaceURI = function lookupNamespaceU