

```
0000001 1 bgColor
0000002 1 width = 920
0000003 1 tFoot
0000004 1 tBodies = function
0000005   • 2 length = 1
0000006   • 2 namedItem = function
0000007   • 2 tags = function
0000008   • 2 item = function
0000009 1 caption
0000010 1 rows = function
0000011   • 2 length = 3
0000012   • 2 namedItem = function
0000013   • 2 tags = function
0000014   • 2 item = function
0000015 1 cellPadding
0000016 1 rules
0000017 1 border = 0
0000018 1 align
0000019 1 tHead
0000020 1 cellSpacing
0000021 1 frame
0000022 1 summary
0000023 1 outerHTML = %3Ctable%20width%3D%22920%22%20border
0000024 1 className
0000025 1 innerText =
0000026 1 id = tabl
0000027 1 title
0000028 1 lang
0000029 1 dir
0000030 1 innerHTML = %0A%20%20%3Ctbody%3E%3Ctr%3E%0A%20 %20%20%20%3Cth%20sc
0000031 1 contentEditable = false
0000032 1 tabIndex = -1
0000033 1 outerText = %A0%09%A0%09%A0%0A%A0%09 %A0%09%A0%0A%A0%09%A0%09%A0
0000034 1 children = function
0000035   • 2 length = 1
0000036   • 2 namedItem = function
0000037   • 2 tags = function
0000038   • 2 item = function
0000039 1 isContentEditable
0000040 1 style = object
0000041   • 2 length
0000042   • 2 cssText
0000043   • 2 parentRule
0000044   • 2 removeProperty = function
0000045   • 2 getPropertyPriority = function
0000046   • 2 getPropertyValue = function
0000047   • 2 getPropertyShorthand = function
0000048   • 2 getPropertyCSSValue = function
0000049   • 2 isPropertyImplicit = function
0000050   • 2 item = function
0000051   • 2 setProperty = function
0000052 1 scrollLeft
0000053 1 clientWidth = 920
0000054 1 firstElementChild = object
0000055   • 2 rows = function
0000056   • 2 ch
0000057   • 2 vAlign
0000058   • 2 chOff
0000059   • 2 align
0000060   • 2 outerHTML = %3Ctbody%3E%3Ctr%3E%0A%20 %20%20%20%3Cth%20scope
0000061   • 2 className
0000062   • 2 innerText =
```

0000062 • 2 innerText =  
0000063 • 2 id  
0000064 • 2 title  
0000065 • 2 lang  
0000066 • 2 dir  
0000067 • 2 innerHTML = %3Ctr%3E%0A%20 %20%20%20%3Cth%20 scope%3D%22col%22%3E  
0000068 • 2 contentEditable = false  
0000069 • 2 tabIndex = -1  
0000070 • 2 outerText = %A0%09%A0%09%A0%0A%A0%09%A0%09%A0%0A%A0%09%A0%09%A0  
0000071 • 2 children = function  
0000072 • 2 isContentEditable  
0000073 • 2 style = object  
0000074 • 2 scrollLeft  
0000075 • 2 clientWidth = 920  
0000076 • 2 firstElementChild = object  
0000077 • 2 scrollWidth = 920  
0000078 • 2 clientLeft  
0000079 • 2 offsetWidth = 920  
0000080 • 2 offsetLeft  
0000081 • 2 clientTop  
0000082 • 2 lastElementChild= object  
0000083 • 2 offsetParent = object  
0000084 • 2 nextElementSibling  
0000085 • 2 tagName = TBODY  
0000086 • 2 previousElementSibling  
0000087 • 2 clientHeight = 68  
0000088 • 2 childElementCount= 3  
0000089 • 2 offsetTop  
0000090 • 2 offsetHeight = 68  
0000091 • 2 scrollTop  
0000092 • 2 scrollHeight = 68  
0000093 • 2 previousSibling = object  
0000094 • 2 parentNode = object  
0000095 • 2 lastChild = object  
0000096 • 2 baseURI = file:///Volumes/Projects%  
0000097 • 2 firstChild = object  
0000098 • 2 nodeValue  
0000099 • 2 textContent =  
0000100 • 2 nodeType = 1  
0000101 • 2 nodeName = TBODY  
0000102 • 2 prefix  
0000103 • 2 childNodes= function  
0000104 • 2 nextSibling  
0000105 • 2 attributes = object  
0000106 • 2 ownerDocument= object  
0000107 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000108 • 2 localName = tbody  
0000109 • 2 parentElement = object  
0000110 • 2 insertRow = function  
0000111 • 2 deleteRow = function  
0000112 • 2 insertAdjacentElement= function  
0000113 • 2 insertAdjacentHTML = function  
0000114 • 2 insertAdjacentText= function  
0000115 • 2 querySelector = function  
0000116 • 2 hasAttribute = function  
0000117 • 2 getAttributeNode = function  
0000118 • 2 getAttributeNS = function  
0000119 • 2 getElementsByTagNameNS = function  
0000120 • 2 getElementsByClassName= function  
0000121 • 2 removeAttributeNS = function  
0000122 • 2 querySelectorAll= function  
0000123 • 2 contains = function  
0000124 • 2 getClientRects = function  
0000125 • 2 scrollByPages = function  
0000126 • 2 setAttributeNode = function  
0000127 • 2 setAttributeNS = function  
0000128 • 2 hasAttributeNS = function  
0000129 • 2 blur = function  
0000130 • 2 scrollIntoViewIfNeeded= function

0000131 • 2 setAttribute = function  
0000132 • 2 scrollByLines = function  
0000133 • 2 getElementsByTagName = function  
0000134 • 2 removeAttribute = function  
0000135 • 2 setAttributeNodeNS = function  
0000136 • 2 getAttribute = function  
0000137 • 2 removeAttributeNode = function  
0000138 • 2 getAttributeNodeNS = function  
0000139 • 2 focus = function  
0000140 • 2 scrollIntoView = function  
0000141 • 2 getBoundingClientRect = function  
0000142 • 2 hasAttributes = function  
0000143 • 2 isSupported = function  
0000144 • 2 isEqualNode = function  
0000145 • 2 cloneNode = function  
0000146 • 2 dispatchEvent = function  
0000147 • 2 isDefaultNamespace = function  
0000148 • 2 insertBefore = function  
0000149 • 2 removeChild = function  
0000150 • 2 hasChildNodes = function  
0000151 • 2 addEventListener = function  
0000152 • 2 normalize = function  
0000153 • 2 compareDocumentPosition = function  
0000154 • 2 replaceChild = function  
0000155 • 2 removeEventListener = function  
0000156 • 2 appendChild = function  
0000157 • 2 isSameNode = function  
0000158 • 2 lookupPrefix = function  
0000159 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000160 • 2 NOTATION\_NODE = 12  
0000161 • 2 CDATA\_SECTION\_NODE = 4  
0000162 • 2 ELEMENT\_NODE = 1  
0000163 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000164 • 2 ENTITY\_NODE = 6  
0000165 • 2 TEXT\_NODE = 3  
0000166 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000167 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000168 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000169 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000170 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000171 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000172 • 2 COMMENT\_NODE = 8  
0000173 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000174 • 2 ATTRIBUTE\_NODE = 2  
0000175 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000176 • 2 DOCUMENT\_NODE = 9  
0000177 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000178 1 scrollWidth = 920  
0000179 1 clientLeft  
0000180 1 offsetWidth = 920  
0000181 1 offsetLeft = 8  
0000182 1 clientTop  
0000183 1 lastElementChild = object  
0000184 • 2 rows = function  
0000185 • 2 ch  
0000186 • 2 vAlign  
0000187 • 2 chOff  
0000188 • 2 align  
0000189 • 2 outerHTML = %3Ctbody%3E%3Ctr%3E%0A%20 %20%20%20%3Cth%20scope  
0000190 • 2 className  
0000191 • 2 innerText =  
0000192 • 2 id  
0000193 • 2 title  
0000194 • 2 lang  
0000195 • 2 dir  
0000196 • 2 innerHTML = %3Ctr%3E%0A%20 %20%20%20%3Cth%20scope%3D%22col%22%3E  
0000197 • 2 contentEditable = false  
0000198 • 2 tabIndex = -1  
0000199 • 2 outerText = %A0%09%A0%09%A0%0A%A0%09%A0%09%A0%0A%A0%09%A0%09%A0

0000200 • 2 children = function  
0000201 • 2 isContentEditable  
0000202 • 2 style = object  
0000203 • 2 scrollLeft  
0000204 • 2 clientWidth = 920  
0000205 • 2 firstElementChild = object  
0000206 • 2 scrollWidth = 920  
0000207 • 2 clientLeft  
0000208 • 2 offsetWidth = 920  
0000209 • 2 offsetLeft  
0000210 • 2 clientTop  
0000211 • 2 lastElementChild= object  
0000212 • 2 offsetParent = object  
0000213 • 2 nextElementSibling  
0000214 • 2 tagName = TBODY  
0000215 • 2 previousElementSibling  
0000216 • 2 clientHeight = 68  
0000217 • 2 childElementCount= 3  
0000218 • 2 offsetTop  
0000219 • 2 offsetHeight = 68  
0000220 • 2 scrollTop  
0000221 • 2 scrollHeight = 68  
0000222 • 2 previousSibling = object  
0000223 • 2 parentNode = object  
0000224 • 2 lastChild = object  
0000225 • 2 baseURI = file:///Volumes/Projects%  
0000226 • 2 firstChild = object  
0000227 • 2 nodeValue  
0000228 • 2 textContent =  
0000229 • 2 nodeType = 1  
0000230 • 2 nodeName = TBODY  
0000231 • 2 prefix  
0000232 • 2 childNodes= function  
0000233 • 2 nextSibling  
0000234 • 2 attributes = object  
0000235 • 2 ownerDocument  
0000236 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000237 • 2 localName = tbody  
0000238 • 2 parentElement = object  
0000239 • 2 insertRow = function  
0000240 • 2 deleteRow = function  
0000241 • 2 insertAdjacentElement= function  
0000242 • 2 insertAdjacentHTML = function  
0000243 • 2 insertAdjacentText= function  
0000244 • 2 querySelector = function  
0000245 • 2 hasAttribute = function  
0000246 • 2 getAttributeNode = function  
0000247 • 2 getAttributeNS = function  
0000248 • 2 getElementsByTagNameNS = function  
0000249 • 2 getElementsByClassName= function  
0000250 • 2 removeAttributeNS = function  
0000251 • 2 querySelectorAll= function  
0000252 • 2 contains = function  
0000253 • 2 getClientRects = function  
0000254 • 2 scrollByPages = function  
0000255 • 2 setAttributeNode = function  
0000256 • 2 setAttributeNS = function  
0000257 • 2 hasAttributeNS = function  
0000258 • 2 blur = function  
0000259 • 2 scrollIntoViewIfNeeded= function  
0000260 • 2 setAttribute = function  
0000261 • 2 scrollByLines = function  
0000262 • 2 getElementsByTagName = function  
0000263 • 2 removeAttribute = function  
0000264 • 2 setAttributeNodeNS = function  
0000265 • 2 getAttribute = function  
0000266 • 2 removeAttributeNode= function  
0000267 • 2 getAttributeNodeNS = function  
0000268 • 2 focus = function

0000269 • 2 scrollIntoView = function  
0000270 • 2 getBoundingClientRect = function  
0000271 • 2 hasAttributes = function  
0000272 • 2 isSupported = function  
0000273 • 2 isEqualNode = function  
0000274 • 2 cloneNode = function  
0000275 • 2 dispatchEvent = function  
0000276 • 2 isDefaultNamespace = function  
0000277 • 2 insertBefore = function  
0000278 • 2 removeChild = function  
0000279 • 2 hasChildNodes = function  
0000280 • 2 addEventListener = function  
0000281 • 2 normalize = function  
0000282 • 2 compareDocumentPosition = function  
0000283 • 2 replaceChild = function  
0000284 • 2 removeEventListener = function  
0000285 • 2 appendChild = function  
0000286 • 2 isSameNode = function  
0000287 • 2 lookupPrefix = function  
0000288 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000289 • 2 NOTATION\_NODE = 12  
0000290 • 2 CDATA\_SECTION\_NODE = 4  
0000291 • 2 ELEMENT\_NODE = 1  
0000292 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000293 • 2 ENTITY\_NODE = 6  
0000294 • 2 TEXT\_NODE = 3  
0000295 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000296 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000297 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000298 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000299 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000300 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000301 • 2 COMMENT\_NODE = 8  
0000302 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000303 • 2 ATTRIBUTE\_NODE = 2  
0000304 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000305 • 2 DOCUMENT\_NODE = 9  
0000306 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000307 1 offsetParent = object  
0000308 • 2 bgColor = #ffffff  
0000309 • 2 aLink  
0000310 • 2 text  
0000311 • 2 vLink  
0000312 • 2 background  
0000313 • 2 link  
0000314 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A  
0000315 • 2 className  
0000316 • 2 innerText = Document Image Div table  
0000317 • 2 id  
0000318 • 2 title  
0000319 • 2 lang  
0000320 • 2 dir  
0000321 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22  
0000322 • 2 contentEditable = false  
0000323 • 2 tabIndex = -1  
0000324 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A  
0000325 • 2 children = function  
0000326 • 2 isContentEditable  
0000327 • 2 style = object  
0000328 • 2 scrollLeft  
0000329 • 2 clientWidth = 1018  
0000330 • 2 firstElementChild = object  
0000331 • 2 scrollWidth = 1018  
0000332 • 2 clientLeft  
0000333 • 2 offsetWidth = 1002  
0000334 • 2 offsetLeft  
0000335 • 2 clientTop  
0000336 • 2 lastElementChild = object  
0000337 • 2 offsetParent

0000338 • 2 nextElementSibling  
0000339 • 2 tagName = BODY  
0000340 • 2 previousElementSibling = object  
0000341 • 2 clientHeight = 627  
0000342 • 2 childElementCount= 7  
0000343 • 2 offsetTop  
0000344 • 2 offsetHeight = 606  
0000345 • 2 scrollTop  
0000346 • 2 scrollHeight = 627  
0000347 • 2 previousSibling = object  
0000348 • 2 parentNode = object  
0000349 • 2 lastChild = object  
0000350 • 2 baseURI = file:///Volumes/Projects%  
0000351 • 2 firstChild = object  
0000352 • 2 nodeValue  
0000353 • 2 textContent = Document Image  
0000354 • 2 nodeType = 1  
0000355 • 2 nodeName = BODY  
0000356 • 2 prefix  
0000357 • 2 childNodes= function  
0000358 • 2 nextSibling  
0000359 • 2 attributes = object  
0000360 • 2 ownerDocument  
0000361 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000362 • 2 localName = body  
0000363 • 2 parentElement = object  
0000364 • 2 insertAdjacentElement= function  
0000365 • 2 insertAdjacentHTML = function  
0000366 • 2 insertAdjacentText= function  
0000367 • 2 querySelector = function  
0000368 • 2 hasAttribute = function  
0000369 • 2 getAttributeNode = function  
0000370 • 2 getAttributeNS = function  
0000371 • 2 getElementsByTagNameNS = function  
0000372 • 2 getElementsByClassName= function  
0000373 • 2 removeAttributeNS = function  
0000374 • 2 querySelectorAll= function  
0000375 • 2 contains = function  
0000376 • 2 getClientRects = function  
0000377 • 2 scrollByPages = function  
0000378 • 2 setAttributeNode = function  
0000379 • 2 setAttributeNS = function  
0000380 • 2 hasAttributeNS = function  
0000381 • 2 blur = function  
0000382 • 2 scrollIntoViewIfNeeded= function  
0000383 • 2 setAttribute = function  
0000384 • 2 scrollByLines = function  
0000385 • 2 getElementsByTagName = function  
0000386 • 2 removeAttribute = function  
0000387 • 2 setAttributeNodeNS = function  
0000388 • 2 getAttribute = function  
0000389 • 2 removeAttributeNode= function  
0000390 • 2 getAttributeNodeNS = function  
0000391 • 2 focus = function  
0000392 • 2 scrollIntoView = function  
0000393 • 2 getBoundingClientRect = function  
0000394 • 2 hasAttributes = function  
0000395 • 2 isSupported = function  
0000396 • 2 isEqualNode= function  
0000397 • 2 cloneNode= function  
0000398 • 2 dispatchEvent = function  
0000399 • 2 isDefaultNamespace= function  
0000400 • 2 insertBefore = function  
0000401 • 2 removeChild= function  
0000402 • 2 hasChildNodes = function  
0000403 • 2 addEventListener= function  
0000404 • 2 normalize = function  
0000405 • 2 compareDocumentPosition = function  
0000406 • 2 replaceChild= function

0000407 • 2 removeEventListener= function  
0000408 • 2 appendChild = function  
0000409 • 2 isSameNode = function  
0000410 • 2 lookupPrefix = function  
0000411 • 2 lookupNamespaceURI = function lookupNamespaceURI  
0000412 • 2 NOTATION\_NODE = 12  
0000413 • 2 CDATA\_SECTION\_NODE = 4  
0000414 • 2 ELEMENT\_NODE = 1  
0000415 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000416 • 2 ENTITY\_NODE = 6  
0000417 • 2 TEXT\_NODE = 3  
0000418 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000419 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000420 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000421 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000422 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000423 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000424 • 2 COMMENT\_NODE = 8  
0000425 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000426 • 2 ATTRIBUTE\_NODE = 2  
0000427 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000428 • 2 DOCUMENT\_NODE = 9  
0000429 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000430 1 nextElementSibling= object  
0000431 • 2 align  
0000432 • 2 outerHTML = %3Cp%3E%26nbsp%3B%3C/p%3E  
0000433 • 2 className  
0000434 • 2 innerText =  
0000435 • 2 id  
0000436 • 2 title  
0000437 • 2 lang  
0000438 • 2 dir  
0000439 • 2 innerHTML = %26nbsp%3B  
0000440 • 2 contentEditable = false  
0000441 • 2 tabIndex = -1  
0000442 • 2 outerText = %A0  
0000443 • 2 children = function  
0000444 • 2 isContentEditable  
0000445 • 2 style = object  
0000446 • 2 scrollLeft  
0000447 • 2 clientWidth = 1002  
0000448 • 2 firstElementChild  
0000449 • 2 scrollWidth = 1002  
0000450 • 2 clientLeft  
0000451 • 2 offsetWidth = 1002  
0000452 • 2 offsetLeft = 8  
0000453 • 2 clientTop  
0000454 • 2 lastElementChild  
0000455 • 2 offsetParent = object  
0000456 • 2 nextElementSibling  
0000457 • 2 tagName = P  
0000458 • 2 previousElementSibling = object  
0000459 • 2 clientHeight = 15  
0000460 • 2 childElementCount  
0000461 • 2 offsetTop = 230  
0000462 • 2 offsetHeight = 15  
0000463 • 2 scrollTop  
0000464 • 2 scrollHeight = 15  
0000465 • 2 previousSibling = object  
0000466 • 2 parentNode = object  
0000467 • 2 lastChild = object  
0000468 • 2 baseURI = file:///Volumes/Projects%  
0000469 • 2 firstChild = object  
0000470 • 2 nodeValue  
0000471 • 2 textContent =  
0000472 • 2 nodeType = 1  
0000473 • 2 nodeName = P  
0000474 • 2 prefix  
0000475 • 2 childNodes= function

0000476 • 2 nextSibling = object  
0000477 • 2 attributes = object  
0000478 • 2 ownerDocument  
0000479 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000480 • 2 localName = p  
0000481 • 2 parentElement = object  
0000482 • 2 insertAdjacentElement= function  
0000483 • 2 insertAdjacentHTML = function  
0000484 • 2 insertAdjacentText= function  
0000485 • 2 querySelector = function  
0000486 • 2 hasAttribute = function  
0000487 • 2 getAttributeNode = function  
0000488 • 2 getAttributeNS = function  
0000489 • 2 getElementsByTagNameNS = function  
0000490 • 2 getElementsByClassName= function  
0000491 • 2 removeAttributeNS = function  
0000492 • 2 querySelectorAll= function  
0000493 • 2 contains = function  
0000494 • 2 getClientRects = function  
0000495 • 2 scrollByPages = function  
0000496 • 2 setAttributeNode = function  
0000497 • 2 setAttributeNS = function  
0000498 • 2 hasAttributeNS = function  
0000499 • 2 blur = function  
0000500 • 2 scrollIntoViewIfNeeded= function  
0000501 • 2 setAttribute = function  
0000502 • 2 scrollByLines = function  
0000503 • 2 getElementsByTagName = function  
0000504 • 2 removeAttribute = function  
0000505 • 2 setAttributeNodeNS = function  
0000506 • 2 getAttribute = function  
0000507 • 2 removeAttributeNode= function  
0000508 • 2 getAttributeNodeNS = function  
0000509 • 2 focus = function  
0000510 • 2 scrollIntoView = function  
0000511 • 2 getBoundingClientRect = function  
0000512 • 2 hasAttributes = function  
0000513 • 2 isSupported = function  
0000514 • 2 isEqualNode= function  
0000515 • 2 cloneNode= function  
0000516 • 2 dispatchEvent = function  
0000517 • 2 isDefaultNamespace= function  
0000518 • 2 insertBefore = function  
0000519 • 2 removeChild= function  
0000520 • 2 hasChildNodes = function  
0000521 • 2 addEventListener= function  
0000522 • 2 normalize = function  
0000523 • 2 compareDocumentPosition = function  
0000524 • 2 replaceChild= function  
0000525 • 2 removeEventListener= function  
0000526 • 2 appendChild = function  
0000527 • 2 isSameNode = function  
0000528 • 2 lookupPrefix = function  
0000529 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000530 • 2 NOTATION\_NODE = 12  
0000531 • 2 CDATA\_SECTION\_NODE = 4  
0000532 • 2 ELEMENT\_NODE = 1  
0000533 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000534 • 2 ENTITY\_NODE = 6  
0000535 • 2 TEXT\_NODE = 3  
0000536 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000537 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000538 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000539 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000540 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000541 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000542 • 2 COMMENT\_NODE = 8  
0000543 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000544 • 2 ATTRIBUTE\_NODE = 2

0000545 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000546 • 2 DOCUMENT\_NODE = 9  
0000547 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000548 1 tagName = TABLE  
0000549 1 previousElementSibling = object  
0000550 • 2 align  
0000551 • 2 outerHTML = %3Cp%3E%26nbsp%3B%3C/p%3E  
0000552 • 2 className  
0000553 • 2 innerText =  
0000554 • 2 id  
0000555 • 2 title  
0000556 • 2 lang  
0000557 • 2 dir  
0000558 • 2 innerHTML = %26nbsp%3B  
0000559 • 2 contentEditable = false  
0000560 • 2 tabIndex = -1  
0000561 • 2 outerText = %A0  
0000562 • 2 children = function  
0000563 • 2 isContentEditable  
0000564 • 2 style = object  
0000565 • 2 scrollLeft  
0000566 • 2 clientWidth = 1002  
0000567 • 2 firstElementChild  
0000568 • 2 scrollWidth = 1002  
0000569 • 2 clientLeft  
0000570 • 2 offsetWidth = 1002  
0000571 • 2 offsetLeft = 8  
0000572 • 2 clientTop  
0000573 • 2 lastElementChild  
0000574 • 2 offsetParent = object  
0000575 • 2 nextElementSibling= object  
0000576 • 2 tagName = P  
0000577 • 2 previousElementSibling = object  
0000578 • 2 clientHeight = 15  
0000579 • 2 childElementCount  
0000580 • 2 offsetTop = 121  
0000581 • 2 offsetHeight = 15  
0000582 • 2 scrollTop  
0000583 • 2 scrollHeight = 15  
0000584 • 2 previousSibling = object  
0000585 • 2 parentNode = object  
0000586 • 2 lastChild = object  
0000587 • 2 baseURI = file:///Volumes/Projects%  
0000588 • 2 firstChild = object  
0000589 • 2 nodeValue  
0000590 • 2 textContent =  
0000591 • 2 nodeType = 1  
0000592 • 2 nodeName = P  
0000593 • 2 prefix  
0000594 • 2 childNodes= function  
0000595 • 2 nextSibling = object  
0000596 • 2 attributes = object  
0000597 • 2 ownerDocument  
0000598 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000599 • 2 localName = p  
0000600 • 2 parentElement = object  
0000601 • 2 insertAdjacentElement= function  
0000602 • 2 insertAdjacentHTML = function  
0000603 • 2 insertAdjacentText= function  
0000604 • 2 querySelector = function  
0000605 • 2 hasAttribute = function  
0000606 • 2 getAttributeNode = function  
0000607 • 2 getAttributeNS = function  
0000608 • 2 getElementsByTagName = function  
0000609 • 2 getElementsByTagNameNS = function  
0000610 • 2 removeAttributeNS = function  
0000611 • 2 querySelectorAll= function  
0000612 • 2 contains = function  
0000613 • 2 getClientRects = function

0000614 • 2 scrollByPages = function  
0000615 • 2 setAttributeNode = function  
0000616 • 2 setAttributeNS = function  
0000617 • 2 hasAttributeNS = function  
0000618 • 2 blur = function  
0000619 • 2 scrollIntoViewIfNeeded = function  
0000620 • 2 setAttribute = function  
0000621 • 2 scrollByLines = function  
0000622 • 2 getElementsByTagName = function  
0000623 • 2 removeAttribute = function  
0000624 • 2 setAttributeNodeNS = function  
0000625 • 2 getAttribute = function  
0000626 • 2 removeAttributeNode = function  
0000627 • 2 getAttributeNodeNS = function  
0000628 • 2 focus = function  
0000629 • 2 scrollIntoView = function  
0000630 • 2 getBoundingClientRect = function  
0000631 • 2 hasAttributes = function  
0000632 • 2 isSupported = function  
0000633 • 2 isEqualNode = function  
0000634 • 2 cloneNode = function  
0000635 • 2 dispatchEvent = function  
0000636 • 2 isDefaultNamespace = function  
0000637 • 2 insertBefore = function  
0000638 • 2 removeChild = function  
0000639 • 2 hasChildNodes = function  
0000640 • 2 addEventListener = function  
0000641 • 2 normalize = function  
0000642 • 2 compareDocumentPosition = function  
0000643 • 2 replaceChild = function  
0000644 • 2 removeEventListener = function  
0000645 • 2 appendChild = function  
0000646 • 2 isSameNode = function  
0000647 • 2 lookupPrefix = function  
0000648 • 2 lookupNamespaceURI = function lookupNamespaceURI  
0000649 • 2 NOTATION\_NODE = 12  
0000650 • 2 CDATA\_SECTION\_NODE = 4  
0000651 • 2 ELEMENT\_NODE = 1  
0000652 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000653 • 2 ENTITY\_NODE = 6  
0000654 • 2 TEXT\_NODE = 3  
0000655 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000656 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000657 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000658 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000659 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000660 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000661 • 2 COMMENT\_NODE = 8  
0000662 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000663 • 2 ATTRIBUTE\_NODE = 2  
0000664 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000665 • 2 DOCUMENT\_NODE = 9  
0000666 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000667 1 clientHeight = 68  
0000668 1 childElementCount = 1  
0000669 1 offsetTop = 149  
0000670 1 offsetHeight = 68  
0000671 1 scrollTop  
0000672 1 scrollHeight = 68  
0000673 1 previousSibling = object  
0000674 • 2 wholeText =  
0000675 • 2 length = 1  
0000676 • 2 data =  
0000677 • 2 previousSibling = object  
0000678 • 2 parentNode = object  
0000679 • 2 lastChild  
0000680 • 2 baseURI = file:///Volumes/Projects%  
0000681 • 2 firstChild  
0000682 • 2 nodeValue =

0000683 • 2 textContent =  
0000684 • 2 nodeType = 3  
0000685 • 2 nodeName = #text  
0000686 • 2 prefix  
0000687 • 2 childNodes= function  
0000688 • 2 nextSibling = object  
0000689 • 2 attributes  
0000690 • 2 ownerDocument  
0000691 • 2 namespaceURI  
0000692 • 2 localName  
0000693 • 2 parentElement = object  
0000694 • 2 splitText = function  
0000695 • 2 replaceWholeText = function  
0000696 • 2 replaceData = function  
0000697 • 2 substringData = function  
0000698 • 2 appendData= function  
0000699 • 2 deleteData = function  
0000700 • 2 insertData = function  
0000701 • 2 hasAttributes = function  
0000702 • 2 isSupported = function  
0000703 • 2 isEqualNode= function  
0000704 • 2 cloneNode= function  
0000705 • 2 dispatchEvent = function  
0000706 • 2 isDefaultNamespace= function  
0000707 • 2 insertBefore = function  
0000708 • 2 removeChild= function  
0000709 • 2 hasChildNodes = function  
0000710 • 2 addEventListener= function  
0000711 • 2 normalize = function  
0000712 • 2 compareDocumentPosition = function  
0000713 • 2 replaceChild= function  
0000714 • 2 removeEventListener= function  
0000715 • 2 appendChild = function  
0000716 • 2 isSameNode = function  
0000717 • 2 lookupPrefix = function  
0000718 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000719 • 2 NOTATION\_NODE = 12  
0000720 • 2 CDATA\_SECTION\_NODE = 4  
0000721 • 2 ELEMENT\_NODE = 1  
0000722 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000723 • 2 ENTITY\_NODE = 6  
0000724 • 2 TEXT\_NODE = 3  
0000725 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000726 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000727 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000728 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000729 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000730 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000731 • 2 COMMENT\_NODE = 8  
0000732 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000733 • 2 ATTRIBUTE\_NODE = 2  
0000734 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000735 • 2 DOCUMENT\_NODE = 9  
0000736 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000737 1 parentNode = object  
0000738 • 2 bgColor = #ffff  
0000739 • 2 aLink  
0000740 • 2 text  
0000741 • 2 vLink  
0000742 • 2 background  
0000743 • 2 link  
0000744 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A  
0000745 • 2 className  
0000746 • 2 innerText = Document Image Div table  
0000747 • 2 id  
0000748 • 2 title  
0000749 • 2 lang  
0000750 • 2 dir  
0000751 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22

0000752 • 2 contentEditable = false  
0000753 • 2 tabIndex = -1  
0000754 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A  
0000755 • 2 children = function  
0000756 • 2 isContentEditable  
0000757 • 2 style = object  
0000758 • 2 scrollLeft  
0000759 • 2 clientWidth = 1018  
0000760 • 2 firstElementChild = object  
0000761 • 2 scrollWidth = 1018  
0000762 • 2 clientLeft  
0000763 • 2 offsetWidth = 1002  
0000764 • 2 offsetLeft  
0000765 • 2 clientTop  
0000766 • 2 lastElementChild = object  
0000767 • 2 offsetParent  
0000768 • 2 nextElementSibling  
0000769 • 2 tagName = BODY  
0000770 • 2 previousElementSibling = object  
0000771 • 2 clientHeight = 627  
0000772 • 2 childElementCount = 7  
0000773 • 2 offsetTop  
0000774 • 2 offsetHeight = 606  
0000775 • 2 scrollTop  
0000776 • 2 scrollHeight = 627  
0000777 • 2 previousSibling = object  
0000778 • 2 parentNode = object  
0000779 • 2 lastChild = object  
0000780 • 2 baseURI = file:///Volumes/Projects%  
0000781 • 2 firstChild = object  
0000782 • 2 nodeValue  
0000783 • 2 textContent = Document Image  
0000784 • 2 nodeType = 1  
0000785 • 2 nodeName = BODY  
0000786 • 2 prefix  
0000787 • 2 childNodes = function  
0000788 • 2 nextSibling  
0000789 • 2 attributes = object  
0000790 • 2 ownerDocument  
0000791 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000792 • 2 localName = body  
0000793 • 2 parentElement = object  
0000794 • 2 insertAdjacentElement = function  
0000795 • 2 insertAdjacentHTML = function  
0000796 • 2 insertAdjacentText = function  
0000797 • 2 querySelector = function  
0000798 • 2 hasAttribute = function  
0000799 • 2 getAttributeNode = function  
0000800 • 2 getAttributeNS = function  
0000801 • 2 getElementsByTagNameNS = function  
0000802 • 2 getElementsByClassName = function  
0000803 • 2 removeAttributeNS = function  
0000804 • 2 querySelectorAll = function  
0000805 • 2 contains = function  
0000806 • 2 getClientRects = function  
0000807 • 2 scrollByPages = function  
0000808 • 2 setAttributeNode = function  
0000809 • 2 setAttributeNS = function  
0000810 • 2 hasAttributeNS = function  
0000811 • 2 blur = function  
0000812 • 2 scrollIntoViewIfNeeded = function  
0000813 • 2 setAttribute = function  
0000814 • 2 scrollByLines = function  
0000815 • 2 getElementsByTagName = function  
0000816 • 2 removeAttribute = function  
0000817 • 2 setAttributeNodeNS = function  
0000818 • 2 getAttribute = function  
0000819 • 2 removeAttributeNode = function  
0000820 • 2 getAttributeNodeNS = function

0000821 • 2 focus = function  
0000822 • 2 scrollIntoView = function  
0000823 • 2 getBoundingClientRect = function  
0000824 • 2 hasAttributes = function  
0000825 • 2 isSupported = function  
0000826 • 2 isEqualNode = function  
0000827 • 2 cloneNode = function  
0000828 • 2 dispatchEvent = function  
0000829 • 2 isDefaultNamespace = function  
0000830 • 2 insertBefore = function  
0000831 • 2 removeChild = function  
0000832 • 2 hasChildNodes = function  
0000833 • 2 addEventListener = function  
0000834 • 2 normalize = function  
0000835 • 2 compareDocumentPosition = function  
0000836 • 2 replaceChild = function  
0000837 • 2 removeEventListener = function  
0000838 • 2 appendChild = function  
0000839 • 2 isSameNode = function  
0000840 • 2 lookupPrefix = function  
0000841 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000842 • 2 NOTATION\_NODE = 12  
0000843 • 2 CDATA\_SECTION\_NODE = 4  
0000844 • 2 ELEMENT\_NODE = 1  
0000845 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000846 • 2 ENTITY\_NODE = 6  
0000847 • 2 TEXT\_NODE = 3  
0000848 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000849 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000850 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000851 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000852 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000853 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000854 • 2 COMMENT\_NODE = 8  
0000855 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000856 • 2 ATTRIBUTE\_NODE = 2  
0000857 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000858 • 2 DOCUMENT\_NODE = 9  
0000859 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000860 1 lastChild = object  
0000861 • 2 rows = function  
0000862 • 2 ch  
0000863 • 2 vAlign  
0000864 • 2 chOff  
0000865 • 2 align  
0000866 • 2 outerHTML = %3Ctbody%3E%3Ctr%3E%0A%20 %20%20%20%3Cth%20scope  
0000867 • 2 className  
0000868 • 2 innerText =  
0000869 • 2 id  
0000870 • 2 title  
0000871 • 2 lang  
0000872 • 2 dir  
0000873 • 2 innerHTML = %3Ctr%3E%0A%20 %20%20%20%3Cth%20scope%3D%22col%22%3E  
0000874 • 2 contentEditable = false  
0000875 • 2 tabIndex = -1  
0000876 • 2 outerText = %A0%09%A0%09%A0%0A%A0%09 %A0%09%A0%0A%A0%09 %A0%09%A0  
0000877 • 2 children = function  
0000878 • 2 isContentEditable  
0000879 • 2 style = object  
0000880 • 2 scrollLeft  
0000881 • 2 clientWidth = 920  
0000882 • 2 firstElementChild = object  
0000883 • 2 scrollWidth = 920  
0000884 • 2 clientLeft  
0000885 • 2 offsetWidth = 920  
0000886 • 2 offsetLeft  
0000887 • 2 clientTop  
0000888 • 2 lastElementChild = object  
0000889 • 2 offsetParent = object

0000890 • 2 nextElementSibling  
0000891 • 2 tagName = TBODY  
0000892 • 2 previousElementSibling  
0000893 • 2 clientHeight = 68  
0000894 • 2 childElementCount= 3  
0000895 • 2 offsetTop  
0000896 • 2 offsetHeight = 68  
0000897 • 2 scrollTop  
0000898 • 2 scrollHeight = 68  
0000899 • 2 previousSibling = object  
0000900 • 2 parentNode = object  
0000901 • 2 lastChild = object  
0000902 • 2 baseURI = file:///Volumes/Projects%  
0000903 • 2 firstChild = object  
0000904 • 2 nodeValue  
0000905 • 2 textContent =  
0000906 • 2 nodeType = 1  
0000907 • 2 nodeName = TBODY  
0000908 • 2 prefix  
0000909 • 2 childNodes= function  
0000910 • 2 nextSibling  
0000911 • 2 attributes = object  
0000912 • 2 ownerDocument  
0000913 • 2 namespaceURI = http://www.w3.org/1999/xh  
0000914 • 2 localName = tbody  
0000915 • 2 parentElement = object  
0000916 • 2 insertRow = function  
0000917 • 2 deleteRow = function  
0000918 • 2 insertAdjacentElement= function  
0000919 • 2 insertAdjacentHTML = function  
0000920 • 2 insertAdjacentText= function  
0000921 • 2 querySelector = function  
0000922 • 2 hasAttribute = function  
0000923 • 2 getAttributeNode = function  
0000924 • 2 getAttributeNS = function  
0000925 • 2 getElementsByTagNameNS = function  
0000926 • 2 getElementsByClassName= function  
0000927 • 2 removeAttributeNS = function  
0000928 • 2 querySelectorAll= function  
0000929 • 2 contains = function  
0000930 • 2 getClientRects = function  
0000931 • 2 scrollByPages = function  
0000932 • 2 setAttributeNode = function  
0000933 • 2 setAttributeNS = function  
0000934 • 2 hasAttributeNS = function  
0000935 • 2 blur = function  
0000936 • 2 scrollIntoViewIfNeeded= function  
0000937 • 2 setAttribute = function  
0000938 • 2 scrollByLines = function  
0000939 • 2 getElementsByTagName = function  
0000940 • 2 removeAttribute = function  
0000941 • 2 setAttributeNodeNS = function  
0000942 • 2 getAttribute = function  
0000943 • 2 removeAttributeNode= function  
0000944 • 2 getAttributeNodeNS = function  
0000945 • 2 focus = function  
0000946 • 2 scrollIntoView = function  
0000947 • 2 getBoundingClientRect = function  
0000948 • 2 hasAttributes = function  
0000949 • 2 isSupported = function  
0000950 • 2 isEqualNode= function  
0000951 • 2 cloneNode= function  
0000952 • 2 dispatchEvent = function  
0000953 • 2 isDefaultNamespace= function  
0000954 • 2 insertBefore = function  
0000955 • 2 removeChild= function  
0000956 • 2 hasChildNodes = function  
0000957 • 2 addEventListener= function  
0000958 • 2 normalize = function

0000959 • 2 compareDocumentPosition = function  
0000960 • 2 replaceChild= function  
0000961 • 2 removeEventListener= function  
0000962 • 2 appendChild = function  
0000963 • 2 isSameNode = function  
0000964 • 2 lookupPrefix = function  
0000965 • 2 lookupNamespaceURI = function lookupNamespaceU  
0000966 • 2 NOTATION\_NODE = 12  
0000967 • 2 CDATA\_SECTION\_NODE = 4  
0000968 • 2 ELEMENT\_NODE = 1  
0000969 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0000970 • 2 ENTITY\_NODE = 6  
0000971 • 2 TEXT\_NODE = 3  
0000972 • 2 ENTITY\_REFERENCE\_NODE = 5  
0000973 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0000974 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0000975 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0000976 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0000977 • 2 DOCUMENT\_TYPE\_NODE = 10  
0000978 • 2 COMMENT\_NODE = 8  
0000979 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0000980 • 2 ATTRIBUTE\_NODE = 2  
0000981 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0000982 • 2 DOCUMENT\_NODE = 9  
0000983 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0000984 1 baseURI = file:///Volumes/Projects%  
0000985 1 firstChild = object  
0000986 • 2 wholeText=  
0000987 • 2 length = 3  
0000988 • 2 data =  
0000989 • 2 previousSibling  
0000990 • 2 parentNode = object  
0000991 • 2 lastChild  
0000992 • 2 baseURI = file:///Volumes/Projects%  
0000993 • 2 firstChild  
0000994 • 2 nodeValue =  
0000995 • 2 textContent =  
0000996 • 2 nodeType = 3  
0000997 • 2 nodeName = #text  
0000998 • 2 prefix  
0000999 • 2 childNodes= function  
0001000 • 2 nextSibling = object  
0001001 • 2 attributes  
0001002 • 2 ownerDocument  
0001003 • 2 namespaceURI  
0001004 • 2 localName  
0001005 • 2 parentElement = object  
0001006 • 2 splitText = function  
0001007 • 2 replaceWholeText = function  
0001008 • 2 replaceData = function  
0001009 • 2 substringData = function  
0001010 • 2 appendData= function  
0001011 • 2 deleteData = function  
0001012 • 2 insertData = function  
0001013 • 2 hasAttributes = function  
0001014 • 2 isSupported = function  
0001015 • 2 isEqualNode= function  
0001016 • 2 cloneNode= function  
0001017 • 2 dispatchEvent = function  
0001018 • 2 isDefaultNamespace= function  
0001019 • 2 insertBefore = function  
0001020 • 2 removeChild= function  
0001021 • 2 hasChildNodes = function  
0001022 • 2 addEventListener= function  
0001023 • 2 normalize = function  
0001024 • 2 compareDocumentPosition = function  
0001025 • 2 replaceChild= function  
0001026 • 2 removeEventListener= function  
0001027 • 2 appendChild = function

0001028 • 2 isSameNode = function  
0001029 • 2 lookupPrefix = function  
0001030 • 2 lookupNamespaceURI = function lookupNamespaceU  
0001031 • 2 NOTATION\_NODE = 12  
0001032 • 2 CDATA\_SECTION\_NODE = 4  
0001033 • 2 ELEMENT\_NODE = 1  
0001034 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0001035 • 2 ENTITY\_NODE = 6  
0001036 • 2 TEXT\_NODE = 3  
0001037 • 2 ENTITY\_REFERENCE\_NODE = 5  
0001038 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0001039 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0001040 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0001041 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0001042 • 2 DOCUMENT\_TYPE\_NODE = 10  
0001043 • 2 COMMENT\_NODE = 8  
0001044 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0001045 • 2 ATTRIBUTE\_NODE = 2  
0001046 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0001047 • 2 DOCUMENT\_NODE = 9  
0001048 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0001049 1 nodeValue  
0001050 1 textContent =  
0001051 1 nodeType = 1  
0001052 1 nodeName = TABLE  
0001053 1 prefix  
0001054 1 childNodes= function  
0001055 • 2 length = 2  
0001056 • 2 item = function  
0001057 1 nextSibling = object  
0001058 • 2 wholeText=  
0001059 • 2 length = 1  
0001060 • 2 data =  
0001061 • 2 previousSibling = object  
0001062 • 2 parentNode = object  
0001063 • 2 lastChild  
0001064 • 2 baseURI = file:///Volumes/Projects%  
0001065 • 2 firstChild  
0001066 • 2 nodeValue =  
0001067 • 2 textContent =  
0001068 • 2 nodeType = 3  
0001069 • 2 nodeName = #text  
0001070 • 2 prefix  
0001071 • 2 childNodes= function  
0001072 • 2 nextSibling = object  
0001073 • 2 attributes  
0001074 • 2 ownerDocument  
0001075 • 2 namespaceURI  
0001076 • 2 localName  
0001077 • 2 parentElement = object  
0001078 • 2 splitText = function  
0001079 • 2 replaceWholeText = function  
0001080 • 2 replaceData = function  
0001081 • 2 substringData = function  
0001082 • 2 appendData= function  
0001083 • 2 deleteData = function  
0001084 • 2 insertData = function  
0001085 • 2 hasAttributes = function  
0001086 • 2 isSupported = function  
0001087 • 2 isEqualNode= function  
0001088 • 2 cloneNode= function  
0001089 • 2 dispatchEvent = function  
0001090 • 2 isDefaultNamespace= function  
0001091 • 2 insertBefore = function  
0001092 • 2 removeChild= function  
0001093 • 2 hasChildNodes = function  
0001094 • 2 addEventListener= function  
0001095 • 2 normalize = function  
0001096 • 2 compareDocumentPosition = function

0001097 • 2 replaceChild= function  
0001098 • 2 removeEventListener= function  
0001099 • 2 appendChild = function  
0001100 • 2 isSameNode = function  
0001101 • 2 lookupPrefix = function  
0001102 • 2 lookupNamespaceURI = function lookupNamespaceU  
0001103 • 2 NOTATION\_NODE = 12  
0001104 • 2 CDATA\_SECTION\_NODE = 4  
0001105 • 2 ELEMENT\_NODE = 1  
0001106 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0001107 • 2 ENTITY\_NODE = 6  
0001108 • 2 TEXT\_NODE = 3  
0001109 • 2 ENTITY\_REFERENCE\_NODE = 5  
0001110 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0001111 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0001112 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0001113 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0001114 • 2 DOCUMENT\_TYPE\_NODE = 10  
0001115 • 2 COMMENT\_NODE = 8  
0001116 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0001117 • 2 ATTRIBUTE\_NODE = 2  
0001118 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0001119 • 2 DOCUMENT\_NODE = 9  
0001120 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
00011211 attributes = object  
0001122 • 2 length = 3  
0001123 • 2 removeNamedItemNS = function  
0001124 • 2 getNamedItem = function  
0001125 • 2 removeNamedItem = function  
0001126 • 2 getNamedItemNS = function  
0001127 • 2 setNamedItemNS = function  
0001128 • 2 setNamedItem = function  
0001129 • 2 item = function  
00011301 ownerDocument= object  
0001131 • 2 bgColor = #ffffff  
0001132 • 2 alinkColor  
0001133 • 2 width = 1018  
0001134 • 2 plugins = function  
0001135 • 2 height = 627  
0001136 • 2 fgColor  
0001137 • 2 vlinkColor  
0001138 • 2 all  
0001139 • 2 embeds = function  
0001140 • 2 scripts = [\*scriptArray\*]  
0001141 • 2 compatMode = BackCompat  
0001142 • 2 activeElement = object  
0001143 • 2 dir  
0001144 • 2 designMode= off  
0001145 • 2 linkColor  
0001146 • 2 documentElement = object  
0001147 • 2 preferredStylesheetSet  
0001148 • 2 xmlVersion  
0001149 • 2 location = object  
0001150 • 2 xmlEncoding  
0001151 • 2 implementation= object  
0001152 • 2 referrer  
0001153 • 2 defaultView%5BObject%20DOMWindow%5D  
0001154 • 2 domain  
0001155 • 2 lastModified  
0001156 • 2 anchors = function  
0001157 • 2 applets = function  
0001158 • 2 doctype = object  
0001159 • 2 images = function  
0001160 • 2 forms = function  
0001161 • 2 charset = ISO-8859-1  
0001162 • 2 styleSheets%5BObject%20StyleSheetList%5D  
0001163 • 2 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser\_DW\_3.0/  
PropertyParser\_demo.html  
0001164 • 2 readyState = complete

0001165 • 2 selectedStylesheetSet  
0001166 • 2 characterSet = ISO-8859-1  
0001167 • 2 title = Blady Property Parser  
0001168 • 2 cookie  
0001169 • 2 body = object  
0001170 • 2 inputEncoding= ISO -8859-1  
0001171 • 2 xmlStandalone  
0001172 • 2 documentURI = file:///Volumes/Projects%  
0001173 • 2 defaultCharset = WINDOWS-1252  
0001174 • 2 links = function  
0001175 • 2 previousSibling  
0001176 • 2 parentNode  
0001177 • 2 lastChild = object  
0001178 • 2 baseURI = file:///Volumes/Projects%  
0001179 • 2 firstChild = object  
0001180 • 2 nodeValue  
0001181 • 2 textContent  
0001182 • 2 nodeType = 9  
0001183 • 2 nodeName = #document  
0001184 • 2 prefix  
0001185 • 2 childNodes= function  
0001186 • 2 nextSibling  
0001187 • 2 attributes  
0001188 • 2 ownerDocument  
0001189 • 2 namespaceURI  
0001190 • 2 localName  
0001191 • 2 parentElement  
0001192 • 2 hasFocus = function  
0001193 • 2 captureEvents = function  
0001194 • 2 writeln = function  
0001195 • 2 close = function  
0001196 • 2 clear = function  
0001197 • 2 releaseEvents = function  
0001198 • 2 open = function  
0001199 • 2 write = function  
0001200 • 2 getElementById = function  
0001201 • 2 getElementsByTagName = function  
0001202 • 2 evaluate = function  
0001203 • 2 createRange = function  
0001204 • 2 createEvent = function  
0001205 • 2 getCSSCanvasContext= function  
0001206 • 2 createTextNode= function  
0001207 • 2 createAttributeNS = function  
0001208 • 2 createElement = function  
0001209 • 2 importNode = function  
0001210 • 2 createComment = function  
0001211 • 2 createAttribute = function  
0001212 • 2 queryCommandState= function  
0001213 • 2 createNodeIterator = function  
0001214 • 2 querySelector = function  
0001215 • 2 createEntityReference = function  
0001216 • 2 getOverrideStyle = function  
0001217 • 2 createNSResolver= function  
0001218 • 2 adoptNode = function  
0001219 • 2 queryCommandEnabled = function  
0001220 • 2 getElementsByTagNameNS = function  
0001221 • 2 getElementsByTagNameNS = function  
0001222 • 2 createExpression = function  
0001223 • 2 createProcessingInstruction= function  
0001224 • 2 createElementNS = function  
0001225 • 2 createDocumentFragment= function  
0001226 • 2 createCDATASection = function  
0001227 • 2 queryCommandIndeterm= function  
0001228 • 2 queryCommandValue = function  
0001229 • 2 getSelection = function  
0001230 • 2 createTreeWalker= function  
0001231 • 2 execCommand = function  
0001232 • 2 queryCommandSupported = function  
0001233 • 2 getElementsByTagName = function

0001234 • 2 elementFromPoint = function  
0001235 • 2 querySelectorAll= function  
0001236 • 2 hasAttributes = function  
0001237 • 2 isSupported = function  
0001238 • 2 isEqualNode= function  
0001239 • 2 cloneNode= function  
0001240 • 2 dispatchEvent = function  
0001241 • 2 isDefaultNamespace= function  
0001242 • 2 insertBefore = function  
0001243 • 2 removeChild= function  
0001244 • 2 hasChildNodes = function  
0001245 • 2 addEventListener= function  
0001246 • 2 normalize = function  
0001247 • 2 compareDocumentPosition = function  
0001248 • 2 replaceChild= function  
0001249 • 2 removeEventListener= function  
0001250 • 2 appendChild = function  
0001251 • 2 isSameNode = function  
0001252 • 2 lookupPrefix = function  
0001253 • 2 lookupNamespaceURI = function lookupNamespaceU  
0001254 • 2 NOTATION\_NODE = 12  
0001255 • 2 CDATA\_SECTION\_NODE = 4  
0001256 • 2 ELEMENT\_NODE = 1  
0001257 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0001258 • 2 ENTITY\_NODE = 6  
0001259 • 2 TEXT\_NODE = 3  
0001260 • 2 ENTITY\_REFERENCE\_NODE = 5  
0001261 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0001262 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0001263 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0001264 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0001265 • 2 DOCUMENT\_TYPE\_NODE = 10  
0001266 • 2 COMMENT\_NODE = 8  
0001267 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0001268 • 2 ATTRIBUTE\_NODE = 2  
0001269 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0001270 • 2 DOCUMENT\_NODE = 9  
0001271 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0001272 1 namespaceURI = http://www.w3.org/1999/xh  
0001273 1 localName = table  
0001274 1 parentElement = object  
0001275 • 2 bgColor = #ffffff  
0001276 • 2 aLink  
0001277 • 2 text  
0001278 • 2 vLink  
0001279 • 2 background  
0001280 • 2 link  
0001281 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A  
0001282 • 2 className  
0001283 • 2 innerText = Document Image Div table  
0001284 • 2 id  
0001285 • 2 title  
0001286 • 2 lang  
0001287 • 2 dir  
0001288 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22  
0001289 • 2 contentEditable = false  
0001290 • 2 tabIndex = -1  
0001291 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A  
0001292 • 2 children = function  
0001293 • 2 isContentEditable  
0001294 • 2 style = object  
0001295 • 2 scrollLeft  
0001296 • 2 clientWidth = 1018  
0001297 • 2 firstElementChild = object  
0001298 • 2 scrollWidth = 1018  
0001299 • 2 clientLeft  
0001300 • 2 offsetWidth = 1002  
0001301 • 2 offsetLeft  
0001302 • 2 clientTop

0001303 • 2 lastElementChild= object  
0001304 • 2 offsetParent  
0001305 • 2 nextElementSibling  
0001306 • 2 tagName = BODY  
0001307 • 2 previousElementSibling = object  
0001308 • 2 clientHeight = 627  
0001309 • 2 childElementCount= 7  
0001310 • 2 offsetTop  
0001311 • 2 offsetHeight = 606  
0001312 • 2 scrollTop  
0001313 • 2 scrollHeight = 627  
0001314 • 2 previousSibling = object  
0001315 • 2 parentNode = object  
0001316 • 2 lastChild = object  
0001317 • 2 baseURI = file:///Volumes/Projects%  
0001318 • 2 firstChild = object  
0001319 • 2 nodeValue  
0001320 • 2 textContent = Document Image  
0001321 • 2 nodeType = 1  
0001322 • 2 nodeName = BODY  
0001323 • 2 prefix  
0001324 • 2 childNodes= function  
0001325 • 2 nextSibling  
0001326 • 2 attributes = object  
0001327 • 2 ownerDocument  
0001328 • 2 namespaceURI = http://www.w3.org/1999/xh  
0001329 • 2 localName = body  
0001330 • 2 parentElement = object  
0001331 • 2 insertAdjacentElement= function  
0001332 • 2 insertAdjacentHTML = function  
0001333 • 2 insertAdjacentText= function  
0001334 • 2 querySelector = function  
0001335 • 2 hasAttribute = function  
0001336 • 2 getAttributeNode = function  
0001337 • 2 getAttributeNS = function  
0001338 • 2 getElementsByTagNameNS = function  
0001339 • 2 getElementsByClassName= function  
0001340 • 2 removeAttributeNS = function  
0001341 • 2 querySelectorAll= function  
0001342 • 2 contains = function  
0001343 • 2 getClientRects = function  
0001344 • 2 scrollByPages = function  
0001345 • 2 setAttributeNode = function  
0001346 • 2 setAttributeNS = function  
0001347 • 2 hasAttributeNS = function  
0001348 • 2 blur = function  
0001349 • 2 scrollIntoViewIfNeeded= function  
0001350 • 2 setAttribute = function  
0001351 • 2 scrollByLines = function  
0001352 • 2 getElementsByTagName = function  
0001353 • 2 removeAttribute = function  
0001354 • 2 setAttributeNodeNS = function  
0001355 • 2 getAttribute = function  
0001356 • 2 removeAttributeNode= function  
0001357 • 2 getAttributeNodeNS = function  
0001358 • 2 focus = function  
0001359 • 2 scrollIntoView = function  
0001360 • 2 getBoundingClientRect = function  
0001361 • 2 hasAttributes = function  
0001362 • 2 isSupported = function  
0001363 • 2 isEqualNode= function  
0001364 • 2 cloneNode= function  
0001365 • 2 dispatchEvent = function  
0001366 • 2 isDefaultNamespace= function  
0001367 • 2 insertBefore = function  
0001368 • 2 removeChild= function  
0001369 • 2 hasChildNodes = function  
0001370 • 2 addEventListener= function  
0001371 • 2 normalize = function

0001372 • 2 compareDocumentPosition = function  
0001373 • 2 replaceChild= function  
0001374 • 2 removeEventListener= function  
0001375 • 2 appendChild = function  
0001376 • 2 isSameNode = function  
0001377 • 2 lookupPrefix = function  
0001378 • 2 lookupNamespaceURI = function lookupNamespaceU  
0001379 • 2 NOTATION\_NODE = 12  
0001380 • 2 CDATA\_SECTION\_NODE = 4  
0001381 • 2 ELEMENT\_NODE = 1  
0001382 • 2 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0001383 • 2 ENTITY\_NODE = 6  
0001384 • 2 TEXT\_NODE = 3  
0001385 • 2 ENTITY\_REFERENCE\_NODE = 5  
0001386 • 2 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0001387 • 2 DOCUMENT\_FRAGMENT\_NODE = 11  
0001388 • 2 PROCESSING\_INSTRUCTION\_NODE = 7  
0001389 • 2 DOCUMENT\_POSITION\_PRECEDING = 2  
0001390 • 2 DOCUMENT\_TYPE\_NODE = 10  
0001391 • 2 COMMENT\_NODE = 8  
0001392 • 2 DOCUMENT\_POSITION\_FOLLOWING = 4  
0001393 • 2 ATTRIBUTE\_NODE = 2  
0001394 • 2 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0001395 • 2 DOCUMENT\_NODE = 9  
0001396 • 2 DOCUMENT\_POSITION\_CONTAINS = 8  
0001397 1 deleteTHead = function  
0001398 1 createTFoot = function  
0001399 1 deleteTFoot = function  
0001400 1 createTHead = function  
0001401 1 createCaption = function  
0001402 1 deleteCaption= function  
0001403 1 insertRow = function  
0001404 1 deleteRow = function  
0001405 1 insertAdjacentElement= function  
0001406 1 insertAdjacentHTML = function  
0001407 1 insertAdjacentText= function  
0001408 1 querySelector = function  
0001409 1 hasAttribute = function  
0001410 1 getAttributeNode = function  
00014111 getAttributeNS = function  
0001412 1 getElementsByTagNameNS = function  
0001413 1 getElementsByClassName= function  
0001414 1 removeAttributeNS = function  
0001415 1 querySelectorAll= function  
0001416 1 contains = function  
0001417 1 getClientRects = function  
0001418 1 scrollByPages = function  
0001419 1 setAttributeNode = function  
0001420 1 setAttributeNS = function  
0001421 1 hasAttributeNS = function  
0001422 1 blur = function  
0001423 1 scrollIntoViewIfNeeded= function  
0001424 1 setAttribute = function  
0001425 1 scrollByLines = function  
0001426 1 getElementsByTagName = function  
0001427 1 removeAttribute = function  
0001428 1 setAttributeNodeNS = function  
0001429 1 getAttribute = function  
0001430 1 removeAttributeNode= function  
0001431 1 getAttributeNodeNS = function  
0001432 1 focus = function  
0001433 1 scrollIntoView = function  
0001434 1 getBoundingClientRect = function  
0001435 1 hasAttributes = function  
0001436 1 isSupported = function  
0001437 1 isEqualNode= function  
0001438 1 cloneNode= function  
0001439 1 dispatchEvent = function  
0001440 1 isDefaultNamespace= function

0001441 1 insertBefore = function  
0001442 1 removeChild= function  
0001443 1 hasChildNodes = function  
0001444 1 addEventListener= function  
0001445 1 normalize = function  
0001446 1 compareDocumentPosition = function  
0001447 1 replaceChild= function  
0001448 1 removeEventListener= function  
0001449 1 appendChild = function  
0001450 1 isSameNode = function  
0001451 1 lookupPrefix = function  
0001452 1 lookupNamespaceURI = function lookupNamespaceU  
0001453 1 NOTATION\_NODE = 12  
0001454 1 CDATA\_SECTION\_NODE = 4  
0001455 1 ELEMENT\_NODE = 1  
0001456 1 DOCUMENT\_POSITION\_DISCONNECTED = 1  
0001457 1 ENTITY\_NODE = 6  
0001458 1 TEXT\_NODE = 3  
0001459 1 ENTITY\_REFERENCE\_NODE = 5  
0001460 1 DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC = 32  
0001461 1 DOCUMENT\_FRAGMENT\_NODE = 11  
0001462 1 PROCESSING\_INSTRUCTION\_NODE = 7  
0001463 1 DOCUMENT\_POSITION\_PRECEDING = 2  
0001464 1 DOCUMENT\_TYPE\_NODE = 10  
0001465 1 COMMENT\_NODE = 8  
0001466 1 DOCUMENT\_POSITION\_FOLLOWING = 4  
0001467 1 ATTRIBUTE\_NODE = 2  
0001468 1 DOCUMENT\_POSITION\_CONTAINED\_BY = 16  
0001469 1 DOCUMENT\_NODE = 9  
0001470 1 DOCUMENT\_POSITION\_CONTAINS = 8