

Blady Property Parser Copyright from 2003 Walter S. Blady

Mozilla/5.0 (Macintosh; U; PPC Mac OS X 10_4_11; en) AppleWebKit/531.22.7 (KHTML, like Gecko) Version/4.0.5 Safari/531.22.7
Properties for **[object HTMLDocument]... document**

Page 1 - Tue Mar 23 2010 16:31:43 GMT-0400 (EDT)

```
00000001 1 bgColor = #ffffff
00000002 1 alinkColor
00000003 1 width = 982
00000004 1 plugins = function
00000005   • 2 length
00000006   • 2 namedItem = function
00000007   • 2 tags = function
00000008   • 2 item = function
00000009 1 height = 662
00000010 1 fgColor
00000011 1 vlinkColor
00000012 1 all
00000013   • 2 length = 36
00000014   • 2 namedItem = function
00000015   • 2 tags = function
00000016   • 2 item = function
00000017 1 embeds = function
00000018   • 2 length
00000019   • 2 namedItem = function
00000020   • 2 tags = function
00000021   • 2 item = function
00000022 1 scripts = [*scriptArray*]
00000023   • 2 length = 2
00000024   • 2 namedItem = function
00000025   • 2 tags = function
00000026   • 2 item = function
00000027 1 compatMode = BackCompat
00000028 1 activeElement = object
00000029   • 2 bgColor = #ffffff
00000030   • 2 aLink
00000031   • 2 text
00000032   • 2 vLink
00000033   • 2 background
00000034   • 2 link
00000035   • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
00000036   • 2 className
00000037   • 2 innerText = Document Image Div table
00000038   • 2 id
00000039   • 2 title
00000040   • 2 lang
00000041   • 2 dir
00000042   • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
00000043   • 2 contentEditable = false
00000044   • 2 tabIndex = -1
00000045   • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
00000046   • 2 children = function
00000047   • 2 isContentEditable
00000048   • 2 style = object
00000049   • 2 scrollLeft
00000050   • 2 clientWidth = 982
00000051   • 2 firstElementChild = object
00000052   • 2 scrollWidth = 982
00000053   • 2 clientLeft
00000054   • 2 offsetWidth = 966
```

0000055 • 2 **offsetLeft**
0000056 • 2 **clientTop**
0000057 • 2 **lastElementChild** = object
0000058 • 2 **offsetParent**
0000059 • 2 **nextElementSibling**
0000060 • 2 **tagName** = BODY
0000061 • 2 **previousElementSibling** = object
0000062 • 2 **clientHeight** = 662
0000063 • 2 **childElementCount** = 7
0000064 • 2 **offsetTop**
0000065 • 2 **offsetHeight** = 641
0000066 • 2 **scrollTop**
0000067 • 2 **scrollHeight** = 662
0000068 • 2 **previousSibling** = object
0000069 • 2 **parentNode** = object
0000070 • 2 **lastChild** = object
0000071 • 2 **baseURI** = file:///Volumes/Projects%
0000072 • 2 **firstChild** = object
0000073 • 2 **nodeValue**
0000074 • 2 **textContent** = Document Image
0000075 • 2 **nodeType** = 1
0000076 • 2 **nodeName** = BODY
0000077 • 2 **prefix**
0000078 • 2 **childNodes** = function
0000079 • 2 **nextSibling**
0000080 • 2 **attributes** = object
0000081 • 2 **ownerDocument** = object
0000082 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000083 • 2 **localName** = body
0000084 • 2 **parentElement** = object
0000085 • 2 **insertAdjacentElement** = function
0000086 • 2 **insertAdjacentHTML** = function
0000087 • 2 **insertAdjacentText** = function
0000088 • 2 **querySelector** = function
0000089 • 2 **hasAttribute** = function
0000090 • 2 **getAttributeNode** = function
0000091 • 2 **getAttributeNS** = function
0000092 • 2 **getElementsByTagNameNS** = function
0000093 • 2 **getElementsByClassName** = function
0000094 • 2 **removeAttributeNS** = function
0000095 • 2 **querySelectorAll** = function
0000096 • 2 **contains** = function
0000097 • 2 **getClientRects** = function
0000098 • 2 **scrollByPages** = function
0000099 • 2 **setAttributeNode** = function
0000100 • 2 **setAttributeNS** = function
0000101 • 2 **hasAttributeNS** = function
0000102 • 2 **blur** = function
0000103 • 2 **scrollIntoViewIfNeeded** = function
0000104 • 2 **setAttribute** = function
0000105 • 2 **scrollByLines** = function
0000106 • 2 **getElementsByTagName** = function
0000107 • 2 **removeAttribute** = function
0000108 • 2 **setAttributeNodeNS** = function
0000109 • 2 **getAttribute** = function
0000110 • 2 **removeAttributeNode** = function
0000111 • 2 **getAttributeNodeNS** = function
0000112 • 2 **focus** = function
0000113 • 2 **scrollIntoView** = function
0000114 • 2 **getBoundingClientRect** = function
0000115 • 2 **hasAttributes** = function
0000116 • 2 **NOTATION_NODE** = 12

```

0000117 • 2 CDATA_SECTION_NODE = 4
0000118 • 2 isSupported = function
0000119 • 2 ELEMENT_NODE = 1
0000120 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000121 • 2 isEqualNode = function
0000122 • 2 ENTITY_NODE = 6
0000123 • 2 TEXT_NODE = 3
0000124 • 2 ENTITY_REFERENCE_NODE = 5
0000125 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000126 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000127 • 2 cloneNode = function
0000128 • 2 dispatchEvent = function
0000129 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000130 • 2 isDefaultNamespace = function
0000131 • 2 insertBefore = function
0000132 • 2 removeChild = function
0000133 • 2 hasChildNodes = function
0000134 • 2 addEventListener = function
0000135 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000136 • 2 normalize = function
0000137 • 2 compareDocumentPosition = function
0000138 • 2 DOCUMENT_TYPE_NODE = 10
0000139 • 2 COMMENT_NODE = 8
0000140 • 2 replaceChild = function
0000141 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000142 • 2 removeEventListener = function
0000143 • 2 ATTRIBUTE_NODE = 2
0000144 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000145 • 2 DOCUMENT_NODE = 9
0000146 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000147 • 2 appendChild = function
0000148 • 2 isSameNode = function
0000149 • 2 lookupPrefix = function
0000150 • 2 lookupNamespaceURI = function lookupNamespaceU
0000151 1 dir
0000152 1 designMode = off
0000153 1 linkColor
0000154 1 documentElement = object
0000155 • 2 version
0000156 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000157 • 2 className
0000158 • 2 innerText = Document Image Div table
0000159 • 2 id
0000160 • 2 title
0000161 • 2 lang
0000162 • 2 dir
0000163 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000164 • 2 contentEditable = false
0000165 • 2 tabIndex = -1
0000166 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000167 • 2 children = function
0000168 • 2 isContentEditable
0000169 • 2 style = object
0000170 • 2 scrollLeft
0000171 • 2 clientWidth = 982
0000172 • 2 firstElementChild = object
0000173 • 2 scrollWidth = 982
0000174 • 2 clientLeft
0000175 • 2 offsetWidth = 982
0000176 • 2 offsetLeft
0000177 • 2 clientTop
0000178 • 2 lastElementChild = object

```

0000179 • 2 **offsetParent**
0000180 • 2 **nextElementSibling**
0000181 • 2 **tagName** = HTML
0000182 • 2 **previousElementSibling**
0000183 • 2 **clientHeight** = 662
0000184 • 2 **childElementCount** = 2
0000185 • 2 **offsetTop**
0000186 • 2 **offsetHeight** = 662
0000187 • 2 **scrollTop**
0000188 • 2 **scrollHeight** = 662
0000189 • 2 **previousSibling** = object
0000190 • 2 **parentNode** = object
0000191 • 2 **lastChild** = object
0000192 • 2 **baseURI** = file:///Volumes/Projects%
0000193 • 2 **firstChild** = object
0000194 • 2 **nodeValue**
0000195 • 2 **textContent** = Blady Property Pars
0000196 • 2 **nodeType** = 1
0000197 • 2 **nodeName** = HTML
0000198 • 2 **prefix**
0000199 • 2 **childNodes** = function
0000200 • 2 **nextSibling**
0000201 • 2 **attributes** = object
0000202 • 2 **ownerDocument**
0000203 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000204 • 2 **localName** = html
0000205 • 2 **parentElement**
0000206 • 2 **insertAdjacentElement** = function
0000207 • 2 **insertAdjacentHTML** = function
0000208 • 2 **insertAdjacentText** = function
0000209 • 2 **querySelector** = function
0000210 • 2 **hasAttribute** = function
0000211 • 2 **getAttributeNode** = function
0000212 • 2 **getAttributeNS** = function
0000213 • 2 **getElementsByTagNameNS** = function
0000214 • 2 **getElementsByClassName** = function
0000215 • 2 **removeAttributeNS** = function
0000216 • 2 **querySelectorAll** = function
0000217 • 2 **contains** = function
0000218 • 2 **getClientRects** = function
0000219 • 2 **scrollByPages** = function
0000220 • 2 **setAttributeNode** = function
0000221 • 2 **setAttributeNS** = function
0000222 • 2 **hasAttributeNS** = function
0000223 • 2 **blur** = function
0000224 • 2 **scrollIntoViewIfNeeded** = function
0000225 • 2 **setAttribute** = function
0000226 • 2 **scrollByLines** = function
0000227 • 2 **getElementsByTagName** = function
0000228 • 2 **removeAttribute** = function
0000229 • 2 **setAttributeNodeNS** = function
0000230 • 2 **getAttribute** = function
0000231 • 2 **removeAttributeNode** = function
0000232 • 2 **getAttributeNodeNS** = function
0000233 • 2 **focus** = function
0000234 • 2 **scrollIntoView** = function
0000235 • 2 **getBoundingClientRect** = function
0000236 • 2 **hasAttributes** = function
0000237 • 2 **isSupported** = function
0000238 • 2 **isEqualNode** = function
0000239 • 2 **cloneNode** = function
0000240 • 2 **dispatchEvent** = function

```

0000241 • 2 isDefaultNamespace = function
0000242 • 2 insertBefore = function
0000243 • 2 removeChild = function
0000244 • 2 hasChildNodes = function
0000245 • 2 addEventListener = function
0000246 • 2 normalize = function
0000247 • 2 compareDocumentPosition = function
0000248 • 2 replaceChild = function
0000249 • 2 removeEventListener = function
0000250 • 2 appendChild = function
0000251 • 2 isSameNode = function
0000252 • 2 lookupPrefix = function
0000253 • 2 lookupNamespaceURI = function lookupNamespaceU
0000254 • 2 NOTATION_NODE = 12
0000255 • 2 CDATA_SECTION_NODE = 4
0000256 • 2 ELEMENT_NODE = 1
0000257 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000258 • 2 ENTITY_NODE = 6
0000259 • 2 TEXT_NODE = 3
0000260 • 2 ENTITY_REFERENCE_NODE = 5
0000261 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000262 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000263 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000264 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000265 • 2 DOCUMENT_TYPE_NODE = 10
0000266 • 2 COMMENT_NODE = 8
0000267 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000268 • 2 ATTRIBUTE_NODE = 2
0000269 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000270 • 2 DOCUMENT_NODE = 9
0000271 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000272 1 preferredStylesheetSet
0000273 1 xmlVersion
0000274 1 location = object
0000275 • 2 hostname
0000276 • 2 hash
0000277 • 2 href = file:///Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility
routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000278 • 2 protocol = file:
0000279 • 2 port
0000280 • 2 host
0000281 • 2 pathname = /Volumes/Projects HD/Actions folder/Action Plug-ins DW/Utility
routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000282 • 2 search
0000283 • 2 assign = function
0000284 • 2 reload = function
0000285 • 2 replace = function
0000286 1 xmlEncoding
0000287 1 implementation = object
0000288 • 2 createDocument = function
0000289 • 2 createDocumentType = function
0000290 • 2 hasFeature = function
0000291 • 2 createHTMLDocument = function
0000292 • 2 createCSSStyleSheet = function
0000293 1 referrer
0000294 1 defaultView%5Bobject%20DOMWindow%5D
0000295 • 2 WBPropertyParser = function
0000296 • 2 PPGetValues = function
0000297 • 2 PPCloseWindow = function
0000298 • 2 PPisE
0000299 • 2 PPisNav = true
0000300 • 2 PPFindImageObject = function

```

0000301 • 2 **document** = object
0000302 • 2 **PPFindLayerObject** = function
0000303 • 2 **PPpropertyErrors** = List of all properties errors found:

0000304 • 2 **PPPprepareNumber** = function
0000305 • 2 **PPpropertyList**
0000306 • 2 **PPGetObject** = function
0000307 • 2 **PPDisplay** = function
0000308 • 2 **window** = object
0000309 • 2 **PPaction** = object
0000310 • 2 **PPwindow**
0000311 • 2 **WBPropertyParser_API** = function
0000312 • 2 **PPisOpera**
0000313 • 2 **PPisMSIE**
0000314 • 2 **EvalError** = function
0000315 • 2 **RangeError** = function
0000316 • 2 **ReferenceError** = function
0000317 • 2 **SyntaxError** = function
0000318 • 2 **TypeError** = function
0000319 • 2 **URIError** = function URIError() {
0000320 • 2 **frames** = object
0000321 • 2 **HTMLBodyElement** = object
0000322 • 2 **onseeking**
0000323 • 2 **menubar** = object
0000324 • 2 **onended**
0000325 • 2 **onsuspend**
0000326 • 2 **pageXOffset**
0000327 • 2 **length**
0000328 • 2 **CSSPrimitiveValue** = object
0000329 • 2 **frameElement**
0000330 • 2 **HTMLMenuElement** = object
0000331 • 2 **NodeFilter** = object
0000332 • 2 **MouseEvent** = object
0000333 • 2 **TextEvent** = object
0000334 • 2 **onreset**
0000335 • 2 **HTMLQuoteElement** = object
0000336 • 2 **onwebkitanimationiteration**
0000337 • 2 **WebKitPoint** = object
0000338 • 2 **HTMLIsIndexElement** = object
0000339 • 2 **XMLHttpRequestUpload** = object
0000340 • 2 **CSSCharsetRule** = object
0000341 • 2 **HTMLAppletElement** = object
0000342 • 2 **HTMLCollection** = object
0000343 • 2 **statusbar** = object
0000344 • 2 **XMLHttpRequestException** = object
0000345 • 2 **HTMLStyleElement** = object
0000346 • 2 **ondragleave**
0000347 • 2 **DOMException** = object
0000348 • 2 **HTMLFrameSetElement** = object
0000349 • 2 **clientInformation** = object
0000350 • 2 **localStorage** = object
0000351 • 2 **onloadedmetadata**
0000352 • 2 **HTMLUListElement** = object
0000353 • 2 **CharacterData** = object
0000354 • 2 **name**
0000355 • 2 **ondragstart**
0000356 • 2 **HTMLLegendElement** = object
0000357 • 2 **XPathResult** = object
0000358 • 2 **HTMLPreElement** = object
0000359 • 2 **onkeydown**
0000360 • 2 **onwebkitanimationstart**

0000361 • 2 **ondblclick**
0000362 • 2 **XSLTProcessor** = object
0000363 • 2 **CSSRuleList** = object
0000364 • 2 **onmousemove**
0000365 • 2 **WebKitTransitionEvent** = object
0000366 • 2 **outerHeight** = 734
0000367 • 2 **CSSVariablesDeclaration** = object
0000368 • 2 **ondragend**
0000369 • 2 **history** = object
0000370 • 2 **SVGUnitTypes** = object
0000371 • 2 **top** = object
0000372 • 2 **parent** = object
0000373 • 2 **TextMetrics** = object
0000374 • 2 **ClientRectList** = object
0000375 • 2 **HTMLButtonElement** = object
0000376 • 2 **onunload**
0000377 • 2 **HTMLMapElement** = object
0000378 • 2 **scrollY**
0000379 • 2 **Plugin** = object
0000380 • 2 **CSSStyleSheet** = object
0000381 • 2 **ondrag**
0000382 • 2 **Attr** = object
0000383 • 2 **EntityReference** = object
0000384 • 2 **HTMLTableCaptionElement** = object
0000385 • 2 **HTMLObjectElement** = object
0000386 • 2 **self** = object
0000387 • 2 **MutationEvent** = object
0000388 • 2 **pageYOffset**
0000389 • 2 **HTMLInputElement** = object
0000390 • 2 **screenLeft**
0000391 • 2 **onkeyup**
0000392 • 2 **HTMLScriptElement** = object
0000393 • 2 **onmousewheel**
0000394 • 2 **onstorage**
0000395 • 2 **HTMLListElement** = object
0000396 • 2 **HTMLCanvasElement** = object
0000397 • 2 **CSSFontFaceRule** = object
0000398 • 2 **XMLDocument** = object
0000399 • 2 **HTMLBRElement** = object
0000400 • 2 **CSSStyleRule** = object
0000401 • 2 **HTMLFontElement** = object
0000402 • 2 **HTMLTitleElement** = object
0000403 • 2 **Node** = object
0000404 • 2 **HTMLTableSectionElement** = object
0000405 • 2 **Text** = object
0000406 • 2 **onclick**
0000407 • 2 **HTMLOptionElement** = object
0000408 • 2 **File** = object
0000409 • 2 **onvolumechange**
0000410 • 2 **StyleSheetList** = object
0000411 • 2 **Range** = object
0000412 • 2 **onmouseover**
0000413 • 2 **HTMLAnchorElement** = object
0000414 • 2 **innerHeight** = 662
0000415 • 2 **onplaying**
0000416 • 2 **CSSMediaRule** = object
0000417 • 2 **HTMLEmbedElement** = object
0000418 • 2 **NodeList** = object
0000419 • 2 **SVGMarkerElement** = object
0000420 • 2 **onmouseup**
0000421 • 2 **WebKitAnimationEvent** = object
0000422 • 2 **SVGColor** = object

0000423 • 2 **HTMLParamElement** = object
0000424 • 2 **offscreenBuffering** = true
0000425 • 2 **HTMLTextAreaElement** = object
0000426 • 2 **onratechange**
0000427 • 2 **locationbar** = object
0000428 • 2 **SVGLength** = object
0000429 • 2 **KeyboardEvent** = object
0000430 • 2 **MimeTypeArray** = object
0000431 • 2 **ondragover**
0000432 • 2 **HTMLDivElement** = object
0000433 • 2 **HTMLBaseElement** = object
0000434 • 2 **HTMLBaseFontElement** = object
0000435 • 2 **onsubmit**
0000436 • 2 **HTMLIFrameElement** = object
0000437 • 2 **HTMLBlockquoteElement** = object
0000438 • 2 **HTMLAudioElement** = object
0000439 • 2 **SVGPreserveAspectRatio** = object
0000440 • 2 **HTMLLIElement** = object
0000441 • 2 **SVGAngle** = object
0000442 • 2 **location** = object
0000443 • 2 **onstalled**
0000444 • 2 **scrollbars** = object
0000445 • 2 **HTMLMarqueeElement** = object
0000446 • 2 **SVGPaint** = object
0000447 • 2 **Entity** = object
0000448 • 2 **onprogress**
0000449 • 2 **onwaiting**
0000450 • 2 **HTMLModElement** = object
0000451 • 2 **HTMLFormElement** = object
0000452 • 2 **opener**
0000453 • 2 **ontimeupdate**
0000454 • 2 **onfocus**
0000455 • 2 **outerWidth** = 982
0000456 • 2 **onplay**
0000457 • 2 **HTMLHeadElement** = object
0000458 • 2 **ondurationchange**
0000459 • 2 **oncanplay**
0000460 • 2 **onemptied**
0000461 • 2 **MimeType** = object
0000462 • 2 **HTMLImageElement** = object
0000463 • 2 **CDATASection** = object
0000464 • 2 **closed**
0000465 • 2 **event** = object
0000466 • 2 **DOMParser** = object
0000467 • 2 **CSSValueList** = object
0000468 • 2 **navigator** = object
0000469 • 2 **screen** = object
0000470 • 2 **FileList** = object
0000471 • 2 **sessionStorage** = object
0000472 • 2 **ProcessingInstruction** = object
0000473 • 2 **ononline**
0000474 • 2 **oncontextmenu**
0000475 • 2 **RangeException** = object
0000476 • 2 **onoffline**
0000477 • 2 **WheelEvent** = object
0000478 • 2 **onresize**
0000479 • 2 **Storage** = object
0000480 • 2 **innerWidth** = 982
0000481 • 2 **Rect** = object
0000482 • 2 **MessageEvent** = object
0000483 • 2 **StorageEvent** = object
0000484 • 2 **HTMLElement** = object

0000485 • 2 onsearch
0000486 • 2 onseeked
0000487 • 2 Counter = object
0000488 • 2 NamedNodeMap = object
0000489 • 2 HTMLOptGroupElement = object
0000490 • 2 HTMLHeadingElement = object
0000491 • 2 Worker = object
0000492 • 2 ondragenter
0000493 • 2 onmessage
0000494 • 2 onblur
0000495 • 2 HTMLParagraphElement = object
0000496 • 2 HTMLFieldSetElement = object
0000497 • 2 ondrop
0000498 • 2 personalbar = object
0000499 • 2 HTMLSelectElement = object
0000500 • 2 OverflowEvent = object
0000501 • 2 XPathException = object
0000502 • 2 oncanplaythrough
0000503 • 2 ProgressEvent = object
0000504 • 2 status
0000505 • 2 onselect
0000506 • 2 onpause
0000507 • 2 MediaError = object
0000508 • 2 HTMLFrameElement = object
0000509 • 2 CSSRule = object
0000510 • 2 devicePixelRatio = 1
0000511 • 2 CSSStyleDeclaration = object
0000512 • 2 WebKitCSSTransformValue = object
0000513 • 2 HTMLTableRowElement = object
0000514 • 2 HTMLDirectoryElement = object
0000515 • 2 Option = object
0000516 • 2 Image = object
0000517 • 2 onloadeddata
0000518 • 2 WebKitCSSKeyframesRule = object
0000519 • 2 scrollX
0000520 • 2 onwebkittransitionend
0000521 • 2 screenY = 22
0000522 • 2 onkeypress
0000523 • 2 toolbar = object
0000524 • 2 SVGTextContentElement = object
0000525 • 2 HTMLAreaElement = object
0000526 • 2 Event = object
0000527 • 2 screenTop = 22
0000528 • 2 Element = object
0000529 • 2 Audio = object
0000530 • 2 DocumentType = object
0000531 • 2 crypto
0000532 • 2 UIEvent = object
0000533 • 2 EventException = object
0000534 • 2 defaultStatus
0000535 • 2 onwebkitanimationend
0000536 • 2 screenX
0000537 • 2 SVGTransform = object
0000538 • 2 HTMLHRElement = object
0000539 • 2 CSSImportRule = object
0000540 • 2 defaultstatus
0000541 • 2 DocumentFragment = object
0000542 • 2 applicationCache = object
0000543 • 2 CSSPageRule = object
0000544 • 2 onload
0000545 • 2 onerror
0000546 • 2 XPathEvaluator = object

0000547 • 2 **onchange**
0000548 • 2 **MediaList** = object
0000549 • 2 **console** = object
0000550 • 2 **onabort**
0000551 • 2 **onbeforeunload**
0000552 • 2 **oninput**
0000553 • 2 **onloadstart**
0000554 • 2 **onmousedown**
0000555 • 2 **onmouseout**
0000556 • 2 **onscroll**
0000557 • 2 **StyleSheet** = object
0000558 • 2 **CSSValue** = object
0000559 • 2 **CSSVariablesRule** = object
0000560 • 2 **DOMImplementation** = object
0000561 • 2 **Document**
0000562 • 2 **Comment** = object
0000563 • 2 **Notation** = object
0000564 • 2 **HTMLDocument** = object
0000565 • 2 **HTMLListElement** = object
0000566 • 2 **HTMLHtmlElement** = object
0000567 • 2 **HTMLLabelElement** = object
0000568 • 2 **HTMLLinkElement** = object
0000569 • 2 **HTMLMetaElement** = object
0000570 • 2 **HTMLTableCellElement** = object
0000571 • 2 **HTMLTableColElement** = object
0000572 • 2 **HTMLTableElement** = object
0000573 • 2 **WebKitCSSKeyframeRule** = object
0000574 • 2 **WebKitCSSMatrix** = object
0000575 • 2 **Clipboard** = object
0000576 • 2 **XMLSerializer** = object
0000577 • 2 **XMLHttpRequest** = object
0000578 • 2 **PluginArray** = object
0000579 • 2 **ClientRect** = object
0000580 • 2 **HTMLMediaElement** = object
0000581 • 2 **HTMLVideoElement** = object
0000582 • 2 **SVGException** = object
0000583 • 2 **SVGGradientElement** = object
0000584 • 2 **SVGPathSeg** = object
0000585 • 2 **SVGRenderingIntent** = object
0000586 • 2 **SVGTextPathElement** = object
0000587 • 2 **moveBy** = function
0000588 • 2 **find** = function
0000589 • 2 **resizeTo** = function
0000590 • 2 **clearTimeout** = function
0000591 • 2 **btoa** = function
0000592 • 2 **getComputedStyle** = function
0000593 • 2 **setTimeout** = function
0000594 • 2 **scrollBy** = function
0000595 • 2 **print** = function
0000596 • 2 **resizeBy** = function
0000597 • 2 **atob** = function
0000598 • 2 **openDatabase** = function
0000599 • 2 **moveTo** = function
0000600 • 2 **scroll** = function
0000601 • 2 **confirm** = function
0000602 • 2 **getMatchedCSSRules** = function
0000603 • 2 **showModalDialog** = function
0000604 • 2 **close** = function
0000605 • 2 **clearInterval** = function
0000606 • 2 **webkitConvertPointFromNodeToPage** = function
0000607 • 2 **open** = function
0000608 • 2 **prompt** = function

0000609 • 2 **focus** = function
0000610 • 2 **blur** = function
0000611 • 2 **scrollTo** = function
0000612 • 2 **removeEventListener** = function
0000613 • 2 **postMessage** = function
0000614 • 2 **setInterval** = function
0000615 • 2 **getSelection** = function
0000616 • 2 **alert** = function
0000617 • 2 **stop** = function
0000618 • 2 **webkitConvertPointFromPageToNode** = function
0000619 • 2 **addEventListener** = function
0000620 • 2 **dispatchEvent** = function
0000621 • 2 **captureEvents** = function
0000622 • 2 **releaseEvents** = function
0000623 1 **domain**
0000624 1 **lastModified**
0000625 1 **anchors** = function
0000626 • 2 **length**
0000627 • 2 **namedItem** = function
0000628 • 2 **tags** = function
0000629 • 2 **item** = function
0000630 1 **applets** = function
0000631 • 2 **length**
0000632 • 2 **namedItem** = function
0000633 • 2 **tags** = function
0000634 • 2 **item** = function
0000635 1 **doctype** = object
0000636 • 2 **publicId** = `-/W3C//DTD HTML 4.01 Transitional//EN`
0000637 • 2 **notations**
0000638 • 2 **name** = html
0000639 • 2 **entities**
0000640 • 2 **systemId**
0000641 • 2 **internalSubset**
0000642 • 2 **previousSibling**
0000643 • 2 **parentNode** = object
0000644 • 2 **lastChild**
0000645 • 2 **baseURI**
0000646 • 2 **firstChild**
0000647 • 2 **nodeValue**
0000648 • 2 **textContent**
0000649 • 2 **nodeType** = 10
0000650 • 2 **nodeName** = html
0000651 • 2 **prefix**
0000652 • 2 **childNodes** = function
0000653 • 2 **nextSibling** = object
0000654 • 2 **attributes**
0000655 • 2 **ownerDocument**
0000656 • 2 **namespaceURI**
0000657 • 2 **localName**
0000658 • 2 **parentElement**
0000659 • 2 **hasAttributes** = function
0000660 • 2 **isSupported** = function
0000661 • 2 **isEqualNode** = function
0000662 • 2 **cloneNode** = function
0000663 • 2 **dispatchEvent** = function
0000664 • 2 **isDefaultNamespace** = function
0000665 • 2 **insertBefore** = function
0000666 • 2 **removeChild** = function
0000667 • 2 **hasChildNodes** = function
0000668 • 2 **addEventListener** = function
0000669 • 2 **normalize** = function
0000670 • 2 **compareDocumentPosition** = function

```

0000671 • 2 replaceChild = function
0000672 • 2 removeEventListener = function
0000673 • 2 appendChild = function
0000674 • 2 isSameNode = function
0000675 • 2 lookupPrefix = function
0000676 • 2 lookupNamespaceURI = function lookupNamespaceU
0000677 • 2 NOTATION_NODE = 12
0000678 • 2 CDATA_SECTION_NODE = 4
0000679 • 2 ELEMENT_NODE = 1
0000680 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000681 • 2 ENTITY_NODE = 6
0000682 • 2 TEXT_NODE = 3
0000683 • 2 ENTITY_REFERENCE_NODE = 5
0000684 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000685 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000686 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000687 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000688 • 2 DOCUMENT_TYPE_NODE = 10
0000689 • 2 COMMENT_NODE = 8
0000690 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000691 • 2 ATTRIBUTE_NODE = 2
0000692 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000693 • 2 DOCUMENT_NODE = 9
0000694 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000695 1 images = function
0000696 • 2 length = 1
0000697 • 2 namedItem = function
0000698 • 2 tags = function
0000699 • 2 item = function
0000700 1 forms = function
0000701 • 2 length
0000702 • 2 namedItem = function
0000703 • 2 tags = function
0000704 • 2 item = function
0000705 1 charset = ISO-8859-1
0000706 1 styleSheets%5Bobject%20StyleSheetList%5D
0000707 • 2 length = 1
0000708 • 2 item = function
0000709 1 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-
ins%20DW/Utility%20routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000710 1 readyState = complete
0000711 1 selectedStylesheetSet
0000712 1 characterSet = ISO-8859-1
0000713 1 title = Blady Property Parser
0000714 1 cookie
0000715 1 body = object
0000716 • 2 bgColor = #ffffff
0000717 • 2 aLink
0000718 • 2 text
0000719 • 2 vLink
0000720 • 2 background
0000721 • 2 link
0000722 • 2 outerHTML = %3Cbody%20bgcolor%3D%22%23ffffff%22%3E%0A
0000723 • 2 className
0000724 • 2 innerText = Document Image Div table
0000725 • 2 id
0000726 • 2 title
0000727 • 2 lang
0000728 • 2 dir
0000729 • 2 innerHTML = %0A%20%20%20%20%3Cspan%20class%3D%22style3%22
0000730 • 2 contentEditable = false
0000731 • 2 tabIndex = -1

```

0000732 • 2 **outerText** = Document%0AImage%0ADiv%0Atable%0A
0000733 • 2 **children** = function
0000734 • 2 **isContentEditable**
0000735 • 2 **style** = object
0000736 • 2 **scrollLeft**
0000737 • 2 **clientWidth** = 982
0000738 • 2 **firstElementChild** = object
0000739 • 2 **scrollWidth** = 982
0000740 • 2 **clientLeft**
0000741 • 2 **offsetWidth** = 966
0000742 • 2 **offsetLeft**
0000743 • 2 **clientTop**
0000744 • 2 **lastElementChild** = object
0000745 • 2 **offsetParent**
0000746 • 2 **nextElementSibling**
0000747 • 2 **tagName** = BODY
0000748 • 2 **previousElementSibling** = object
0000749 • 2 **clientHeight** = 662
0000750 • 2 **childElementCount** = 7
0000751 • 2 **offsetTop**
0000752 • 2 **offsetHeight** = 641
0000753 • 2 **scrollTop**
0000754 • 2 **scrollHeight** = 662
0000755 • 2 **previousSibling** = object
0000756 • 2 **parentNode** = object
0000757 • 2 **lastChild** = object
0000758 • 2 **baseURI** = file:///Volumes/Projects%
0000759 • 2 **firstChild** = object
0000760 • 2 **nodeValue**
0000761 • 2 **textContent** = Document Image
0000762 • 2 **nodeType** = 1
0000763 • 2 **nodeName** = BODY
0000764 • 2 **prefix**
0000765 • 2 **childNodes** = function
0000766 • 2 **nextSibling**
0000767 • 2 **attributes** = object
0000768 • 2 **ownerDocument**
0000769 • 2 **namespaceURI** = http://www.w3.org/1999/xh
0000770 • 2 **localName** = body
0000771 • 2 **parentElement** = object
0000772 • 2 **insertAdjacentElement** = function
0000773 • 2 **insertAdjacentHTML** = function
0000774 • 2 **insertAdjacentText** = function
0000775 • 2 **querySelector** = function
0000776 • 2 **hasAttribute** = function
0000777 • 2 **getAttributeNode** = function
0000778 • 2 **getAttributeNS** = function
0000779 • 2 **getElementsByTagNameNS** = function
0000780 • 2 **getElementsByClassName** = function
0000781 • 2 **removeAttributeNS** = function
0000782 • 2 **querySelectorAll** = function
0000783 • 2 **contains** = function
0000784 • 2 **getClientRects** = function
0000785 • 2 **scrollByPages** = function
0000786 • 2 **setAttributeNode** = function
0000787 • 2 **setAttributeNS** = function
0000788 • 2 **hasAttributeNS** = function
0000789 • 2 **blur** = function
0000790 • 2 **scrollIntoViewIfNeeded** = function
0000791 • 2 **setAttribute** = function
0000792 • 2 **scrollByLines** = function
0000793 • 2 **getElementsByTagName** = function

```

0000794 • 2 removeAttribute = function
0000795 • 2 setAttributeNodeNS = function
0000796 • 2 getAttribute = function
0000797 • 2 removeAttributeNode = function
0000798 • 2 getAttributeNodeNS = function
0000799 • 2 focus = function
0000800 • 2 scrollIntoView = function
0000801 • 2 getBoundingClientRect = function
0000802 • 2 hasAttributes = function
0000803 • 2 isSupported = function
0000804 • 2 isEqualNode = function
0000805 • 2 cloneNode = function
0000806 • 2 dispatchEvent = function
0000807 • 2 isDefaultNamespace = function
0000808 • 2 insertBefore = function
0000809 • 2 removeChild = function
0000810 • 2 hasChildNodes = function
0000811 • 2 addEventListener = function
0000812 • 2 normalize = function
0000813 • 2 compareDocumentPosition = function
0000814 • 2 replaceChild = function
0000815 • 2 removeEventListener = function
0000816 • 2 appendChild = function
0000817 • 2 isSameNode = function
0000818 • 2 lookupPrefix = function
0000819 • 2 lookupNamespaceURI = function lookupNamespaceU
0000820 • 2 NOTATION_NODE = 12
0000821 • 2 CDATA_SECTION_NODE = 4
0000822 • 2 ELEMENT_NODE = 1
0000823 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000824 • 2 ENTITY_NODE = 6
0000825 • 2 TEXT_NODE = 3
0000826 • 2 ENTITY_REFERENCE_NODE = 5
0000827 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000828 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000829 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000830 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000831 • 2 DOCUMENT_TYPE_NODE = 10
0000832 • 2 COMMENT_NODE = 8
0000833 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000834 • 2 ATTRIBUTE_NODE = 2
0000835 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000836 • 2 DOCUMENT_NODE = 9
0000837 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000838 1 inputEncoding = ISO-8859-1
0000839 1 xmlStandalone
0000840 1 documentURI = file:///Volumes/Projects%
0000841 1 defaultCharset = ISO-8859-1
0000842 1 links = function
0000843 • 2 length = 4
0000844 • 2 namedItem = function
0000845 • 2 tags = function
0000846 • 2 item = function
0000847 1 previousSibling
0000848 1 parentNode
0000849 1 lastChild = object
0000850 • 2 version
0000851 • 2 outerHTML = %3Chtml%3E%3Chead%3E%0A%09%09%3Cmeta%20http
0000852 • 2 className
0000853 • 2 innerText = Document Image Div table
0000854 • 2 id
0000855 • 2 title

```

0000856 • 2 lang
0000857 • 2 dir
0000858 • 2 innerHTML = %3Chead%3E%0A%09%09%3Cmeta%20http-equiv
0000859 • 2 contentEditable = false
0000860 • 2 tabIndex = -1
0000861 • 2 outerText = Document%0AImage%0ADiv%0Atable%0A
0000862 • 2 children = function
0000863 • 2 isContentEditable
0000864 • 2 style = object
0000865 • 2 scrollLeft
0000866 • 2 clientWidth = 982
0000867 • 2 firstElementChild = object
0000868 • 2 scrollWidth = 982
0000869 • 2 clientLeft
0000870 • 2 offsetWidth = 982
0000871 • 2 offsetLeft
0000872 • 2 clientTop
0000873 • 2 lastElementChild = object
0000874 • 2 offsetParent
0000875 • 2 nextElementSibling
0000876 • 2 tagName = HTML
0000877 • 2 previousElementSibling
0000878 • 2 clientHeight = 662
0000879 • 2 childElementCount = 2
0000880 • 2 offsetTop
0000881 • 2 offsetHeight = 662
0000882 • 2 scrollTop
0000883 • 2 scrollHeight = 662
0000884 • 2 previousSibling = object
0000885 • 2 parentNode = object
0000886 • 2 lastChild = object
0000887 • 2 baseURI = file:///Volumes/Projects%
0000888 • 2 firstChild = object
0000889 • 2 nodeValue
0000890 • 2 textContent = Blady Property Pars
0000891 • 2.nodeType = 1
0000892 • 2 nodeName = HTML
0000893 • 2 prefix
0000894 • 2 childNodes = function
0000895 • 2 nextSibling
0000896 • 2 attributes = object
0000897 • 2 ownerDocument
0000898 • 2 namespaceURI = http://www.w3.org/1999/xh
0000899 • 2 localName = html
0000900 • 2 parentElement
0000901 • 2 insertAdjacentElement = function
0000902 • 2 insertAdjacentHTML = function
0000903 • 2 insertAdjacentText = function
0000904 • 2 querySelector = function
0000905 • 2 hasAttribute = function
0000906 • 2 getAttributeNode = function
0000907 • 2 getAttributeNS = function
0000908 • 2 getElementsByTagNameNS = function
0000909 • 2 getElementsByClassName = function
0000910 • 2 removeAttributeNS = function
0000911 • 2 querySelectorAll = function
0000912 • 2 contains = function
0000913 • 2 getClientRects = function
0000914 • 2 scrollByPages = function
0000915 • 2 setAttributeNode = function
0000916 • 2 setAttributeNS = function
0000917 • 2 hasAttributeNS = function

```

0000918 • 2 blur = function
0000919 • 2 scrollIntoViewIfNeeded = function
0000920 • 2 setAttribute = function
0000921 • 2 scrollByLines = function
0000922 • 2 getElementsByTagName = function
0000923 • 2 removeAttribute = function
0000924 • 2 setAttributeNodeNS = function
0000925 • 2 getAttribute = function
0000926 • 2 removeAttributeNode = function
0000927 • 2 getAttributeNodeNS = function
0000928 • 2 focus = function
0000929 • 2 scrollIntoView = function
0000930 • 2 getBoundingClientRect = function
0000931 • 2 hasAttributes = function
0000932 • 2 isSupported = function
0000933 • 2 isEqualNode = function
0000934 • 2 cloneNode = function
0000935 • 2 dispatchEvent = function
0000936 • 2 isDefaultNamespace = function
0000937 • 2 insertBefore = function
0000938 • 2 removeChild = function
0000939 • 2 hasChildNodes = function
0000940 • 2 addEventListener = function
0000941 • 2 normalize = function
0000942 • 2 compareDocumentPosition = function
0000943 • 2 replaceChild = function
0000944 • 2 removeEventListener = function
0000945 • 2 appendChild = function
0000946 • 2 isSameNode = function
0000947 • 2 lookupPrefix = function
0000948 • 2 lookupNamespaceURI = function lookupNamespaceU
0000949 • 2 NOTATION_NODE = 12
0000950 • 2 CDATA_SECTION_NODE = 4
0000951 • 2 ELEMENT_NODE = 1
0000952 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000953 • 2 ENTITY_NODE = 6
0000954 • 2 TEXT_NODE = 3
0000955 • 2 ENTITY_REFERENCE_NODE = 5
0000956 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000957 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000958 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000959 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000960 • 2 DOCUMENT_TYPE_NODE = 10
0000961 • 2 COMMENT_NODE = 8
0000962 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000963 • 2 ATTRIBUTE_NODE = 2
0000964 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000965 • 2 DOCUMENT_NODE = 9
0000966 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000967 1 baseURI = file:///Volumes/Projects%
0000968 1 firstChild = object
0000969 • 2 publicId = -//W3C//DTD HTML 4.01 Transitional//EN
0000970 • 2 notations
0000971 • 2 name = html
0000972 • 2 entities
0000973 • 2 systemId
0000974 • 2 internalSubset
0000975 • 2 previousSibling
0000976 • 2 parentNode = object
0000977 • 2 lastChild
0000978 • 2 baseURI
0000979 • 2 firstChild

```

```

0000980 • 2 nodeValue
0000981 • 2 textContent
0000982 • 2 nodeType = 10
0000983 • 2 nodeName = html
0000984 • 2 prefix
0000985 • 2 childNodes = function
0000986 • 2 nextSibling = object
0000987 • 2 attributes
0000988 • 2 ownerDocument
0000989 • 2 namespaceURI
0000990 • 2 localName
0000991 • 2 parentElement
0000992 • 2 hasAttributes = function
0000993 • 2 isSupported = function
0000994 • 2 isEqualNode = function
0000995 • 2 cloneNode = function
0000996 • 2 dispatchEvent = function
0000997 • 2 isDefaultNamespace = function
0000998 • 2 insertBefore = function
0000999 • 2 removeChild = function
0001000 • 2 hasChildNodes = function
0001001 • 2 addEventListener = function
0001002 • 2 normalize = function
0001003 • 2 compareDocumentPosition = function
0001004 • 2 replaceChild = function
0001005 • 2 removeEventListener = function
0001006 • 2 appendChild = function
0001007 • 2 isSameNode = function
0001008 • 2 lookupPrefix = function
0001009 • 2 lookupNamespaceURI = function lookupNamespaceU
0001010 • 2 NOTATION_NODE = 12
0001011 • 2 CDATA_SECTION_NODE = 4
0001012 • 2 ELEMENT_NODE = 1
0001013 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0001014 • 2 ENTITY_NODE = 6
0001015 • 2 TEXT_NODE = 3
0001016 • 2 ENTITY_REFERENCE_NODE = 5
0001017 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0001018 • 2 DOCUMENT_FRAGMENT_NODE = 11
0001019 • 2 PROCESSING_INSTRUCTION_NODE = 7
0001020 • 2 DOCUMENT_POSITION_PRECEDING = 2
0001021 • 2 DOCUMENT_TYPE_NODE = 10
0001022 • 2 COMMENT_NODE = 8
0001023 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0001024 • 2 ATTRIBUTE_NODE = 2
0001025 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0001026 • 2 DOCUMENT_NODE = 9
0001027 • 2 DOCUMENT_POSITION_CONTAINS = 8
0001028 1 nodeValue
0001029 1 textContent
0001030 1 nodeType = 9
0001031 1 nodeName = #document
0001032 1 prefix
0001033 1 childNodes = function
0001034 • 2 length = 2
0001035 • 2 item = function
0001036 1 nextSibling
0001037 1 attributes
0001038 1 ownerDocument
0001039 1 namespaceURI
0001040 1 localName
0001041 1 parentElement

```

0001042 1 **hasFocus** = function
0001043 1 **captureEvents** = function
0001044 1 **writeln** = function
0001045 1 **close** = function
0001046 1 **clear** = function
0001047 1 **releaseEvents** = function
0001048 1 **open** = function
0001049 1 **write** = function
0001050 1 **getElementById** = function
0001051 1 **getElementsByTagName** = function
0001052 1 **evaluate** = function
0001053 1 **createRange** = function
0001054 1 **createEvent** = function
0001055 1 **getCSSCanvasContext** = function
0001056 1 **createTextNode** = function
0001057 1 **createAttributeNS** = function
0001058 1 **createElement** = function
0001059 1 **importNode** = function
0001060 1 **createComment** = function
0001061 1 **createAttribute** = function
0001062 1 **queryCommandState** = function
0001063 1 **createNodeIterator** = function
0001064 1 **querySelector** = function
0001065 1 **createEntityReference** = function
0001066 1 **getOverrideStyle** = function
0001067 1 **createNSResolver** = function
0001068 1 **adoptNode** = function
0001069 1 **queryCommandEnabled** = function
0001070 1 **getElementsByTagNameNS** = function
0001071 1 **getElementsByClassName** = function
0001072 1 **createExpression** = function
0001073 1 **createProcessingInstruction** = function
0001074 1 **createElementNS** = function
0001075 1 **createDocumentFragment** = function
0001076 1 **createCDATASection** = function
0001077 1 **queryCommandIndeterm** = function
0001078 1 **queryCommandValue** = function
0001079 1 **getSelection** = function
0001080 1 **createTreeWalker** = function
0001081 1 **execCommand** = function
0001082 1 **queryCommandSupported** = function
0001083 1 **getElementsByName** = function
0001084 1 **elementFromPoint** = function
0001085 1 **querySelectorAll** = function
0001086 1 **hasAttributes** = function
0001087 1 **NOTATION_NODE** = 12
0001088 1 **CDATA_SECTION_NODE** = 4
0001089 1 **isSupported** = function
0001090 1 **ELEMENT_NODE** = 1
0001091 1 **DOCUMENT_POSITION_DISCONNECTED** = 1
0001092 1 **isEqualNode** = function
0001093 1 **ENTITY_NODE** = 6
0001094 1 **TEXT_NODE** = 3
0001095 1 **ENTITY_REFERENCE_NODE** = 5
0001096 1 **DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC** = 32
0001097 1 **DOCUMENT_FRAGMENT_NODE** = 11
0001098 1 **cloneNode** = function
0001099 1 **dispatchEvent** = function
0001100 1 **PROCESSING_INSTRUCTION_NODE** = 7
0001101 1 **isDefaultNamespace** = function
0001102 1 **insertBefore** = function
0001103 1 **removeChild** = function

```
0001104 1 hasChildNodes = function
0001105 1 addEventListener = function
0001106 1 DOCUMENT_POSITION_PRECEDING = 2
0001107 1 normalize = function
0001108 1 compareDocumentPosition = function
0001109 1 DOCUMENT_TYPE_NODE = 10
0001110 1 COMMENT_NODE = 8
0001111 1 replaceChild = function
0001112 1 DOCUMENT_POSITION_FOLLOWING = 4
0001113 1 removeEventListener = function
0001114 1 ATTRIBUTE_NODE = 2
0001115 1 DOCUMENT_POSITION_CONTAINED_BY = 16
0001116 1 DOCUMENT_NODE = 9
0001117 1 DOCUMENT_POSITION_CONTAINS = 8
0001118 1 appendChild = function
0001119 1 isSameNode = function
0001120 1 lookupPrefix = function
0001121 1 lookupNamespaceURI = function lookupNamespaceU
```