

```
0000001 1 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/CyberGallery_
cataloge_demo/pages/steelarT.jpg
0000002 1 vspace
0000003 1 hspace
0000004 1 y = 315
0000005 1 useMap
0000006 1 x = 15
0000007 1 complete = true
0000008 1 name = pix
0000009 1 isMap
0000010 1 longDesc
0000011 height = 101
0000012 1 lowsrc
0000013 1 naturalHeight= 101
0000014 1 border
0000015 1 alt
0000016 1 align
0000017 1 width = 102
0000018 1 naturalWidth = 102
0000019 1 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000020 1 className
0000021 1 innerText
0000022 1 id
0000023 1 title
0000024 1 lang
0000025 1 dir
0000026 1 innerHTML
0000027 1 contentEditable = false
0000028 1 tabIndex = -1
0000029 1 outerText
0000030 1 children = function
0000031   • 2 length
0000032   • 2 namedItem = function
0000033   • 2 tags = function
0000034   • 2 item = function
0000035 1 isContentEditable
0000036 1 style = object
0000037   • 2 length
0000038   • 2 cssText
0000039   • 2 parentRule
0000040   • 2 removeProperty = function
0000041   • 2 getPropertyPriority = function
0000042   • 2 getPropertyValue = function
0000043   • 2 getPropertyShorthand = function
0000044   • 2 getPropertyCSSValue = function
0000045   • 2 isPropertyImplicit = function
0000046   • 2 item = function
0000047   • 2 setProperty = function
0000048 1 scrollLeft
0000049 1 clientWidth = 102
0000050 1 firstElementChild
0000051 1 scrollWidth = 102
0000052 1 clientLeft
0000053 1 offsetWidth = 102
0000054 1 offsetLeft
0000055 1 clientTop
0000056 1 lastElementChild
0000057 1 offsetParent = object
0000058   • 2 align
0000059   • 2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000060   • 2 className
0000061   • 2 innerText
```

0000061 • 2 innerText
0000062 • 2 id = layer
0000063 • 2 title
0000064 • 2 lang
0000065 • 2 dir
0000066 • 2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000067 • 2 contentEditable = false
0000068 • 2 tabIndex = -1
0000069 • 2 outerText
0000070 • 2 children = function
0000071 • 2 isContentEditable
0000072 • 2 style = object
0000073 • 2 scrollLeft
0000074 • 2 clientWidth = 274
0000075 • 2 firstElementChild = object
0000076 • 2 scrollWidth = 274
0000077 • 2 clientLeft
0000078 • 2 offsetWidth = 274
0000079 • 2 offsetLeft = 15
0000080 • 2 clientTop
0000081 • 2 lastElementChild= object
0000082 • 2 offsetParent = object
0000083 • 2 nextElementSibling= object
0000084 • 2 tagName = DIV
0000085 • 2 previousElementSibling = object
0000086 • 2 clientHeight = 174
0000087 • 2 childElementCount= 1
0000088 • 2 offsetTop = 315
0000089 • 2 offsetHeight = 174
0000090 • 2 scrollTop
0000091 • 2 scrollHeight = 174
0000092 • 2 previousSibling = object
0000093 • 2 parentNode = object
0000094 • 2 lastChild = object
0000095 • 2 baseURI = file:///Volumes/Projects%
0000096 • 2 firstChild = object
0000097 • 2 nodeValue
0000098 • 2 textContent
0000099 • 2 nodeType = 1
0000100 • 2 nodeName = DIV
0000101 • 2 prefix
0000102 • 2 childNodes= function
0000103 • 2 nextSibling = object
0000104 • 2 attributes = object
0000105 • 2 ownerDocument= object
0000106 • 2 namespaceURI = http://www.w3.org/1999/xh
0000107 • 2 localName = div
0000108 • 2 parentElement = object
0000109 • 2 insertAdjacentElement= function
0000110 • 2 insertAdjacentHTML = function
0000111 • 2 insertAdjacentText= function
0000112 • 2 querySelector = function
0000113 • 2 hasAttribute = function
0000114 • 2 getAttributeNode = function
0000115 • 2 getAttributeNS = function
0000116 • 2 getElementsByTagNameNS = function
0000117 • 2 getElementsByClassName= function
0000118 • 2 removeAttributeNS = function
0000119 • 2 querySelectorAll= function
0000120 • 2 contains = function
0000121 • 2 getClientRects = function
0000122 • 2 scrollByPages = function
0000123 • 2 setAttributeNode = function
0000124 • 2 setAttributeNS = function
0000125 • 2 hasAttributeNS = function
0000126 • 2 blur = function
0000127 • 2 scrollIntoViewIfNeeded= function
0000128 • 2 setAttribute = function
0000129 • 2 scrollByLines = function

0000130 • 2 getElementByTagName = function
0000131 • 2 removeAttribute = function
0000132 • 2 setAttributeNodeNS = function
0000133 • 2 getAttribute = function
0000134 • 2 removeAttributeNode = function
0000135 • 2 getAttributeNodeNS = function
0000136 • 2 focus = function
0000137 • 2 scrollIntoView = function
0000138 • 2 getBoundingClientRect = function
0000139 • 2 hasAttributes = function
0000140 • 2 isSupported = function
0000141 • 2 isEqualNode = function
0000142 • 2 cloneNode = function
0000143 • 2 dispatchEvent = function
0000144 • 2 isDefaultNamespace = function
0000145 • 2 insertBefore = function
0000146 • 2 removeChild = function
0000147 • 2 hasChildNodes = function
0000148 • 2 addEventListener = function
0000149 • 2 normalize = function
0000150 • 2 compareDocumentPosition = function
0000151 • 2 replaceChild = function
0000152 • 2 removeEventListener = function
0000153 • 2 appendChild = function
0000154 • 2 isSameNode = function
0000155 • 2 lookupPrefix = function
0000156 • 2 lookupNamespaceURI = function lookupNamespaceU
0000157 • 2 NOTATION_NODE = 12
0000158 • 2 CDATA_SECTION_NODE = 4
0000159 • 2 ELEMENT_NODE = 1
0000160 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000161 • 2 ENTITY_NODE = 6
0000162 • 2 TEXT_NODE = 3
0000163 • 2 ENTITY_REFERENCE_NODE = 5
0000164 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000165 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000166 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000167 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000168 • 2 DOCUMENT_TYPE_NODE = 10
0000169 • 2 COMMENT_NODE = 8
0000170 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000171 • 2 ATTRIBUTE_NODE = 2
0000172 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000173 • 2 DOCUMENT_NODE = 9
0000174 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000175 1 nextElementSibling
0000176 1 tagName = IMG
0000177 1 previousElementSibling
0000178 1 clientHeight = 101
0000179 1 childElementCount
0000180 1 offsetTop
0000181 1 offsetHeight = 101
0000182 1 scrollTop
0000183 1 scrollHeight = 101
0000184 1 previousSibling
0000185 1 parentNode = object
0000186 • 2 align
0000187 • 2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000188 • 2 className
0000189 • 2 innerText
0000190 • 2 id = layer
0000191 • 2 title
0000192 • 2 lang
0000193 • 2 dir
0000194 • 2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000195 • 2 contentEditable = false
0000196 • 2 tabIndex = -1
0000197 • 2 outerText
0000198 • 2 children = function

0000199 • 2 isContentEditable
0000200 • 2 style = object
0000201 • 2 scrollLeft
0000202 • 2 clientWidth = 274
0000203 • 2 firstElementChild = object
0000204 • 2 scrollWidth = 274
0000205 • 2 clientLeft
0000206 • 2 offsetWidth = 274
0000207 • 2 offsetLeft = 15
0000208 • 2 clientTop
0000209 • 2 lastElementChild= object
0000210 • 2 offsetParent = object
0000211 • 2 nextElementSibling= object
0000212 • 2 tagName = DIV
0000213 • 2 previousElementSibling = object
0000214 • 2 clientHeight = 174
0000215 • 2 childElementCount= 1
0000216 • 2 offsetTop = 315
0000217 • 2 offsetHeight = 174
0000218 • 2 scrollTop
0000219 • 2 scrollHeight = 174
0000220 • 2 previousSibling = object
0000221 • 2 parentNode = object
0000222 • 2 lastChild = object
0000223 • 2 baseURI = file:///Volumes/Projects%
0000224 • 2 firstChild = object
0000225 • 2 nodeValue
0000226 • 2 textContent
0000227 • 2 nodeType = 1
0000228 • 2 nodeName = DIV
0000229 • 2 prefix
0000230 • 2 childNodes= function
0000231 • 2 nextSibling = object
0000232 • 2 attributes = object
0000233 • 2 ownerDocument
0000234 • 2 namespaceURI = http://www.w3.org/1999/xh
0000235 • 2 localName = div
0000236 • 2 parentElement = object
0000237 • 2 insertAdjacentElement= function
0000238 • 2 insertAdjacentHTML = function
0000239 • 2 insertAdjacentText= function
0000240 • 2 querySelector = function
0000241 • 2 hasAttribute = function
0000242 • 2 getAttributeNode = function
0000243 • 2 getAttributeNS = function
0000244 • 2 getElementsByTagName = function
0000245 • 2 getElementsByClassName= function
0000246 • 2 removeAttributeNS = function
0000247 • 2 querySelectorAll= function
0000248 • 2 contains = function
0000249 • 2 getClientRects = function
0000250 • 2 scrollByPages = function
0000251 • 2 setAttributeNode = function
0000252 • 2 setAttributeNS = function
0000253 • 2 hasAttributeNS = function
0000254 • 2 blur = function
0000255 • 2 scrollIntoViewIfNeeded= function
0000256 • 2 setAttribute = function
0000257 • 2 scrollByLines = function
0000258 • 2 getElementsByTagName = function
0000259 • 2 removeAttribute = function
0000260 • 2 setAttributeNodeNS = function
0000261 • 2 getAttribute = function
0000262 • 2 removeAttributeNode= function
0000263 • 2 getAttributeNodeNS = function
0000264 • 2 focus = function
0000265 • 2 scrollIntoView = function
0000266 • 2 getBoundingClientRect = function
0000267 • 2 hasAttributes = function

0000268 • 2 isSupported = function
0000269 • 2 isEqualNode= function
0000270 • 2 cloneNode= function
0000271 • 2 dispatchEvent = function
0000272 • 2 isDefaultNamespace= function
0000273 • 2 insertBefore = function
0000274 • 2 removeChild= function
0000275 • 2 hasChildNodes = function
0000276 • 2 addEventListener= function
0000277 • 2 normalize = function
0000278 • 2 compareDocumentPosition = function
0000279 • 2 replaceChild= function
0000280 • 2 removeEventListener= function
0000281 • 2 appendChild = function
0000282 • 2 isSameNode = function
0000283 • 2 lookupPrefix = function
0000284 • 2 lookupNamespaceURI = function lookupNamespaceU
0000285 • 2 NOTATION_NODE = 12
0000286 • 2 CDATA_SECTION_NODE = 4
0000287 • 2 ELEMENT_NODE = 1
0000288 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000289 • 2 ENTITY_NODE = 6
0000290 • 2 TEXT_NODE = 3
0000291 • 2 ENTITY_REFERENCE_NODE = 5
0000292 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000293 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000294 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000295 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000296 • 2 DOCUMENT_TYPE_NODE = 10
0000297 • 2 COMMENT_NODE = 8
0000298 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000299 • 2 ATTRIBUTE_NODE = 2
0000300 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000301 • 2 DOCUMENT_NODE = 9
0000302 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000303 1 lastChild
0000304 1 baseURI = file:///Volumes/Projects%
0000305 1 firstChild
0000306 1 nodeValue
0000307 1 textContent
0000308 1 nodeType = 1
0000309 1 nodeName = IMG
0000310 1 prefix
0000311 childNodes= function
0000312 • 2 length
0000313 • 2 item = function
0000314 1 nextSibling
0000315 1 attributes = object
0000316 • 2 length = 5
0000317 • 2 removeNamedItemNS = function
0000318 • 2 getNamedItem = function
0000319 • 2 removeNamedItem = function
0000320 • 2 getNamedItemNS = function
0000321 • 2 setNamedItemNS = function
0000322 • 2 setNamedItem = function
0000323 • 2 item = function
0000324 1 ownerDocument= object
0000325 • 2 bgColor = #ffffff
0000326 • 2 alinkColor
0000327 • 2 width = 1018
0000328 • 2 plugins = function
0000329 • 2 height = 627
0000330 • 2 fgColor
0000331 • 2 vlinkColor
0000332 • 2 all
0000333 • 2 embeds = function
0000334 • 2 scripts = [*scriptArray*]
0000335 • 2 compatMode = BackCompat
0000336 • 2 activeElement = object

0000337 • 2 dir
0000338 • 2 designMode= off
0000339 • 2 linkColor
0000340 • 2 documentElement = object
0000341 • 2 preferredStylesheetSet
0000342 • 2 xmlVersion
0000343 • 2 location = object
0000344 • 2 xmlEncoding
0000345 • 2 implementation= object
0000346 • 2 referrer
0000347 • 2 defaultView%5Bobject%20DOMWindow%5D
0000348 • 2 domain
0000349 • 2 lastModified
0000350 • 2 anchors = function
0000351 • 2 applets = function
0000352 • 2 doctype = object
0000353 • 2 images = function
0000354 • 2 forms = function
0000355 • 2 charset = ISO-8859-1
0000356 • 2 styleSheets%5Bobject%20StyleSheetList%5D
0000357 • 2 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Utility%20routines/PropertyParser_DW_3.0/
PropertyParser_demo.html
0000358 • 2 readyState = complete
0000359 • 2 selectedStylesheetSet
0000360 • 2 characterSet = ISO-8859-1
0000361 • 2 title = Blady Property Parser
0000362 • 2 cookie
0000363 • 2 body = object
0000364 • 2 inputEncoding= ISO -8859-1
0000365 • 2 xmlStandalone
0000366 • 2 documentURI = file:///Volumes/Projects%
0000367 • 2 defaultCharset = WINDOWS-1252
0000368 • 2 links = function
0000369 • 2 previousSibling
0000370 • 2 parentNode
0000371 • 2 lastChild = object
0000372 • 2 baseURI = file:///Volumes/Projects%
0000373 • 2 firstChild = object
0000374 • 2 nodeValue
0000375 • 2 textContent
0000376 • 2 nodeType = 9
0000377 • 2 nodeName = #document
0000378 • 2 prefix
0000379 • 2 childNodes= function
0000380 • 2 nextSibling
0000381 • 2 attributes
0000382 • 2 ownerDocument
0000383 • 2 namespaceURI
0000384 • 2 localName
0000385 • 2 parentElement
0000386 • 2 hasFocus = function
0000387 • 2 captureEvents = function
0000388 • 2 writeln = function
0000389 • 2 close = function
0000390 • 2 clear = function
0000391 • 2 releaseEvents = function
0000392 • 2 open = function
0000393 • 2 write = function
0000394 • 2 getElementById = function
0000395 • 2 getElementsByTagName = function
0000396 • 2 evaluate = function
0000397 • 2 createRange = function
0000398 • 2 createEvent = function
0000399 • 2 getCSSCanvasContext= function
0000400 • 2 createTextNode= function
0000401 • 2 createAttributeNS = function
0000402 • 2 createElement = function
0000403 • 2 importNode = function
0000404 • 2 createComment = function

0000405 • 2 createAttribute = function
0000406 • 2 queryCommandState= function
0000407 • 2 createNodeIterator = function
0000408 • 2 querySelector = function
0000409 • 2 createEntityReference = function
0000410 • 2 getOverrideStyle = function
0000411 • 2 createNSResolver= function
0000412 • 2 adoptNode = function
0000413 • 2 queryCommandEnabled = function
0000414 • 2 getElementsByTagNameNS = function
0000415 • 2 getElementsByClassName= function
0000416 • 2 createExpression = function
0000417 • 2 createProcessingInstruction= function
0000418 • 2 createElementNS = function
0000419 • 2 createDocumentFragment= function
0000420 • 2 createCDATASection = function
0000421 • 2 queryCommandIndeterm= function
0000422 • 2 queryCommandValue = function
0000423 • 2 getSelection = function
0000424 • 2 createTreeWalker= function
0000425 • 2 execCommand = function
0000426 • 2 queryCommandSupported = function
0000427 • 2 getElementsByName = function
0000428 • 2 elementFromPoint = function
0000429 • 2 querySelectorAll= function
0000430 • 2 hasAttributes = function
0000431 • 2 isSupported = function
0000432 • 2 isEqualNode= function
0000433 • 2 cloneNode= function
0000434 • 2 dispatchEvent = function
0000435 • 2 isDefaultNamespace= function
0000436 • 2 insertBefore = function
0000437 • 2 removeChild= function
0000438 • 2 hasChildNodes = function
0000439 • 2 addEventListener= function
0000440 • 2 normalize = function
0000441 • 2 compareDocumentPosition = function
0000442 • 2 replaceChild= function
0000443 • 2 removeEventListener= function
0000444 • 2 appendChild = function
0000445 • 2 isSameNode = function
0000446 • 2 lookupPrefix = function
0000447 • 2 lookupNamespaceURI = function lookupNamespaceU
0000448 • 2 NOTATION_NODE = 12
0000449 • 2 CDATA_SECTION_NODE = 4
0000450 • 2 ELEMENT_NODE = 1
0000451 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000452 • 2 ENTITY_NODE = 6
0000453 • 2 TEXT_NODE = 3
0000454 • 2 ENTITY_REFERENCE_NODE = 5
0000455 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000456 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000457 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000458 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000459 • 2 DOCUMENT_TYPE_NODE = 10
0000460 • 2 COMMENT_NODE = 8
0000461 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000462 • 2 ATTRIBUTE_NODE = 2
0000463 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000464 • 2 DOCUMENT_NODE = 9
0000465 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000466 1 namespaceURI = http://www.w3.org/1999/xh
0000467 1 localName = img
0000468 1 parentElement = object
0000469 • 2 align
0000470 • 2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000471 • 2 className
0000472 • 2 innerText
0000473 • 2 id = layer

0000474 • 2 title
0000475 • 2 lang
0000476 • 2 dir
0000477 • 2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000478 • 2 contentEditable = false
0000479 • 2 tabIndex = -1
0000480 • 2 outerText
0000481 • 2 children = function
0000482 • 2 isContentEditable
0000483 • 2 style = object
0000484 • 2 scrollLeft
0000485 • 2 clientWidth = 274
0000486 • 2 firstElementChild = object
0000487 • 2 scrollWidth = 274
0000488 • 2 clientLeft
0000489 • 2 offsetWidth = 274
0000490 • 2 offsetLeft = 15
0000491 • 2 clientTop
0000492 • 2 lastElementChild = object
0000493 • 2 offsetParent = object
0000494 • 2 nextElementSibling = object
0000495 • 2 tagName = DIV
0000496 • 2 previousElementSibling = object
0000497 • 2 clientHeight = 174
0000498 • 2 childElementCount = 1
0000499 • 2 offsetTop = 315
0000500 • 2 offsetHeight = 174
0000501 • 2 scrollTop
0000502 • 2 scrollHeight = 174
0000503 • 2 previousSibling = object
0000504 • 2 parentNode = object
0000505 • 2 lastChild = object
0000506 • 2 baseURI = file:///Volumes/Projects%
0000507 • 2 firstChild = object
0000508 • 2 nodeValue
0000509 • 2 textContent
0000510 • 2 nodeType = 1
0000511 • 2 nodeName = DIV
0000512 • 2 prefix
0000513 • 2 childNodes = function
0000514 • 2 nextSibling = object
0000515 • 2 attributes = object
0000516 • 2 ownerDocument
0000517 • 2 namespaceURI = http://www.w3.org/1999/xh
0000518 • 2 localName = div
0000519 • 2 parentElement = object
0000520 • 2 insertAdjacentElement = function
0000521 • 2 insertAdjacentHTML = function
0000522 • 2 insertAdjacentText = function
0000523 • 2 querySelector = function
0000524 • 2 hasAttribute = function
0000525 • 2 getAttributeNode = function
0000526 • 2 getAttributeNS = function
0000527 • 2 getElementsByTagNameNS = function
0000528 • 2 getElementsByClassName = function
0000529 • 2 removeAttributeNS = function
0000530 • 2 querySelectorAll = function
0000531 • 2 contains = function
0000532 • 2 getClientRects = function
0000533 • 2 scrollByPages = function
0000534 • 2 setAttributeNode = function
0000535 • 2 setAttributeNS = function
0000536 • 2 hasAttributeNS = function
0000537 • 2 blur = function
0000538 • 2 scrollIntoViewIfNeeded = function
0000539 • 2 setAttribute = function
0000540 • 2 scrollByLines = function
0000541 • 2 getElementsByTagName = function
0000542 • 2 removeAttribute = function

0000543 • 2 setAttributeNodeNS = function
0000544 • 2 getAttribute = function
0000545 • 2 removeAttributeNode= function
0000546 • 2 getAttributeNodeNS = function
0000547 • 2 focus = function
0000548 • 2 scrollIntoView = function
0000549 • 2 getBoundingClientRect = function
0000550 • 2 hasAttributes = function
0000551 • 2 isSupported = function
0000552 • 2 isEqualNode= function
0000553 • 2 cloneNode= function
0000554 • 2 dispatchEvent = function
0000555 • 2 isDefaultNamespace= function
0000556 • 2 insertBefore = function
0000557 • 2 removeChild= function
0000558 • 2 hasChildNodes = function
0000559 • 2 addEventListener= function
0000560 • 2 normalize = function
0000561 • 2 compareDocumentPosition = function
0000562 • 2 replaceChild= function
0000563 • 2 removeEventListener= function
0000564 • 2 appendChild = function
0000565 • 2 isSameNode = function
0000566 • 2 lookupPrefix = function
0000567 • 2 lookupNamespaceURI = function lookupNamespaceU
0000568 • 2 NOTATION_NODE = 12
0000569 • 2 CDATA_SECTION_NODE = 4
0000570 • 2 ELEMENT_NODE = 1
0000571 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000572 • 2 ENTITY_NODE = 6
0000573 • 2 TEXT_NODE = 3
0000574 • 2 ENTITY_REFERENCE_NODE = 5
0000575 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000576 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000577 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000578 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000579 • 2 DOCUMENT_TYPE_NODE = 10
0000580 • 2 COMMENT_NODE = 8
0000581 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000582 • 2 ATTRIBUTE_NODE = 2
0000583 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000584 • 2 DOCUMENT_NODE = 9
0000585 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000586 1 insertAdjacentElement= function
0000587 1 insertAdjacentHTML = function
0000588 1 insertAdjacentText= function
0000589 1 querySelector = function
0000590 1 hasAttribute = function
0000591 1 getAttributeNode = function
0000592 1 getAttributeNS = function
0000593 1 getElementsByTagNameNS = function
0000594 1 getElementsByClassName= function
0000595 1 removeAttributeNS = function
0000596 1 querySelectorAll= function
0000597 1 contains = function
0000598 1 getClientRects = function
0000599 1 scrollByPages = function
0000600 1 setAttributeNode = function
0000601 1 setAttributeNS = function
0000602 1 hasAttributeNS = function
0000603 1 blur = function
0000604 1 scrollIntoViewIfNeeded= function
0000605 1 setAttribute = function
0000606 1 scrollByLines = function
0000607 1 getElementsByTagName = function
0000608 1 removeAttribute = function
0000609 1 setAttributeNodeNS = function
0000610 1 getAttribute = function
0000611 1 removeAttributeNode= function

0000612 1 getAttributeNodeNS = function
0000613 1 focus = function
0000614 1 scrollIntoView = function
0000615 1 getBoundingClientRect = function
0000616 1 hasAttributes = function
0000617 1 isSupported = function
0000618 1 isEqualNode = function
0000619 1 cloneNode = function
0000620 1 dispatchEvent = function
0000621 1 isDefaultNamespace = function
0000622 1 insertBefore = function
0000623 1 removeChild = function
0000624 1 hasChildNodes = function
0000625 1 addEventListener = function
0000626 1 normalize = function
0000627 1 compareDocumentPosition = function
0000628 1 replaceChild = function
0000629 1 removeEventListener = function
0000630 1 appendChild = function
0000631 1 isSameNode = function
0000632 1 lookupPrefix = function
0000633 1 lookupNamespaceURI = function lookupNamespaceU
0000634 1 NOTATION_NODE = 12
0000635 1 CDATA_SECTION_NODE = 4
0000636 1 ELEMENT_NODE = 1
0000637 1 DOCUMENT_POSITION_DISCONNECTED = 1
0000638 1 ENTITY_NODE = 6
0000639 1 TEXT_NODE = 3
0000640 1 ENTITY_REFERENCE_NODE = 5
0000641 1 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000642 1 DOCUMENT_FRAGMENT_NODE = 11
0000643 1 PROCESSING_INSTRUCTION_NODE = 7
0000644 1 DOCUMENT_POSITION_PRECEDING = 2
0000645 1 DOCUMENT_TYPE_NODE = 10
0000646 1 COMMENT_NODE = 8
0000647 1 DOCUMENT_POSITION_FOLLOWING = 4
0000648 1 ATTRIBUTE_NODE = 2
0000649 1 DOCUMENT_POSITION_CONTAINED_BY = 16
0000650 1 DOCUMENT_NODE = 9
0000651 1 DOCUMENT_POSITION_CONTAINS = 8