

Blady Property Parser Copyright from 2003 Walter S. Blady

Mozilla/5.0 (Macintosh; U; PPC Mac OS X 10\_4\_11; en) AppleWebKit/531.22.7 (KHTML, like Gecko) Version/4.0.5 Safari/531.22.7  
Properties for **[object HTMLImageElement]... pix**

Page 1 - Tue Mar 23 2010 16:33:10 GMT-0400 (EDT)

```
00000001 1 src = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-ins%20DW/Behaviors/CyberGallery_DW_7.0.1-5.0/CyberGallery_cataloge_demo/pages/steelartT.jpg
00000002 1 vspace
00000003 1 hspace
00000004 1 y = 315
00000005 1 useMap
00000006 1 x = 15
00000007 1 complete = true
00000008 1 name = pix
00000009 1 isMap
00000010 1 longDesc
00000011 1 height = 101
00000012 1 lowsrc
00000013 1 naturalHeight = 101
00000014 1 border
00000015 1 alt
00000016 1 align
00000017 1 width = 102
00000018 1 naturalWidth = 102
00000019 1 outerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
00000020 1 className
00000021 1 innerText
00000022 1 id
00000023 1 title
00000024 1 lang
00000025 1 dir
00000026 1 innerHTML
00000027 1 contentEditable = false
00000028 1 tabIndex = -1
00000029 1 outerText
00000030 1 children = function
00000031   • 2 length
00000032   • 2 namedItem = function
00000033   • 2 tags = function
00000034   • 2 item = function
00000035 1 isContentEditable
00000036 1 style = object
00000037   • 2 length
00000038   • 2 cssText
00000039   • 2 parentRule
00000040   • 2 removeProperty = function
00000041   • 2 getPropertyPriority = function
00000042   • 2 getPropertyValue = function
00000043   • 2 getPropertyShorthand = function
00000044   • 2 getPropertyCSSValue = function
00000045   • 2 isPropertyImplicit = function
00000046   • 2 item = function
00000047   • 2 setProperty = function
00000048 1 scrollLeft
00000049 1 clientWidth = 102
00000050 1 firstElementChild
00000051 1 scrollWidth = 102
00000052 1 clientLeft
00000053 1 offsetWidth = 102
```

```
0000054 1 offsetLeft
0000055 1 clientTop
0000056 1 lastElementChild
0000057 1 offsetParent = object
0000058   2 align
0000059   2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000060   2 className
0000061   2 innerText
0000062   2 id = layer
0000063   2 title
0000064   2 lang
0000065   2 dir
0000066   2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000067   2 contentEditable = false
0000068   2 tabIndex = -1
0000069   2 outerText
0000070   2 children = function
0000071   2 isContentEditable
0000072   2 style = object
0000073   2 scrollLeft
0000074   2 clientWidth = 274
0000075   2 firstElementChild = object
0000076   2 scrollWidth = 274
0000077   2 clientLeft
0000078   2 offsetWidth = 274
0000079   2 offsetLeft = 15
0000080   2 clientTop
0000081   2 lastElementChild = object
0000082   2 offsetParent = object
0000083   2 nextElementSibling = object
0000084   2 tagName = DIV
0000085   2 previousElementSibling = object
0000086   2 clientHeight = 174
0000087   2 childElementCount = 1
0000088   2 offsetTop = 315
0000089   2 offsetHeight = 174
0000090   2 scrollTop
0000091   2 scrollHeight = 174
0000092   2 previousSibling = object
0000093   2 parentNode = object
0000094   2 lastChild = object
0000095   2 baseURI = file:///Volumes/Projects%
0000096   2 firstChild = object
0000097   2 nodeValue
0000098   2 textContent
0000099   2 nodeType = 1
0000100   2 nodeName = DIV
0000101   2 prefix
0000102   2 childNodes = function
0000103   2 nextSibling = object
0000104   2 attributes = object
0000105   2 ownerDocument = object
0000106   2 namespaceURI = http://www.w3.org/1999/xh
0000107   2 localName = div
0000108   2 parentElement = object
0000109   2 insertAdjacentElement = function
0000110   2 insertAdjacentHTML = function
0000111   2 insertAdjacentText = function
0000112   2 querySelector = function
0000113   2 hasAttribute = function
0000114   2 getAttributeNode = function
0000115   2 getAttributeNS = function
```

0000116 • 2 **getElementsByTagNameNS** = function  
0000117 • 2 **getElementsByClassName** = function  
0000118 • 2 **removeAttributeNS** = function  
0000119 • 2 **querySelectorAll** = function  
0000120 • 2 **contains** = function  
0000121 • 2 **getClientRects** = function  
0000122 • 2 **scrollByPages** = function  
0000123 • 2 **setAttributeNode** = function  
0000124 • 2 **setAttributeNS** = function  
0000125 • 2 **hasAttributeNS** = function  
0000126 • 2 **blur** = function  
0000127 • 2 **scrollIntoViewIfNeeded** = function  
0000128 • 2 **setAttribute** = function  
0000129 • 2 **scrollByLines** = function  
0000130 • 2 **getElementsByTagName** = function  
0000131 • 2 **removeAttribute** = function  
0000132 • 2 **setAttributeNodeNS** = function  
0000133 • 2 **getAttribute** = function  
0000134 • 2 **removeAttributeNode** = function  
0000135 • 2 **getAttributeNodeNS** = function  
0000136 • 2 **focus** = function  
0000137 • 2 **scrollIntoView** = function  
0000138 • 2 **getBoundingClientRect** = function  
0000139 • 2 **hasAttributes** = function  
0000140 • 2 **isSupported** = function  
0000141 • 2 **isEqualNode** = function  
0000142 • 2 **cloneNode** = function  
0000143 • 2 **dispatchEvent** = function  
0000144 • 2 **isDefaultNamespace** = function  
0000145 • 2 **insertBefore** = function  
0000146 • 2 **removeChild** = function  
0000147 • 2 **hasChildNodes** = function  
0000148 • 2 **addEventListener** = function  
0000149 • 2 **normalize** = function  
0000150 • 2 **compareDocumentPosition** = function  
0000151 • 2 **replaceChild** = function  
0000152 • 2 **removeEventListener** = function  
0000153 • 2 **appendChild** = function  
0000154 • 2 **isSameNode** = function  
0000155 • 2 **lookupPrefix** = function  
0000156 • 2 **lookupNamespaceURI** = function lookupNamespaceU  
0000157 • 2 **NOTATION\_NODE** = 12  
0000158 • 2 **CDATA\_SECTION\_NODE** = 4  
0000159 • 2 **ELEMENT\_NODE** = 1  
0000160 • 2 **DOCUMENT\_POSITION\_DISCONNECTED** = 1  
0000161 • 2 **ENTITY\_NODE** = 6  
0000162 • 2 **TEXT\_NODE** = 3  
0000163 • 2 **ENTITY\_REFERENCE\_NODE** = 5  
0000164 • 2 **DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC** = 32  
0000165 • 2 **DOCUMENT\_FRAGMENT\_NODE** = 11  
0000166 • 2 **PROCESSING\_INSTRUCTION\_NODE** = 7  
0000167 • 2 **DOCUMENT\_POSITION\_PRECEDING** = 2  
0000168 • 2 **DOCUMENT\_TYPE\_NODE** = 10  
0000169 • 2 **COMMENT\_NODE** = 8  
0000170 • 2 **DOCUMENT\_POSITION\_FOLLOWING** = 4  
0000171 • 2 **ATTRIBUTE\_NODE** = 2  
0000172 • 2 **DOCUMENT\_POSITION\_CONTAINED\_BY** = 16  
0000173 • 2 **DOCUMENT\_NODE** = 9  
0000174 • 2 **DOCUMENT\_POSITION\_CONTAINS** = 8  
0000175 1 **nextElementSibling**  
0000176 1 **tagName** = IMG  
0000177 1 **previousElementSibling**

```
0000178 1 clientHeight = 101
0000179 1 childElementCount
0000180 1 offsetTop
0000181 1 offsetHeight = 101
0000182 1 scrollTop
0000183 1 scrollHeight = 101
0000184 1 previousSibling
0000185 1 parentNode = object
0000186   • 2 align
0000187   • 2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000188   • 2 className
0000189   • 2 innerText
0000190   • 2 id = layer
0000191   • 2 title
0000192   • 2 lang
0000193   • 2 dir
0000194   • 2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000195   • 2 contentEditable = false
0000196   • 2 tabIndex = -1
0000197   • 2 outerText
0000198   • 2 children = function
0000199   • 2 isContentEditable
0000200   • 2 style = object
0000201   • 2 scrollLeft
0000202   • 2 clientWidth = 274
0000203   • 2 firstElementChild = object
0000204   • 2 scrollWidth = 274
0000205   • 2 clientLeft
0000206   • 2 offsetWidth = 274
0000207   • 2 offsetLeft = 15
0000208   • 2 clientTop
0000209   • 2 lastElementChild = object
0000210   • 2 offsetParent = object
0000211   • 2 nextElementSibling = object
0000212   • 2 tagName = DIV
0000213   • 2 previousElementSibling = object
0000214   • 2 clientHeight = 174
0000215   • 2 childElementCount = 1
0000216   • 2 offsetTop = 315
0000217   • 2 offsetHeight = 174
0000218   • 2 scrollTop
0000219   • 2 scrollHeight = 174
0000220   • 2 previousSibling = object
0000221   • 2 parentNode = object
0000222   • 2 lastChild = object
0000223   • 2 baseURI = file:///Volumes/Projects%
0000224   • 2 firstChild = object
0000225   • 2 nodeValue
0000226   • 2 textContent
0000227   • 2 nodeType = 1
0000228   • 2 nodeName = DIV
0000229   • 2 prefix
0000230   • 2 childNodes = function
0000231   • 2 nextSibling = object
0000232   • 2 attributes = object
0000233   • 2 ownerDocument
0000234   • 2 namespaceURI = http://www.w3.org/1999/xh
0000235   • 2 localName = div
0000236   • 2 parentElement = object
0000237   • 2 insertAdjacentElement = function
0000238   • 2 insertAdjacentHTML = function
0000239   • 2 insertAdjacentText = function
```

0000240 • 2 **querySelector** = function  
0000241 • 2 **hasAttribute** = function  
0000242 • 2 **getAttributeNode** = function  
0000243 • 2 **getAttributeNS** = function  
0000244 • 2 **getElementsByTagNameNS** = function  
0000245 • 2 **getElementsByClassName** = function  
0000246 • 2 **removeAttributeNS** = function  
0000247 • 2 **querySelectorAll** = function  
0000248 • 2 **contains** = function  
0000249 • 2 **getClientRects** = function  
0000250 • 2 **scrollByPages** = function  
0000251 • 2 **setAttributeNode** = function  
0000252 • 2 **setAttributeNS** = function  
0000253 • 2 **hasAttributeNS** = function  
0000254 • 2 **blur** = function  
0000255 • 2 **scrollIntoViewIfNeeded** = function  
0000256 • 2 **setAttribute** = function  
0000257 • 2 **scrollByLines** = function  
0000258 • 2 **getElementsByTagName** = function  
0000259 • 2 **removeAttribute** = function  
0000260 • 2 **setAttributeNodeNS** = function  
0000261 • 2 **getAttribute** = function  
0000262 • 2 **removeAttributeNode** = function  
0000263 • 2 **getAttributeNodeNS** = function  
0000264 • 2 **focus** = function  
0000265 • 2 **scrollIntoView** = function  
0000266 • 2 **getBoundingClientRect** = function  
0000267 • 2 **hasAttributes** = function  
0000268 • 2 **isSupported** = function  
0000269 • 2 **isEqualNode** = function  
0000270 • 2 **cloneNode** = function  
0000271 • 2 **dispatchEvent** = function  
0000272 • 2 **isDefaultNamespace** = function  
0000273 • 2 **insertBefore** = function  
0000274 • 2 **removeChild** = function  
0000275 • 2 **hasChildNodes** = function  
0000276 • 2 **addEventListener** = function  
0000277 • 2 **normalize** = function  
0000278 • 2 **compareDocumentPosition** = function  
0000279 • 2 **replaceChild** = function  
0000280 • 2 **removeEventListener** = function  
0000281 • 2 **appendChild** = function  
0000282 • 2 **isSameNode** = function  
0000283 • 2 **lookupPrefix** = function  
0000284 • 2 **lookupNamespaceURI** = function lookupNamespaceU  
0000285 • 2 **NOTATION\_NODE** = 12  
0000286 • 2 **CDATA\_SECTION\_NODE** = 4  
0000287 • 2 **ELEMENT\_NODE** = 1  
0000288 • 2 **DOCUMENT\_POSITION\_DISCONNECTED** = 1  
0000289 • 2 **ENTITY\_NODE** = 6  
0000290 • 2 **TEXT\_NODE** = 3  
0000291 • 2 **ENTITY\_REFERENCE\_NODE** = 5  
0000292 • 2 **DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC** = 32  
0000293 • 2 **DOCUMENT\_FRAGMENT\_NODE** = 11  
0000294 • 2 **PROCESSING\_INSTRUCTION\_NODE** = 7  
0000295 • 2 **DOCUMENT\_POSITION\_PRECEDING** = 2  
0000296 • 2 **DOCUMENT\_TYPE\_NODE** = 10  
0000297 • 2 **COMMENT\_NODE** = 8  
0000298 • 2 **DOCUMENT\_POSITION\_FOLLOWING** = 4  
0000299 • 2 **ATTRIBUTE\_NODE** = 2  
0000300 • 2 **DOCUMENT\_POSITION\_CONTAINED\_BY** = 16  
0000301 • 2 **DOCUMENT\_NODE** = 9

```
0000302 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000303 1 lastChild
0000304 1 baseURI = file:///Volumes/Projects%
0000305 1 firstChild
0000306 1 nodeValue
0000307 1 textContent
0000308 1 nodeType = 1
0000309 1 nodeName = IMG
0000310 1 prefix
0000311 1 childNodes = function
0000312 • 2 length
0000313 • 2 item = function
0000314 1 nextSibling
0000315 1 attributes = object
0000316 • 2 length = 5
0000317 • 2 removeNamedItemNS = function
0000318 • 2 getNamedItem = function
0000319 • 2 removeNamedItem = function
0000320 • 2 getNamedItemNS = function
0000321 • 2 setNamedItemNS = function
0000322 • 2 setNamedItem = function
0000323 • 2 item = function
0000324 1 ownerDocument = object
0000325 • 2 bgColor = #ffffff
0000326 • 2 alinkColor
0000327 • 2 width = 982
0000328 • 2 plugins = function
0000329 • 2 height = 662
0000330 • 2 fgColor
0000331 • 2 vlinkColor
0000332 • 2 all
0000333 • 2 embeds = function
0000334 • 2 scripts = [*scriptArray*]
0000335 • 2 compatMode = BackCompat
0000336 • 2 activeElement = object
0000337 • 2 dir
0000338 • 2 designMode = off
0000339 • 2 linkColor
0000340 • 2 documentElement = object
0000341 • 2 preferredStylesheetSet
0000342 • 2 xmlVersion
0000343 • 2 location = object
0000344 • 2 xmlEncoding
0000345 • 2 implementation = object
0000346 • 2 referrer
0000347 • 2 defaultView%5Bobject%20DOMWindow%5D
0000348 • 2 domain
0000349 • 2 lastModified
0000350 • 2 anchors = function
0000351 • 2 applets = function
0000352 • 2 doctype = object
0000353 • 2 images = function
0000354 • 2 forms = function
0000355 • 2 charset = ISO-8859-1
0000356 • 2 styleSheets%5Bobject%20StyleSheetList%5D
0000357 • 2 URL = file:///Volumes/Projects%20HD/Actions%20folder/Action%20Plug-
ins%20DW/Utility%20routines/PropertyParser_DW_3.0/PropertyParser_demo.html
0000358 • 2 readyState = complete
0000359 • 2 selectedStylesheetSet
0000360 • 2 characterSet = ISO-8859-1
0000361 • 2 title = Blady Property Parser
0000362 • 2 cookie
```

0000363 • 2 **body** = object  
0000364 • 2 **inputEncoding** = ISO-8859-1  
0000365 • 2 **xmlStandalone**  
0000366 • 2 **documentURI** = file:///Volumes/Projects%  
0000367 • 2 **defaultCharset** = ISO-8859-1  
0000368 • 2 **links** = function  
0000369 • 2 **previousSibling**  
0000370 • 2 **parentNode**  
0000371 • 2 **lastChild** = object  
0000372 • 2 **baseURI** = file:///Volumes/Projects%  
0000373 • 2 **firstChild** = object  
0000374 • 2 **nodeValue**  
0000375 • 2 **textContent**  
0000376 • 2 **nodeType** = 9  
0000377 • 2 **nodeName** = #document  
0000378 • 2 **prefix**  
0000379 • 2 **childNodes** = function  
0000380 • 2 **nextSibling**  
0000381 • 2 **attributes**  
0000382 • 2 **ownerDocument**  
0000383 • 2 **namespaceURI**  
0000384 • 2 **localName**  
0000385 • 2 **parentElement**  
0000386 • 2 **hasFocus** = function  
0000387 • 2 **captureEvents** = function  
0000388 • 2 **writeln** = function  
0000389 • 2 **close** = function  
0000390 • 2 **clear** = function  
0000391 • 2 **releaseEvents** = function  
0000392 • 2 **open** = function  
0000393 • 2 **write** = function  
0000394 • 2 **getElementById** = function  
0000395 • 2 **getElementsByTagName** = function  
0000396 • 2 **evaluate** = function  
0000397 • 2 **createRange** = function  
0000398 • 2 **createEvent** = function  
0000399 • 2 **getCSSCanvasContext** = function  
0000400 • 2 **createTextNode** = function  
0000401 • 2 **createAttributeNS** = function  
0000402 • 2 **createElement** = function  
0000403 • 2 **importNode** = function  
0000404 • 2 **createComment** = function  
0000405 • 2 **createAttribute** = function  
0000406 • 2 **queryCommandState** = function  
0000407 • 2 **createNodeIterator** = function  
0000408 • 2 **querySelector** = function  
0000409 • 2 **createEntityReference** = function  
0000410 • 2 **getOverrideStyle** = function  
0000411 • 2 **createNSResolver** = function  
0000412 • 2 **adoptNode** = function  
0000413 • 2 **queryCommandEnabled** = function  
0000414 • 2 **getElementsByTagNameNS** = function  
0000415 • 2 **getElementsByClassName** = function  
0000416 • 2 **createExpression** = function  
0000417 • 2 **createProcessingInstruction** = function  
0000418 • 2 **createElementNS** = function  
0000419 • 2 **createDocumentFragment** = function  
0000420 • 2 **createCDATASection** = function  
0000421 • 2 **queryCommandIndeterm** = function  
0000422 • 2 **queryCommandValue** = function  
0000423 • 2 **getSelection** = function  
0000424 • 2 **createTreeWalker** = function

```

0000425 • 2 execCommand = function
0000426 • 2 queryCommandSupported = function
0000427 • 2 getElementsByName = function
0000428 • 2 elementFromPoint = function
0000429 • 2 querySelectorAll = function
0000430 • 2 hasAttributes = function
0000431 • 2 isSupported = function
0000432 • 2 isEqualNode = function
0000433 • 2 cloneNode = function
0000434 • 2 dispatchEvent = function
0000435 • 2 isDefaultNamespace = function
0000436 • 2 insertBefore = function
0000437 • 2 removeChild = function
0000438 • 2 hasChildNodes = function
0000439 • 2 addEventListener = function
0000440 • 2 normalize = function
0000441 • 2 compareDocumentPosition = function
0000442 • 2 replaceChild = function
0000443 • 2 removeEventListener = function
0000444 • 2 appendChild = function
0000445 • 2 isSameNode = function
0000446 • 2 lookupPrefix = function
0000447 • 2 lookupNamespaceURI = function lookupNamespaceU
0000448 • 2 NOTATION_NODE = 12
0000449 • 2 CDATA_SECTION_NODE = 4
0000450 • 2 ELEMENT_NODE = 1
0000451 • 2 DOCUMENT_POSITION_DISCONNECTED = 1
0000452 • 2 ENTITY_NODE = 6
0000453 • 2 TEXT_NODE = 3
0000454 • 2 ENTITY_REFERENCE_NODE = 5
0000455 • 2 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000456 • 2 DOCUMENT_FRAGMENT_NODE = 11
0000457 • 2 PROCESSING_INSTRUCTION_NODE = 7
0000458 • 2 DOCUMENT_POSITION_PRECEDING = 2
0000459 • 2 DOCUMENT_TYPE_NODE = 10
0000460 • 2 COMMENT_NODE = 8
0000461 • 2 DOCUMENT_POSITION_FOLLOWING = 4
0000462 • 2 ATTRIBUTE_NODE = 2
0000463 • 2 DOCUMENT_POSITION_CONTAINED_BY = 16
0000464 • 2 DOCUMENT_NODE = 9
0000465 • 2 DOCUMENT_POSITION_CONTAINS = 8
0000466 1 namespaceURI = http://www.w3.org/1999/xh
0000467 1 localName = img
0000468 1 parentElement = object
0000469 • 2 align
0000470 • 2 outerHTML = %3Cdiv%20id%3D%22layer%22%3E%3Cimg%20name
0000471 • 2 className
0000472 • 2 innerText
0000473 • 2 id = layer
0000474 • 2 title
0000475 • 2 lang
0000476 • 2 dir
0000477 • 2 innerHTML = %3Cimg%20name%3D%22pix%22%20src%3D%22../.
0000478 • 2 contentEditable = false
0000479 • 2 tabIndex = -1
0000480 • 2 outerText
0000481 • 2 children = function
0000482 • 2 isContentEditable
0000483 • 2 style = object
0000484 • 2 scrollLeft
0000485 • 2 clientWidth = 274
0000486 • 2 firstElementChild = object

```



0000487 • 2 **scrollWidth** = 274  
0000488 • 2 **clientLeft**  
0000489 • 2 **offsetWidth** = 274  
0000490 • 2 **offsetLeft** = 15  
0000491 • 2 **clientTop**  
0000492 • 2 **lastElementChild** = object  
0000493 • 2 **offsetParent** = object  
0000494 • 2 **nextElementSibling** = object  
0000495 • 2 **tagName** = DIV  
0000496 • 2 **previousElementSibling** = object  
0000497 • 2 **clientHeight** = 174  
0000498 • 2 **childElementCount** = 1  
0000499 • 2 **offsetTop** = 315  
0000500 • 2 **offsetHeight** = 174  
0000501 • 2 **scrollTop**  
0000502 • 2 **scrollHeight** = 174  
0000503 • 2 **previousSibling** = object  
0000504 • 2 **parentNode** = object  
0000505 • 2 **lastChild** = object  
0000506 • 2 **baseURI** = file:///Volumes/Projects%  
0000507 • 2 **firstChild** = object  
0000508 • 2 **nodeValue**  
0000509 • 2 **textContent**  
0000510 • 2 **nodeType** = 1  
0000511 • 2 **nodeName** = DIV  
0000512 • 2 **prefix**  
0000513 • 2 **childNodes** = function  
0000514 • 2 **nextSibling** = object  
0000515 • 2 **attributes** = object  
0000516 • 2 **ownerDocument**  
0000517 • 2 **namespaceURI** = http://www.w3.org/1999/xh  
0000518 • 2 **localName** = div  
0000519 • 2 **parentElement** = object  
0000520 • 2 **insertAdjacentElement** = function  
0000521 • 2 **insertAdjacentHTML** = function  
0000522 • 2 **insertAdjacentText** = function  
0000523 • 2 **querySelector** = function  
0000524 • 2 **hasAttribute** = function  
0000525 • 2 **getAttributeNode** = function  
0000526 • 2 **getAttributeNS** = function  
0000527 • 2 **getElementsByTagNameNS** = function  
0000528 • 2 **getElementsByClassName** = function  
0000529 • 2 **removeAttributeNS** = function  
0000530 • 2 **querySelectorAll** = function  
0000531 • 2 **contains** = function  
0000532 • 2 **getClientRects** = function  
0000533 • 2 **scrollByPages** = function  
0000534 • 2 **setAttributeNode** = function  
0000535 • 2 **setAttributeNS** = function  
0000536 • 2 **hasAttributeNS** = function  
0000537 • 2 **blur** = function  
0000538 • 2 **scrollIntoViewIfNeeded** = function  
0000539 • 2 **setAttribute** = function  
0000540 • 2 **scrollByLines** = function  
0000541 • 2 **getElementsByTagName** = function  
0000542 • 2 **removeAttribute** = function  
0000543 • 2 **setAttributeNodeNS** = function  
0000544 • 2 **getAttribute** = function  
0000545 • 2 **removeAttributeNode** = function  
0000546 • 2 **getAttributeNodeNS** = function  
0000547 • 2 **focus** = function  
0000548 • 2 **scrollIntoView** = function

0000549 • 2 **getBoundingClientRect** = function  
0000550 • 2 **hasAttributes** = function  
0000551 • 2 **isSupported** = function  
0000552 • 2 **isEqualNode** = function  
0000553 • 2 **cloneNode** = function  
0000554 • 2 **dispatchEvent** = function  
0000555 • 2 **isDefaultNamespace** = function  
0000556 • 2 **insertBefore** = function  
0000557 • 2 **removeChild** = function  
0000558 • 2 **hasChildNodes** = function  
0000559 • 2 **addEventListener** = function  
0000560 • 2 **normalize** = function  
0000561 • 2 **compareDocumentPosition** = function  
0000562 • 2 **replaceChild** = function  
0000563 • 2 **removeEventListener** = function  
0000564 • 2 **appendChild** = function  
0000565 • 2 **isSameNode** = function  
0000566 • 2 **lookupPrefix** = function  
0000567 • 2 **lookupNamespaceURI** = function lookupNamespaceU  
0000568 • 2 **NOTATION\_NODE** = 12  
0000569 • 2 **CDATA\_SECTION\_NODE** = 4  
0000570 • 2 **ELEMENT\_NODE** = 1  
0000571 • 2 **DOCUMENT\_POSITION\_DISCONNECTED** = 1  
0000572 • 2 **ENTITY\_NODE** = 6  
0000573 • 2 **TEXT\_NODE** = 3  
0000574 • 2 **ENTITY\_REFERENCE\_NODE** = 5  
0000575 • 2 **DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC** = 32  
0000576 • 2 **DOCUMENT\_FRAGMENT\_NODE** = 11  
0000577 • 2 **PROCESSING\_INSTRUCTION\_NODE** = 7  
0000578 • 2 **DOCUMENT\_POSITION\_PRECEDING** = 2  
0000579 • 2 **DOCUMENT\_TYPE\_NODE** = 10  
0000580 • 2 **COMMENT\_NODE** = 8  
0000581 • 2 **DOCUMENT\_POSITION\_FOLLOWING** = 4  
0000582 • 2 **ATTRIBUTE\_NODE** = 2  
0000583 • 2 **DOCUMENT\_POSITION\_CONTAINED\_BY** = 16  
0000584 • 2 **DOCUMENT\_NODE** = 9  
0000585 • 2 **DOCUMENT\_POSITION\_CONTAINS** = 8  
0000586 1 **insertAdjacentElement** = function  
0000587 1 **insertAdjacentHTML** = function  
0000588 1 **insertAdjacentText** = function  
0000589 1 **querySelector** = function  
0000590 1 **hasAttribute** = function  
0000591 1 **getAttributeNode** = function  
0000592 1 **getAttributeNS** = function  
0000593 1 **getElementsByTagNameNS** = function  
0000594 1 **getElementsByClassName** = function  
0000595 1 **removeAttributeNS** = function  
0000596 1 **querySelectorAll** = function  
0000597 1 **contains** = function  
0000598 1 **getClientRects** = function  
0000599 1 **scrollByPages** = function  
0000600 1 **setAttributeNode** = function  
0000601 1 **setAttributeNS** = function  
0000602 1 **hasAttributeNS** = function  
0000603 1 **blur** = function  
0000604 1 **scrollIntoViewIfNeeded** = function  
0000605 1 **setAttribute** = function  
0000606 1 **scrollByLines** = function  
0000607 1 **getElementsByTagName** = function  
0000608 1 **removeAttribute** = function  
0000609 1 **setAttributeNodeNS** = function  
0000610 1 **getAttribute** = function

```
0000611 1 removeAttributeNode = function
0000612 1 getAttributeNodeNS = function
0000613 1 focus = function
0000614 1 scrollIntoView = function
0000615 1 getBoundingClientRect = function
0000616 1 hasAttributes = function
0000617 1 isSupported = function
0000618 1 isEqualNode = function
0000619 1 cloneNode = function
0000620 1 dispatchEvent = function
0000621 1 isDefaultNamespace = function
0000622 1 insertBefore = function
0000623 1 removeChild = function
0000624 1 hasChildNodes = function
0000625 1 addEventListener = function
0000626 1 normalize = function
0000627 1 compareDocumentPosition = function
0000628 1 replaceChild = function
0000629 1 removeEventListener = function
0000630 1 appendChild = function
0000631 1 isSameNode = function
0000632 1 lookupPrefix = function
0000633 1 lookupNamespaceURI = function lookupNamespaceU
0000634 1 NOTATION_NODE = 12
0000635 1 CDATA_SECTION_NODE = 4
0000636 1 ELEMENT_NODE = 1
0000637 1 DOCUMENT_POSITION_DISCONNECTED = 1
0000638 1 ENTITY_NODE = 6
0000639 1 TEXT_NODE = 3
0000640 1 ENTITY_REFERENCE_NODE = 5
0000641 1 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC = 32
0000642 1 DOCUMENT_FRAGMENT_NODE = 11
0000643 1 PROCESSING_INSTRUCTION_NODE = 7
0000644 1 DOCUMENT_POSITION_PRECEDING = 2
0000645 1 DOCUMENT_TYPE_NODE = 10
0000646 1 COMMENT_NODE = 8
0000647 1 DOCUMENT_POSITION_FOLLOWING = 4
0000648 1 ATTRIBUTE_NODE = 2
0000649 1 DOCUMENT_POSITION_CONTAINED_BY = 16
0000650 1 DOCUMENT_NODE = 9
0000651 1 DOCUMENT_POSITION_CONTAINS = 8
```